

# **New York State HIV/AIDS Annual Surveillance Report**

## **For Persons Diagnosed Through December 2024**



---

*Division of HIV Epidemiology, Evaluation and Partner Services  
AIDS Institute  
New York State Department of Health  
September 2025*

---



**Department  
of Health**

## TABLE OF CONTENTS

Introduction to the New York State HIV/AIDS Annual Surveillance Report.....	5-7
Technical Notes on the New York State HIV/AIDS Annual Surveillance Report.....	8-12
Definition of Terms Used in this Report.....	13-16
Guide to the Tables.....	17-21

### STATEWIDE

Table 1	New Diagnoses of HIV and AIDS by Region and Year of Diagnosis and Deaths of Persons with Diagnosed HIV or AIDS by Region and Year.....	22
Table 2A	Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk.....	23
Table 2B	New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk.....	24
Table 2C	New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk.....	25
Table 2D	Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024), by Sex at Birth, Age, Race/Ethnicity and Risk.....	26
Table 2E	New Diagnoses of HIV by Current Gender, Region and Year of Diagnosis.....	27
Table 2F	New Diagnoses of HIV 2011-2024 Among Transgender, Gender Non-Conforming, and Non-Binary Persons by Current Gender, Age, Race/Ethnicity, and Risk.....	28
Table 2G	Transgender, Gender Non-Conforming, and Non-Binary Persons Living with Diagnosed HIV as of December 2024, by Current Gender, Age, Race/Ethnicity, and Risk.....	29

### REGIONAL

Table 3A	NEW YORK CITY - Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk.....	30
Table 3B	NEW YORK CITY - New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk.....	31
Table 3C	NEW YORK CITY - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk....	32
Table 3D	NEW YORK CITY - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024), by Sex at Birth, Age, Race/Ethnicity and Risk.....	33
Table 4A	REST OF STATE - Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk.....	34
Table 4B	REST OF STATE - New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk.....	35
Table 4C	REST OF STATE - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk.....	36
Table 4D	REST OF STATE - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024), by Sex at Birth, Age, Race/Ethnicity and Risk.....	37

### REST OF STATE, by COUNTY

Table 5A	Persons Living with Diagnosed HIV as of December 2024.....	38-40
Table 5B	New Diagnoses of HIV and AIDS, 2024, and Cumulative AIDS Diagnoses through December 2024.....	41-43
Table 5C	Deaths of Persons with Diagnosed HIV or AIDS, 2024.....	44-45

## NEW YORK CITY by SEX at BIRTH

Table 6A	Males - Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk.....	46
Table 6B	Males - New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk.....	47
Table 6C	Males - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk.....	48
Table 6D	Males - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Age, Race/Ethnicity and Risk.....	49
Table 6E	Females - Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk.....	50
Table 6F	Females - New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk.....	51
Table 6G	Females - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk.....	52
Table 6H	Females - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Age, Race/Ethnicity and Risk.....	53

## REST OF STATE, by SEX at BIRTH (EXCLUDES PERSONS INCARCERATED)

Table 7A	Males - Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk.....	54
Table 7B	Males - New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk.....	55
Table 7C	Males - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk.....	56
Table 7D	Males - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Age, Race/Ethnicity and Risk.....	57
Table 7E	Females - Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk.....	58
Table 7F	Females - New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk.....	59
Table 7G	Females - New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk.....	60
Table 7H	Females - Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Age, Race/Ethnicity and Risk.....	61

## REST OF STATE-PERSONS INCARCERATED

Table 8A	Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, and Race/Ethnicity.....	62
Table 8B	New Diagnoses of HIV and AIDS 2024, by Sex at Birth, Age and Race/Ethnicity.....	63
Table 8C	Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024), by Sex at Birth, Age and Race/Ethnicity.....	64

## REST OF STATE, by RYAN WHITE REGION

Table 9A	Persons Living with Diagnosed HIV as of December 2024.....	65
Table 9B	New Diagnoses of HIV and AIDS, 2024 and Cumulative AIDS Diagnoses through December 2024.....	66
Table 9C	Deaths of Persons with Diagnosed HIV or AIDS, 2024.....	67

## REST OF STATE - RYAN WHITE REGIONS

The following four tables have been generated for each of the Ryan White Regions:

- A** – Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk
- B** – New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk
- C** – New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk
- D** – Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk

Table 10 – A, B, C, D .....	<b>Albany</b> Ryan White Region .....	68-71
Table 11 – A, B, C, D .....	<b>Binghamton</b> Ryan White Region.....	72-75
Table 12 – A, B, C, D .....	<b>Buffalo</b> Ryan White Region .....	76-79
Table 13 – A, B, C, D .....	<b>Lower Hudson</b> Ryan White Region .....	80-83
Table 14 – A, B, C, D .....	<b>Mid-Hudson</b> Ryan White Region .....	84-87
Table 15 – A, B, C, D .....	<b>Nassau/Suffolk</b> Ryan White Region .....	88-91
Table 16 – A, B, C, D .....	<b>Rochester</b> Ryan White Region.....	92-95
Table 17 – A, B, C, D .....	<b>Syracuse</b> Ryan White Region.....	96-99

## NEW YORK CITY – BOROUGHES

Table 18A	Persons Living with Diagnosed HIV as of December 2024.....	100
Table 18B	New Diagnoses of HIV and AIDS, 2024 and Cumulative AIDS Diagnoses through December 2024.....	101
Table 18C	Deaths of Persons with Diagnosed HIV or AIDS, 2024.....	102

The following four tables have been generated for each of the Boroughs:

- A** – Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk
- B** – New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk
- C** – New Diagnoses of AIDS (January-December 2024) and Cumulative AIDS Diagnoses (through December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk
- D** – Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024) by Sex at Birth, Age, Race/Ethnicity and Risk

Table 19 - A, B, C, D .....	<b>Bronx</b> .....	103-106
Table 20 - A, B, C, D .....	<b>Brooklyn</b> .....	107-110
Table 21 - A, B, C, D .....	<b>Manhattan</b> .....	111-114
Table 22 - A, B, C, D .....	<b>Queens</b> .....	115-118
Table 23 - A, B, C, D .....	<b>Staten Island</b> .....	119-122

## MOTHER-TO-CHILD TRANSMISSION OF HIV (NEW YORK STATE)

Table 24A	Perinatal HIV Transmission among all Live-Born Infants in New York State, 1997 – 2024.....	123
Table 24B	HIV-Exposed Infants Born in New York State, 1997 – 2024.....	124-125

# Introduction to the New York State HIV/AIDS Annual Surveillance Report

## 2024 Highlights

- The number of persons newly diagnosed with HIV in New York State has **decreased 36%** from 2011 to 2024 (4,024 to 2,555) (Page 22, Table 1).
- Statewide, **21%** of persons newly diagnosed with HIV were concurrently diagnosed with AIDS (Page 24, Table 2B).
- The rates of new HIV diagnoses among non-Hispanic Black and Hispanic individuals were **9.2** and **5.4** times higher, respectively, than the rate for non-Hispanic White individuals (Page 24, Table 2B). The prevalence rates of HIV among non-Hispanic Black and Hispanic individuals were **7.8** and **4.3** times higher than the rate for non-Hispanic White individuals, respectively (Page 23, Table 2A).
- As of December 2024, 106,754 New Yorkers were living with diagnosed HIV. While the burden of HIV was heaviest in New York City, **22%** of persons living with diagnosed HIV resided outside the five boroughs (Page 23, Table 2A; Page 30, Table 3A; Page 34, Table 4A).
- Of 106,754 persons living with diagnosed HIV in New York, **74% were at least 40 years of age and 56% were age 50 years or older** (Page 23, Table 2A).
- Most new HIV diagnoses (69%) occurred in persons younger than 40 years old. Less than 20% of new diagnoses occurred in persons aged 50 years or older (Page 24, Table 2B).
- In 2024, 261 persons living with HIV gave birth to 268 HIV-exposed infants in New York State birth facilities. Among the HIV-exposed infants, one had a confirmed HIV diagnosis, none were presumed positive, 195 were confirmed negative, 60 were presumed negative, and 12 had an indeterminate status (Page 124, Table 24B).
- In 2024, 206,756 live births were recorded in New York State hospitals, yielding one case of perinatal transmission of HIV and 0.4% perinatal transmission rate among those with confirmed or presumptive status (Page 123, Table 24A).
- Based on data for 2024, New York State met the Centers for Disease Control and Prevention definition of elimination of perinatal transmission. This is the eleventh time that New York State has achieved the elimination of perinatal transmission. (2013, and 2015-2024) and **the first time that New York State has met the goal for 10 consecutive years** (Page 123, Table 24A).

## **HIV/AIDS Annual Surveillance Report - Overview**

The Annual Surveillance Report presents recent data on persons newly diagnosed with HIV while resident in New York State and persons living with diagnosed HIV in New York State as of December 2024. Tables are grouped by major geographic division (New York State, New York City, New York State excluding New York City, Ryan White Regions<sup>1</sup>, and New York City boroughs). Most divisions feature four tables on separate pages – (A) persons living with diagnosed HIV, (B) new diagnoses of HIV, (C) new diagnoses of AIDS, and (D) deaths of persons with diagnosed HIV. The historical table (Table 1) includes persons newly diagnosed with HIV and AIDS, and deaths of persons with diagnosed HIV or AIDS, by region at diagnosis or death.

### **A) Persons Living with Diagnosed HIV**

- Persons living with diagnosed HIV (non-AIDS), persons living with diagnosed AIDS and persons living with diagnosed HIV and AIDS counts for persons whose most recent known address of residence was in New York State as of December 2024.
- The table features age-adjusted prevalence rates (persons living with diagnosed HIV per 100,000 population). This allows comparison of rates between demographic groups and between geographic areas.
- Age is the **current age** for the time point being reported.

### **B) New Diagnoses of HIV**

- Counts of all persons newly diagnosed with HIV in New York State, including those who died during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis.
- Persons are categorized by progression of disease status. “Non-Concurrent HIV” refers to persons newly diagnosed with HIV without a subsequent AIDS diagnosis or with an AIDS diagnosis at least one month later than the date of HIV diagnosis. “Concurrent HIV and AIDS” refers to persons newly diagnosed with HIV and a simultaneous AIDS diagnosis or followed by a subsequent AIDS diagnosis (Stage 3 HIV) within 30 days.
- Age-adjusted HIV diagnosis rates (new HIV diagnoses per 100,000 people) allow for comparison of rates between demographic groups and between geographic areas.
- Diagnoses are also shown as a percent of total for Non-Concurrent HIV, Concurrent, and total number of persons newly diagnosed with HIV.

---

<sup>1</sup> This report presents tabulations for eight Ryan White regions covering New York State, exclusive of New York City: Albany, Binghamton, Buffalo, Lower Hudson, Mid-Hudson, Nassau/Suffolk, Rochester, and Syracuse.

**C) New Diagnoses of AIDS**

- Age-adjusted AIDS diagnosis rates (new AIDS diagnoses per 100,000 people) allow for comparison of rates between demographic groups and between geographic areas.
- Cumulative AIDS diagnoses are displayed by demographic groups.

**D) Deaths of Persons with Diagnosed HIV or AIDS**

- Deaths of persons with diagnosed HIV, diagnosed AIDS, and total deaths among persons with diagnosed HIV and/or AIDS and last known to be resident in New York State, as shown by the most recently known address of residence before death.
- Deaths are from all causes and are shown by demographic groups.
- Ascertainment of deaths occurring in 2024 is incomplete and these data are provisional.

## **Technical Notes on the New York State HIV/AIDS Annual Surveillance Report**

This HIV/AIDS Annual Surveillance Report is produced by the Data Analysis and Research Translation Team, Division of HIV Epidemiology, Evaluation, and Partner Services, AIDS Institute, New York State Department of Health. This publication is available online at:

<http://www.health.ny.gov/diseases/aids/general/statistics>

Printed copies can be obtained by contacting:

Data Analysis and Research Translation  
Division of HIV Epidemiology, Evaluation and Partner Services  
P.O. Box 2073, ESP Station  
Albany NY 12220-0073  
(518) 474-4284  
[bhae@health.ny.gov](mailto:bhae@health.ny.gov)

Information presented in this report is generated from data collected and maintained by the Bureau of HIV/AIDS Epidemiology and the HIV Assess Connect Engage Program of the New York City Department of Health and Mental Hygiene. More finely delineated breakouts may be obtained by contacting the Data Analysis and Research Translation at the above phone number or email address. However, breakouts that are potentially identifying cannot be released.

## **Source Data**

This report was produced using the Statewide Analysis File that includes data reported to the state as of June 2025. The analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Data for infants exposed to HIV born in New York State birth facilities were obtained from the Newborn Screening Program which screens all live-born infants in New York State for over 40 diseases or genetic conditions, including HIV. Additionally, diagnostic testing status of infants was obtained from the New York State Wadsworth Pediatric Diagnostic Testing Service and through routine electronic laboratory reporting.

## **Reporting Procedures**

On June 1, 2000, the New York State Department of Health implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced existing AIDS reporting by requiring health care providers to report all initial determinations of HIV, HIV-related illness and AIDS to the New York State Commissioner of Health<sup>2</sup>. Under the amended HIV testing law, providers are required to report such determinations within 7 days of receipt of a positive laboratory result or after diagnosis,

---

<sup>2</sup> Data for persons with diagnosed HIV and tuberculosis (TB) are available from the New York State Department of Health TB Control Program (<https://www.health.ny.gov/statistics/diseases/communicable/tuberculosis>) and the New York City Department of Health and Mental Hygiene Bureau of TB Control (<https://www1.nyc.gov/site/doh/health/health-topics/tuberculosis-historical-reports.page>)



whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm<sup>3</sup> or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV<sup>3</sup> or for the periodic monitoring of HIV. Diagnosing and treating medical providers must report new diagnoses of HIV and AIDS directly to the New York State Department of Health using the DOH-4189 Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF, revised 9/2016) within 7 days of diagnosis. The PRF is now able to be completed electronically using the Provider Portal on the New York State Department of Health Health Commerce System at <https://commerce.health.ny.gov>. Additionally, the Provider Portal can be used by clinicians to submit inquiries for their patients with diagnosed HIV who are thought to need assistance with linkage to or retention in HIV medical care. Additional information regarding provider reporting may be obtained by calling (518) 474-4284 or emailing [eprfhelp@health.ny.gov](mailto:eprfhelp@health.ny.gov).

## Record Updates

HIV surveillance files are never closed. When additional information is received on a person after the initial report, data for that record is updated, potentially resulting in changes in the data previously reported. For example, new information may indicate that two surveillance reports in fact refer to a single individual. The two surveillance system records for the same person will be combined, thus reducing the number of diagnoses counted in a geographic area, demographic or risk group category. Additionally, information collected during intra- and inter-jurisdictional deduplication (see below) may alter the date, residence or disease stage of initial diagnosis.

## HIV/AIDS Surveillance Definition

A uniform surveillance definition for AIDS was established by the Centers for Disease Control and Prevention in the early 1980s and has since been modified to expand the range of AIDS-indicator diseases and conditions and to incorporate newly approved HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS diagnosis definition for adults and adolescents, which includes persons diagnosed with HIV and CD4+ T-lymphocyte counts below 200 cells/mm<sup>3</sup> or below 14% of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer. Particularly due to the new immunologic criterion of the expanded AIDS definition, the number of people reported to the New York State Department of Health and New York City Department of Health and Mental Hygiene grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These people were effectively diagnosed earlier in the progression of HIV disease than other AIDS diagnoses under the old definition. The effect

---

<sup>3</sup> <http://www.wadsworth.org/sites/default/files/WebDoc/618150225/CDRG%202016%20Complete.pdf>

of this new criterion was a large and sudden increase in the number of AIDS diagnoses confirmed around 1993, producing the false impression of a dramatic increase in persons diagnosed with AIDS during that period.

In 2008 the Centers for Disease Control and Prevention revised the HIV definition<sup>4</sup>, designating AIDS as “Stage 3 HIV.” This Annual Surveillance Report continues to use the term AIDS to refer to this stage of disease. The 2008 definition required laboratory-confirmed evidence of HIV. Since virtually all HIV reports entered into the New York State surveillance system meet this requirement, it did not materially affect the number of diagnoses.

In April 2014, the Centers for Disease Control and Prevention again revised the HIV definition<sup>5</sup>. Under the 2014 definition, (1) adult and pediatric definitions are covered under a single rubric; (2) “Stage 0 HIV” is used to denote persons with a negative HIV test within 6 months of diagnosis; (3) laboratory criteria for “Stage 3 HIV” (AIDS) refer to CD4 + T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and, (4) laboratory criteria for defining confirmed HIV now accommodate the multi-test algorithm.

## **Deduplication**

The HIV/AIDS diagnosis data used in this Annual Surveillance Report have undergone both inter- and intra-state deduplication.

New York participates in Centers for Disease Control and Prevention’s Routine Interstate Duplicate Review (RIDR) program and Cumulative Interstate Duplicate Review (CIDR) processes as an ongoing effort to identify suspected duplicate reports of persons reported to the National HIV/AIDS Surveillance System. By removing duplicates, persons are only counted once. If the same person is reported by two or more jurisdictions, the reported residence of the person at the earliest date of diagnosis determines residence at HIV and/or AIDS diagnosis. Current residence is based on the most recently reported residence of the person. For the purposes of this Annual Surveillance Report, reports in the New York registry that are known through RIDR/CIDR to have been initially diagnosed while resident in another state are excluded from counts of new diagnoses, but are included in living counts if current residence is in New York State by the end of the reporting period.

These data have also been deduplicated between New York City and the rest of New York State. In all areas of New York State excluding New York City, HIV surveillance is conducted by the New York State Department of Health. In New York City, HIV surveillance is conducted by the New York City Department of Health and Mental Hygiene. Often, the same person will be reported to both jurisdictions. The New York City and New York State Departments of Health report HIV data separately to Centers for Disease Control and Prevention, and the combined file

---

<sup>4</sup> Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

<sup>5</sup> Revised Surveillance Case Definition for HIV Infection — United States, 2014; MMWR, Apr. 11, 2008, vol. 63, No. 3

can contain the same person more than once. In the reporting of national HIV data, Centers for Disease Control and Prevention deduplicates data across all surveillance jurisdictions with the goal of ensuring that each person is counted once and only once, with residence at diagnosis and current residence reported as described above. These deduplicated data provide the basis for Ryan White and other federal funding received by New York State and other jurisdictions. The data used in this report have been deduplicated by the New York State Department of Health following an algorithm similar to the Centers for Disease Control and Prevention algorithm.

On-going refinement of the data may also contribute to geographical reassignment of persons at the state, regional, county, and local levels.

### **Age Adjustment**

The diagnosis and prevalence rates for total population, sex and race/ethnicity in the report are age-adjusted to the United States 2000 standard population. The purpose of the adjustment is to enable comparisons of rates between areas or demographic groups which differ in age structure. In general, the adjusted rates in this report mirror crude (unadjusted) rates. Readers interested in the crude rates may derive them by dividing the counts by the 2024 populations (United States Census, State and County Characteristics Resident Population Estimates; released June 2025) in the persons living with diagnosed HIV table for each geographic region.

### **Data Completeness**

**Persons newly diagnosed with HIV or AIDS:** HIV surveillance files are never closed. Delays in reporting, report ascertainment and receipt of updated information result in changes in the data over time.

**Persons living with diagnosed HIV:** Because living counts include persons diagnosed in previous years as well as persons newly diagnosed, delays in reporting and ascertainment have minimal effect on the count. However, counts of persons living with diagnosed HIV may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

### **Perinatal HIV Transmission**

At the height of the HIV epidemic in the early 1990s, approximately 1,900 people gave birth to 475 HIV-exposed infants annually in New York State. The perinatal transmission rate during this period was approximately 25%. In response to the high rates of perinatal transmission of HIV, New York State implemented the following regulatory measures resulting in a 100% decline in the number of HIV-exposed infants who become diagnosed with HIV (475 in 1990 to 1 in 2024) in New York State:

- May 1996: Universal prenatal HIV counseling and voluntary HIV testing for all pregnant people in regulated facilities.
- February 1997: Implementation of the New York State law to Include HIV testing by the Newborn Screening Program of infants born in New York State birth facilities.

- August 1999: With consent, expedited HIV testing in delivery settings of all pregnant people who present at delivery or expedited HIV testing of infants at birth if the birthing parent's HIV status is unknown.
- February 2007: New York State Department of Health recommendation that all pregnant people be offered a second prenatal HIV test during the third trimester of pregnancy.

The Centers for Disease Control and Prevention defines "elimination" of perinatal transmission according to two criteria:

1. A transmission rate of less than one percent of exposed infants and
2. Less than one case of perinatal transmission per 100,000 live births

Elimination of HIV perinatal transmission is not a single event; it is the result of ongoing and multifaceted prevention efforts.

### **County Level Data**

To protect confidentiality and privacy, counties with populations under 30,000 people were combined with counties in geographical proximity and with similar demographic characteristics. The following counties were combined: 1) Essex and Hamilton 2) Schuyler and Yates; and 3) Lewis and St. Lawrence.

### **State of Residence**

This report classifies persons living with diagnosed HIV using the persons' last known residence as of the date of interest (i.e., December 2024). Thus, persons diagnosed while living outside New York State but now residing in the state are included, and persons diagnosed in New York State but whose address indicates out of state residence on the date of interest are excluded. In addition, individuals whose last report to the surveillance system as of December 2024 was at least 5 years ago for AIDS diagnoses or 8 years ago for HIV (non-AIDS) diagnoses, are not included in the count of persons living with diagnosed HIV. These persons are presumed to be no longer residing in New York State or no longer living. Counts of persons living with diagnosed HIV from this report should not be compared to previous reports to produce a historical series. Please contact [bhae@health.ny.gov](mailto:bhae@health.ny.gov) to obtain a historical series.

Persons newly diagnosed with HIV are classified according to the residence reported at the time of diagnosis. Persons diagnosed in a state other than New York are not included in counts of those newly diagnosed with HIV in New York but are included in counts of persons living with diagnosed HIV in New York State. However, persons entering New York from a foreign country are included in counts of those newly diagnosed with HIV in New York as well as being included in counts of persons living with diagnosed HIV in New York State. If there is documentation of the year of HIV diagnosis, that individual is added to the New York diagnoses for that year. The Centers for Disease Control and Prevention and the New York City Department of Health and Mental Hygiene do not classify persons diagnosed in a foreign country this way and so the new diagnosis totals for New York City that New York City Department of Health and Mental Hygiene reports and those that the Centers for Disease Control and Prevention reports for New York State differ from those reported here.

## **Definition of Terms Used in this Report**

**Sex assigned at birth:** A person's biological sex as assigned at birth and recorded in the surveillance system.

**Current Gender:** A person's current gender uses logic supplied by the Centers for Disease Control and Prevention. Current gender is obtained from the most recent surveillance system document with a known value for the current gender. Transgender persons were identified by examining the person's sex at birth and current gender. If the person's sex at birth was different from their current gender then the person was identified as a transgender person. If the person's current gender was missing, then the person's current gender was set to their sex at birth.

**Race and Ethnicity:** A person's race/ethnicity information is obtained in a three-step process. First race/ethnicity is selected from the first entered Adult/Pediatric Case Report Form (A/PCRF) excluding the following document source types: Laboratory (A05), Other Database (A06), Other Facility Record (A07), unknown (UNK), or missing (blank). If there is not a A/PCRF that fits the above definition, then race/ethnicity is selected from the first entered A/PCRF with a valid race/ethnicity selection. Finally, if no A/PCRF is available for use, the first document entered with a valid race or ethnicity is used.

On December 23<sup>rd</sup>, 2021, Governor Kathy Hochul signed a package of legislation aimed at addressing discrimination and racial injustice. Legislation S.6639-A/A.6896-A requires the collection of certain demographic information by certain state agencies, boards, departments, and commissions. This aligns with The United States Office of Management and Budget's Statistical Policy Directive No. 15, entitled "Race and Ethnic Standards for Federal Statistics and Administrative Reporting." This directive separated the "Asian and Pacific Islander" category into two distinct categories, "Asian" and "Native Hawaiian / Pacific Islander" starting with the 2021 Annual Surveillance Report.

**Diagnosis:** Confirmed "Diagnosis" is based on Centers for Disease Control and Prevention criteria for HIV case definition (i.e., laboratory evidence or physician diagnosis of HIV-infection). Additionally, case reports must meet Centers for Disease Control and Prevention reporting eligibility criteria (i.e., have known values for last name, date of birth, sex at birth, vital status (if deceased, minimally year of death) and valid race/ethnicity). Reports without sufficient information for Centers for Disease Control and Prevention case reporting criteria are investigated. New York State or New York City health department staff examine medical records to confirm the HIV diagnosis, and obtain demographic information, clinical status, and reported HIV exposure or mode of transmission (risk).

### **HIV and AIDS Diagnosis Categories:**

- ***Persons living with diagnosed HIV (non-AIDS)*** – All reported persons living in New York State with diagnosed HIV who have not developed Stage 3 HIV (AIDS). This category includes persons diagnosed with HIV identified through laboratory reports of

positive test results from an approved diagnostic test or algorithm<sup>6</sup> or reported by a provider indicating a diagnosis of HIV.

- ***Persons Newly Diagnosed with HIV*** – Persons newly diagnosed with HIV reported for the first time by laboratory reporting confirmatory test results or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although New York State Department of Health staff seek to obtain an accurate diagnosis date, HIV reporting began in June 2000, so diagnoses before then by someone other than the current provider may be misclassified as a new diagnosis (See **Diagnosis Date**, below).
- ***Persons living with diagnosed HIV (AIDS)*** – All reported persons living in New York State with diagnosed HIV who have ever met Centers for Disease Control and Prevention criteria for Stage 3 HIV (AIDS), including immunologic or opportunistic illness-based criteria.
- ***Persons Newly Diagnosed with AIDS*** – Persons newly reported with AIDS, this includes persons newly diagnosed with HIV who are concurrently diagnosed with AIDS and persons initially reported as HIV (non-AIDS) who subsequently are reported with AIDS.
- ***Cumulative AIDS Diagnoses*** – All persons diagnosed with AIDS reported since 1983, both living and deceased. There is no corresponding category for HIV diagnoses.

**Diagnosis Date:** Diagnosis date refers to the earliest date on which a clinical diagnosis or laboratory evidence of HIV and/or AIDS is documented. The date of diagnosis is unrelated to the timing of initial disease acquisition.

**Risk:** This refers to the HIV exposure category of the person. Information on possible mode(s) of HIV exposure is typically documented by health care providers during a routine medical history. This information is obtained during surveillance investigation from review of the patient's medical records or may be obtained during the provision of routine Partner Services encounters. Risk is determined from patient history occurring after 1977 and before the earliest known diagnosis of HIV. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have a history of male to male sexual contact and history of injection drug use" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following Centers for Disease Control and Prevention-defined hierarchy of exposure category as demonstrated below.

Centers for Disease Control and Prevention categorizes a person with HIV as "adult" if the diagnosis was made on or after age 13, and a person with HIV as "pediatric" if the diagnosis was

---

<sup>6</sup> <http://www.health.ny.gov/diseases/aids/providers/testing/docs/guidelines.pdf>

made before age 13<sup>7</sup>.

***Adults:***

- Men who have a history of male to male sexual contact (MSM)
- History of injection drug use (IDU)
- Men who have a history of male to male sexual contact and history of injection drug use (MSM/IDU)
- Persons with hemophilia or other clotting disorders (reported as blood products)
- Heterosexual contact with a person with a history of injection drug use, a history of male to male sexual contact, a person with hemophilia, a blood product transfusion recipient with documented HIV, or a person with documented HIV or AIDS; and females with presumed heterosexual contact
- Adult with undetermined mode of exposure

Sexual risk in Table 2F and 2G indicates a history of sexual contact with another person.

***Children:***

- Children with hemophilia or other clotting disorder
- Mother has a history of injection drug use
- Mother had sex with a person with a history of injection drug use, a history of male to male sexual contact, a person with hemophilia, a blood product transfusion recipient with documented HIV, or a person with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother is diagnosed with HIV or AIDS
- Child is a transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with a partner who has HIV would be classified only as having a history of injection drug use, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Persons whose transmission risk is classified as heterosexual contact have a reported history of heterosexual contact with a person living with diagnosed HIV or person who injects drugs. In the absence of such information about the heterosexual contact of a persons living with diagnosed HIV, the person's risk is categorized as undetermined or unknown. For this report, females with no other known risk factor (e.g. no history of injection drug use or blood product

---

<sup>7</sup> <https://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm>

recipient) are presumed to have heterosexual exposure and are classified as such. No such reclassification occurs for men.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with a lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

#### **Age:**

- ***Age at Diagnosis:*** The individual's age at the initial diagnosis of the condition in question (i.e. HIV or AIDS). As noted above, Centers for Disease Control and Prevention categorizes a person with HIV as "pediatric" if the diagnosis was made before age 13.
- ***Current Age:*** The individual's age at the end of the reporting period.

**Persons living with diagnosed HIV:** Vital status of persons living with diagnosed HIV is determined from updated surveillance reports, medical record review, death certificates maintained by the New York State Department of Health and New York City Department of Health and Mental Hygiene vital records, and from matches to the Social Security Death Master File, National Death Index, and other administrative data sources. Unless documented as deceased from these sources, persons in the surveillance system are presumed to be alive.

**Persons who were incarcerated:** Persons who were incarcerated have evidence of diagnosis or current residence in city or county jails or one of the New York State Department of Corrections and Community Supervision facilities. Data for persons newly diagnosed, persons living with diagnosed HIV, and deceased are often presented separately from the general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration address. In this report, tabulations for the whole state, New York City and its boroughs, and New York State excluding New York City (Tables 4A, 4B, and 4C) include persons who were incarcerated. In other geographic areas, persons who were incarcerated make up a significant but shifting proportion and are excluded from those tables. Refer to table titles and footnotes to determine inclusion or exclusion of persons who were incarcerated. See *persons who were incarcerated* section in the Guide to the Tables which follows.

**Residence:** In this report, persons newly diagnosed with HIV and AIDS are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Last known county of residence as of December 2024 is used for persons living with diagnosed HIV and deaths.



### **Guide to the Tables**

Most of the tables in this report are in one of four formats: – (A) persons living with diagnosed HIV, (B) new diagnoses of HIV, (C) new diagnoses of AIDS, and (D) deaths of persons with diagnosed HIV. Each geographic region – state, sub-state (New York City, New York State excluding New York City), Ryan White Region, New York City borough – is represented by a set of four tables, one in each format. These main formats are presented in detail below.

### **Counties:**

Except for the boroughs of New York City, most individual counties lack sufficient counts for statistically reliable display in the main table format. The county tables (5A, 5B, 5C) show persons living with diagnosed HIV, persons newly diagnosed with HIV and AIDS, cumulative AIDS diagnoses and deaths of persons with diagnosed HIV and AIDS without demographic breakouts, including and excluding persons who were incarcerated.

### **Persons who were incarcerated:**

The tables for New York State excluding New York City by sex (Tables 7A-7H) and the Ryan White Regions (Tables 10-17) exclude persons who were incarcerated, as noted in the table titles. The persons who were incarcerated tables (8A-C) show persons identified as incarcerated in city or county jails or one of the New York State Department of Corrections and Community Supervision facilities outside of New York City. Because of the way persons are reported, the county of residence frequently reflects the county of incarceration at the time of diagnosis or most recent report, which may differ from the individual's pre-incarceration county and later county of incarceration. The movement of persons between facilities is not recorded in the HIV surveillance system, but an updated county of incarceration may be inferred from information on laboratory and other reports received by New York State Department of Health. Individuals originally classified as incarcerated whose most recent residential address as of December 2024 indicates they did not reside in a correctional facility, are included with counts of persons who are not incarcerated. The county tables (5A-C) and Ryan White Region summary tables (9A-C) present counts both with and without persons who are incarcerated in order to show the general effect at the county level.

**Guide to the Tables**  
**The "A" Tables** (Example: Table 2A)

**Table 2A**

**NEW YORK STATE**  
***Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk***

		HIV Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		52,602	100.0	259.1	54,152	100.0	229.2	106,754	100.0	488.3	19,867,248
<b>Sex at Birth</b>	Male	40,344	76.7	408.1	37,877	69.9	333.7	78,221	73.3	741.8	9,705,292
	Female	12,258	23.3	112.4	16,275	30.1	130.3	28,533	26.7	242.7	10,161,956

**Persons living with diagnosed HIV:** Persons living with HIV non-AIDS and AIDS at the end of the report period (in this case December 2024). These are summed to produce a total count of people living with HIV/AIDS.

**Prevalence Rate:** The number of people living with HIV per 100,000 population, age-adjusted to the US 2000 standard population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age distributions. The crude (unadjusted) rate can be derived by dividing living number by the area population. In the example above, the crude prevalence rate of total people living with diagnosed HIV and AIDS in New York State is  $(105,447 \div 19,571,216) \times 100,000 = 538.8$  per 100,000, somewhat higher than the age-adjusted rate of 488.5 per 100,000.

**Area Population:** United States Census, State Characteristics Population Estimates; released June 2025.

## Guide to the Tables

### The "B" Tables (Example: Table 2B)

**Table 2B**  
**NEW YORK STATE**  
***New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk***

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		2,026	100.0	529	100.0	2,555	100.0	13.3	20.7
<b>Sex at Birth</b>	Male	1,576	77.8	428	80.9	2,004	78.4	21.0	21.4
	Female	450	22.2	101	19.1	551	21.6	5.6	18.3

**HIV Diagnoses:** All new diagnoses of HIV, regardless of concurrent or subsequent AIDS diagnosis. Some of these persons may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2024), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

**HIV Non-AIDS:** HIV without subsequent AIDS diagnosis or with AIDS diagnosis more than one month after HIV diagnosis.

**Concurrent HIV and AIDS:** New diagnosis of HIV with an AIDS diagnosis within a month of the HIV diagnosis date.

**Uncertain Concurrency:** New diagnosis of HIV without a confident diagnosis date for calculation of concurrency.

**Case (diagnosis) Rate:** The number of new diagnoses of HIV per 100,000 population, age-adjusted to the US 2000 standard population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age structures. The crude (unadjusted) rate can be derived by dividing new diagnoses by the area population. Following the previous example, the crude diagnosis case rate in New York State is  $(2,517 \div 19,571,216) \times 100,000 = 12.9$  per 100,000, somewhat lower than the age-adjusted rate of 13.4 per 100,000.

**Percent Concurrent:** The percent of new diagnoses of HIV that are also diagnosed with AIDS within one month of the HIV diagnosis date.

Guide to the Tables  
The "C" Tables (Example: Table 2C)

Table 2C  
*NEW YORK STATE*  
*New Diagnoses of AIDS (January-December 2024)*  
*and Cumulative AIDS Diagnoses (through December 2024)*  
*by Sex at Birth, Age, Race/Ethnicity and Risk*

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
Total		1,262	100.0	6.4	207,308	100.0
Sex at Birth	Male	970	76.9	10.1	153,382	74.0
	Female	292	23.1	2.8	53,926	26.0

**AIDS Diagnoses:** AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way. For concurrent AIDS and HIV diagnosis in the last month of the reporting period, the accompanying AIDS diagnosis may occur in the next reporting period. For example, some persons concurrently diagnosed with HIV in December 2024 were diagnosed with AIDS in January 2024. The January-December 2024 report will not count their AIDS diagnosis in this table; on the other hand, it *will* count the AIDS diagnoses of some concurrent persons diagnosed with HIV in December 2024.

**Case Rate:** The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to "B" Tables).

**Guide to the Tables**  
**The "D" Tables** (Example: Table 2D)

**Table 2D**

***NEW YORK STATE: Includes all 62 Counties***  
***Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),***  
***by Sex at Birth, Age, Race/Ethnicity and Risk***

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		401	100.0	1,534	100.0	1,935	100.0
<b>Sex at Birth</b>	Male	287	71.6	1,115	72.7	1,402	72.5
	Female	114	28.4	419	27.3	533	27.5

**Deaths Among HIV:** Deaths of persons with diagnosed HIV, regardless of cause of death.

**Deaths Among AIDS:** Deaths of persons with diagnosed with AIDS, regardless of cause of death.

**Total Deaths:** Total deaths, regardless of stage of HIV disease or cause of death.

Table 1

**NEW YORK STATE: Includes all 62 Counties**  
**New Diagnoses of HIV and AIDS by Region and Year of Diagnosis**  
**and Deaths of Persons with Diagnosed HIV or AIDS by Region and Year**

	HIV*						AIDS					
	Diagnoses			Deaths			Diagnoses			Deaths		
Year	New York City	Rest of State	Total	New York City	Rest of State	Total	New York City	Rest of State	Total	New York City	Rest of State	Total
Prior to 2000							111,591	26,007	137,598	71,924	16,037	87,961
2000** - 2010	41,367	9,588	50,955	3,074	891	3,965	41,956	10,337	52,293	22,740	5,664	28,404
2011***	3,083	941	4,024	290	70	360	1,876	596	2,472	1,646	326	1,972
2012	2,951	847	3,798	286	64	350	1,605	519	2,124	1,450	364	1,814
2013	2,787	819	3,606	263	62	325	1,506	464	1,970	1,488	346	1,834
2014	2,734	905	3,639	290	76	366	1,142	406	1,548	1,394	362	1,756
2015	2,667	801	3,468	288	63	351	1,093	381	1,474	1,357	319	1,676
2016	2,435	804	3,239	264	107	371	1,131	394	1,525	1,348	365	1,713
2017	2,388	786	3,174	286	81	367	951	390	1,341	1,302	336	1,638
2018	2,213	659	2,872	273	98	371	896	333	1,229	1,229	322	1,551
2019	2,117	688	2,805	287	80	367	791	341	1,132	1,227	303	1,530
2020	1,725	576	2,301	392	98	490	704	243	947	1,663	365	2,028
2021	1,890	606	2,496	359	113	472	798	291	1,089	1,462	407	1,869
2022	1,906	626	2,532	328	119	447	778	312	1,090	1,387	362	1,749
2023	1,869	737	2,606	328	110	438	837	345	1,182	1,284	369	1,653
2024	1,821	734	2,555	291	110	401	870	392	1,262	1,201	333	1,534
Total	73,953	20,117	94,070	7,299	2,142	9,441	168,525	41,751	210,276	114,102	26,580	140,682

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*HIV reporting started in June 2000. No earlier data are available.

\*\*\*Starting with the October 2021 report, the method used to construct the statewide analysis file has changed. For this historical table, counts of diagnoses and deaths prior to 2011 were frozen using the June 2020 analysis file. Diagnoses and deaths from 2011 to current are reported using the June 2025 analysis file.

Table 2A

**NEW YORK STATE**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		52,602	100.0	259.1	54,152	100.0	229.2	106,754	100.0	488.3	19,867,248
<b>Sex at Birth</b>	Male	40,344	76.7	408.1	37,877	69.9	333.7	78,221	73.3	741.8	9,705,292
	Female	12,258	23.3	112.4	16,275	30.1	130.3	28,533	26.7	242.7	10,161,956
<b>Current Age</b>	12 & under	31	0.1	1.1	13	0.0	0.5	44	0.0	1.6	2,821,481
	13-19	221	0.4	13.3	31	0.1	1.9	252	0.2	15.1	1,666,691
	20-24	1,434	2.7	111.8	214	0.4	16.7	1,648	1.5	128.5	1,282,451
	25-29	4,199	8.0	307.9	903	1.7	66.2	5,102	4.8	374.2	1,363,615
	30-39	15,056	28.6	539.7	5,777	10.7	207.1	20,833	19.5	746.7	2,789,843
	40-49	10,971	20.9	454.1	8,043	14.9	332.9	19,014	17.8	787.0	2,416,000
	50-59	9,867	18.8	400.3	14,444	26.7	585.9	24,311	22.8	986.2	2,465,159
	60+	10,823	20.6	213.8	24,727	45.7	488.5	35,550	33.3	702.3	5,062,008
<b>Race/Ethnicity</b>	Non-Hispanic White	12,147	23.1	109.1	11,158	20.6	79.3	23,305	21.8	188.4	10,573,595
	Non-Hispanic Black	21,334	40.6	711.4	25,328	46.8	755.4	46,662	43.7	1466.8	2,843,222
	Hispanic	16,668	31.7	416.5	16,054	29.6	389.5	32,722	30.7	806.0	4,019,838
	Asian	1,793	3.4	85.7	1,168	2.2	51.9	2,961	2.8	137.6	1,957,967
	Native Hawaiian/Pacific Islander	79	0.2	778.1	38	0.1	343.8	117	0.1	1121.9	10,261
	Native American	106	0.2	175.7	95	0.2	147.1	201	0.2	322.8	59,802
	Multi Race	407	0.8	135.6	299	0.6	109.8	706	0.7	245.4	402,563
	Unknown	68	0.1	.	12	0.0	.	80	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	30,204	57.4	.	21,123	39.0	.	51,327	48.1	.	.
	Injection Drug Use	2,002	3.8	.	6,689	12.4	.	8,691	8.1	.	.
	Male to Male Sexual Contact/Injection Drug Use	1,508	2.9	.	2,756	5.1	.	4,264	4.0	.	.
	Heterosexual	12,838	24.4	.	16,459	30.4	.	29,297	27.4	.	.
	Blood Products	22	0.0	.	114	0.2	.	136	0.1	.	.
	Pediatric Risk	779	1.5	.	1,206	2.2	.	1,985	1.9	.	.
	Unknown	5,249	10.0	.	5,805	10.7	.	11,054	10.4	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 2B

**NEW YORK STATE**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		2,026	100.0	529	100.0	2,555	100.0	13.3	20.7
<b>Sex at Birth</b>	Male	1,576	77.8	428	80.9	2,004	78.4	21.0	21.4
	Female	450	22.2	101	19.1	551	21.6	5.6	18.3
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Age at Diagnosis</b>	12 & under	3	0.1	0	0.0	3	0.1	0.1	0.0
	13-19	67	3.3	6	1.1	73	2.9	4.4	8.2
	20-24	327	16.1	45	8.5	372	14.6	29.0	12.1
	25-29	380	18.8	82	15.5	462	18.1	33.9	17.7
	30-39	677	33.4	164	31.0	841	32.9	30.1	19.5
	40-49	283	14.0	115	21.7	398	15.6	16.5	28.9
	50-59	174	8.6	69	13.0	243	9.5	9.9	28.4
	60+	115	5.7	48	9.1	163	6.4	3.2	29.4
<b>Race/Ethnicity</b>	Non-Hispanic White	291	14.4	101	19.1	392	15.3	4.1	25.8
	Non-Hispanic Black	868	42.8	210	39.7	1,078	42.2	37.8	19.5
	Hispanic	752	37.1	171	32.3	923	36.1	22.3	18.5
	Asian	82	4.0	36	6.8	118	4.6	5.6	30.5
	Native Hawaiian/Pacific Islander	2	0.1	1	0.2	3	0.1	28.0	33.3
	Native American	6	0.3	2	0.4	8	0.3	13.1	25.0
	Multi Race	25	1.2	8	1.5	33	1.3	9.7	24.2
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	1,042	51.4	224	42.3	1,266	49.5	.	17.7
	Injection Drug Use	43	2.1	18	3.4	61	2.4	.	29.5
	Male to Male Sexual Contact/Injection Drug Use	41	2.0	7	1.3	48	1.9	.	14.6
	Heterosexual	489	24.1	129	24.4	618	24.2	.	20.9
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	4	0.2	1	0.2	5	0.2	.	20.0
	Unknown	407	20.1	150	28.4	557	21.8	.	26.9

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



**NEW YORK STATE**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		1,262	100.0	6.4	207,308	100.0
<b>Sex at Birth</b>	Male	970	76.9	10.1	153,382	74.0
	Female	292	23.1	2.8	53,926	26.0
<b>Age at Diagnosis</b>	12 & under	1	0.1	0.0	2,361	1.1
	13-19	14	1.1	0.8	1,797	0.9
	20-24	66	5.2	5.1	6,683	3.2
	25-29	160	12.7	11.7	20,260	9.8
	30-39	383	30.3	13.7	78,704	38.0
	40-49	264	20.9	10.9	63,117	30.4
	50-59	197	15.6	8.0	25,089	12.1
	60+	177	14.0	3.5	9,297	4.5
<b>Race/Ethnicity</b>	Non-Hispanic White	213	16.9	2.1	50,902	24.6
	Non-Hispanic Black	552	43.7	18.8	93,381	45.0
	Hispanic	411	32.6	10.2	60,008	28.9
	Asian	59	4.7	2.8	2,217	1.1
	Native Hawaiian/Pacific Islander	2	0.2	16.3	54	0.0
	Native American	4	0.3	6.6	234	0.1
	Multi Race	21	1.7	7.0	442	0.2
	Unknown	.	.	.	70	0.0
<b>Risk</b>	Male to Male Sexual Contact	513	40.6	.	63,980	30.9
	Injection Drug Use	87	6.9	.	69,635	33.6
	Male to Male Sexual Contact/Injection Drug Use	46	3.6	.	9,567	4.6
	Heterosexual	320	25.4	.	40,131	19.4
	Blood Products	.	.	.	1,137	0.5
	Pediatric Risk	17	1.3	.	3,371	1.6
	Unknown	279	22.1	.	19,487	9.4

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 2D

**NEW YORK STATE: Includes all 62 Counties**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		401	100.0	1,534	100.0	1,935	100.0
<b>Sex at Birth</b>	Male	287	71.6	1,115	72.7	1,402	72.5
	Female	114	28.4	419	27.3	533	27.5
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	1	0.1	1	0.1
	20-24	1	0.2	3	0.2	4	0.2
	25-29	7	1.7	11	0.7	18	0.9
	30-39	48	12.0	98	6.4	146	7.5
	40-49	45	11.2	121	7.9	166	8.6
	50-59	86	21.4	345	22.5	431	22.3
	60+	214	53.4	955	62.3	1,169	60.4
<b>Race/Ethnicity</b>	Non-Hispanic White	104	25.9	294	19.2	398	20.6
	Non-Hispanic Black	202	50.4	789	51.4	991	51.2
	Hispanic	85	21.2	419	27.3	504	26.0
	Asian	3	0.7	16	1.0	19	1.0
	Native Hawaiian/Pacific Islander	1	0.2	2	0.1	3	0.2
	Native American	1	0.2	5	0.3	6	0.3
	Multi Race	5	1.2	9	0.6	14	0.7
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	143	35.7	423	27.6	566	29.3
	Injection Drug Use	59	14.7	382	24.9	441	22.8
	Male to Male Sexual Contact/Injection Drug Use	19	4.7	146	9.5	165	8.5
	Heterosexual	109	27.2	402	26.2	511	26.4
	Blood Products	0	0.0	3	0.2	3	0.2
	Pediatric Risk	0	0.0	10	0.7	10	0.5
	Unknown	71	17.7	168	11.0	239	12.4

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 2E

**NEW YORK STATE: Includes all 62 Counties**  
**New Diagnoses of HIV by Current Gender, Region and Year of Diagnosis**

		Cisgender Man or Boy	Transgender Man or Boy	Cisgender Woman or Girl	Transgender Woman or Girl	Gender Non-Conforming Non-Binary	Did Not Answer	Total
<b>New York City</b>	2013	2,161	1	551	71	2	1	2,787
	2014	2,105	3	544	76	6	0	2,734
	2015	2,097	3	475	86	6	0	2,667
	2016	1,845	2	486	93	9	0	2,435
	2017	1,864	2	442	72	8	0	2,388
	2018	1,683	2	438	83	7	0	2,213
	2019	1,636	4	382	86	9	0	2,117
	2020	1,345	1	304	74	1	0	1,725
	2021	1,479	6	315	79	11	0	1,890
	2022	1,447	4	354	90	11	0	1,906
	2023	1,405	2	385	65	11	1	1,869
	2024	1,351	1	400	65	3	1	1,821
	Total	20,418	31	5,076	940	84	3	26,552
<b>Rest of State</b>	2013	633	0	167	17	2	0	819
	2014	676	1	217	10	1	0	905
	2015	587	0	193	20	0	1	801
	2016	615	0	162	22	5	0	804
	2017	597	1	171	13	4	0	786
	2018	510	1	133	14	1	0	659
	2019	527	0	141	16	4	0	688
	2020	441	4	110	17	3	1	576
	2021	470	0	112	20	4	0	606
	2022	489	2	114	12	9	0	626
	2023	555	2	153	13	11	3	737
	2024	555	1	147	20	8	3	734
	Total	6,655	12	1,820	194	52	8	8,741
<b>New York State</b>	2013	2,794	1	718	88	4	1	3,606
	2014	2,781	4	761	86	7	0	3,639
	2015	2,684	3	668	106	6	1	3,468
	2016	2,460	2	648	115	14	0	3,239
	2017	2,461	3	613	85	12	0	3,174
	2018	2,193	3	571	97	8	0	2,872
	2019	2,163	4	523	102	13	0	2,805
	2020	1,786	5	414	91	4	1	2,301
	2021	1,949	6	427	99	15	0	2,496
	2022	1,936	6	468	102	20	0	2,532
	2023	1,960	4	538	78	22	4	2,606
	2024	1,906	2	547	85	11	4	2,555
	Total	27,073	43	6,896	1,134	136	11	35,293

Data as of June 2025.

Table 2F

**NEW YORK STATE: Includes all 62 Counties**  
**New Diagnoses of HIV 2011-2024 Among Transgender, Gender Non-Conforming, and Non-Binary Persons**  
**by Current Gender, Age, Race/Ethnicity, and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses† A+B		% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	%
<b>Total</b>		1,376	100.0	140	100.0	1,516	100.0	9.2
<b>Current Gender</b>	Gender Non-Conforming/Non-Binary	127	9.2	18	12.9	145	9.6	12.4
	Declined to Answer	11	0.8	.	.	11	0.7	.
	Transgender Man/Boy	44	3.2	3	2.1	47	3.1	6.4
	Transgender Woman/Girl	1,194	86.8	119	85.0	1,313	86.6	9.1
<b>Age at Diagnosis</b>	13-19	138	10.0	6	4.3	144	9.5	4.2
	20-24	420	30.5	21	15.0	441	29.1	4.8
	25-29	354	25.7	35	25.0	389	25.7	9.0
	30-39	338	24.6	48	34.3	386	25.5	12.4
	40-49	89	6.5	22	15.7	111	7.3	19.8
	50-59	32	2.3	7	5.0	39	2.6	17.9
	60+	5	0.4	1	0.7	6	0.4	16.7
<b>Race/Ethnicity</b>	Non-Hispanic White	138	10.0	27	19.3	165	10.9	16.4
	Non-Hispanic Black	580	42.2	43	30.7	623	41.1	6.9
	Hispanic	596	43.3	63	45.0	659	43.5	9.6
	Asian	34	2.5	4	2.9	38	2.5	10.5
	Native Hawaiian/Pacific Islander	3	0.2	1	0.7	4	0.3	25.0
	Native American	3	0.2	.	.	3	0.2	.
	Multi Race	22	1.6	2	1.4	24	1.6	8.3
	Unknown	.	.	.	.	.	.	.
<b>Risk</b>	Injection Drug Use	5	0.4	.	.	5	0.3	.
	Sexual Risk*/Injection Drug Use	73	5.3	7	5.0	80	5.3	8.8
	Sexual Risk	1,276	92.7	131	93.6	1,407	92.8	9.3
	Unknown	22	1.6	2	1.4	24	1.6	8.3

Data as of June 2025.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*History of sexual contact with another person.

Table 2G

**NEW YORK STATE: Includes all 62 Counties**  
**Transgender, Gender Non-Conforming, and Non-Binary Persons**  
**Living with Diagnosed HIV as of December 2024, by Current Gender, Age, Race/Ethnicity, and Risk**

		Non-AIDS		AIDS		HIV and AIDS	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		2,010	100.0	1,134	100.0	3,144	100.0
<b>Current Gender</b>	Gender Non-Conforming/Non-Binary	157	7.8	62	5.5	219	7.0
	Declined to Answer	11	0.5	3	0.3	14	0.4
	Transgender Man/Boy	49	2.4	28	2.5	77	2.4
	Transgender Woman/Girl	1,793	89.2	1,041	91.8	2,834	90.1
<b>Current Age</b>	13-19	4	0.2	1	0.1	5	0.2
	20-24	124	6.2	8	0.7	132	4.2
	25-29	363	18.1	57	5.0	420	13.4
	30-39	919	45.7	315	27.8	1,234	39.2
	40-49	377	18.8	334	29.5	711	22.6
	50-59	155	7.7	247	21.8	402	12.8
	60+	68	3.4	172	15.2	240	7.6
<b>Race/Ethnicity</b>	Non-Hispanic White	186	9.3	119	10.5	305	9.7
	Non-Hispanic Black	940	46.8	572	50.4	1,512	48.1
	Hispanic	795	39.6	413	36.4	1,208	38.4
	Asian	44	2.2	16	1.4	60	1.9
	Native Hawaiian/Pacific Islander	3	0.1	4	0.4	7	0.2
	Native American	5	0.2	3	0.3	8	0.3
	Multi Race	37	1.8	7	0.6	44	1.4
	Unknown	.	.	.	.	.	.
<b>Risk</b>	Injection Drug Use	6	0.3	21	1.9	27	0.9
	Sexual Risk*/Injection Drug Use	111	5.5	179	15.8	290	9.2
	Pediatric Risk	5	0.2	10	0.9	15	0.5
	Sexual Risk	1,846	91.8	900	79.4	2,746	87.3
	Unknown	42	2.1	24	2.1	66	2.1

Data as of June 2025.

\*History of sexual contact with another person.

Table 3A

**NEW YORK CITY**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		41,104	100.0	459.0	41,759	100.0	422.3	82,863	100.0	881.3	8,478,072
<b>Sex at Birth</b>	Male	31,913	77.6	739.3	29,336	70.3	630.4	61,249	73.9	1369.7	4,072,383
	Female	9,191	22.4	191.6	12,423	29.7	233.5	21,614	26.1	425.2	4,405,689
<b>Current Age</b>	12 & under**	26	0.1	.	7	0.0	.	33	0.0	.	.
	13-19**	151	0.4	.	17	0.0	.	168	0.2	.	.
	20-24	1,082	2.6	207.8	145	0.3	27.9	1,227	1.5	235.7	520,637
	25-29	3,271	8.0	474.4	684	1.6	99.2	3,955	4.8	573.7	689,443
	30-39	12,247	29.8	900.4	4,581	11.0	336.8	16,828	20.3	1237.3	1,360,105
	40-49	8,712	21.2	825.8	6,320	15.1	599.1	15,032	18.1	1424.9	1,054,941
	50-59	7,591	18.5	745.1	11,008	26.4	1080.5	18,599	22.4	1825.6	1,018,797
	60+	8,024	19.5	402.3	18,997	45.5	952.6	27,021	32.6	1354.9	1,994,326
<b>Race/Ethnicity</b>	Non-Hispanic White	7,545	18.4	264.7	6,238	14.9	189.9	13,783	16.6	454.6	2,682,501
	Non-Hispanic Black	17,269	42.0	894.2	20,550	49.2	932.6	37,819	45.6	1826.8	1,814,917
	Hispanic	14,277	34.7	579.1	13,743	32.9	522.5	28,020	33.8	1101.5	2,430,424
	Asian	1,499	3.6	102.8	948	2.3	59.4	2,447	3.0	162.2	1,352,093
	Native Hawaiian/Pacific Islander	66	0.2	1196	25	0.1	443.3	91	0.1	1639.2	5,503
	Native American	67	0.2	321.8	46	0.1	212.4	113	0.1	534.2	21,037
	Multi Race	317	0.8	213.1	200	0.5	147.3	517	0.6	360.4	171,597
	Unknown	64	0.2	.	9	0.0	.	73	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	24,126	58.7	.	16,229	38.9	.	40,355	48.7	.	.
	Injection Drug Use	1,286	3.1	.	5,052	12.1	.	6,338	7.6	.	.
	Male to Male Sexual Contact/Injection Drug Use	1,005	2.4	.	1,988	4.8	.	2,993	3.6	.	.
	Heterosexual	9,616	23.4	.	12,521	30.0	.	22,137	26.7	.	.
	Blood Products	11	0.0	.	66	0.2	.	77	0.1	.	.
	Pediatric Risk	567	1.4	.	941	2.3	.	1,508	1.8	.	.
	Unknown	4,493	10.9	.	4,962	11.9	.	9,455	11.4	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 3B

**NEW YORK CITY**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		1,483	100.0	338	100.0	1,821	100.0	21.0	18.6
<b>Sex at Birth</b>	Male	1,154	77.8	265	78.4	1,419	77.9	33.6	18.7
	Female	329	22.2	73	21.6	402	22.1	8.9	18.2
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Age at Diagnosis</b>	12 & under**	3	0.2	0	0.0	3	0.2	.	0.0
	13-19**	49	3.3	2	0.6	51	2.8	.	3.9
	20-24	233	15.7	30	8.9	263	14.4	50.5	11.4
	25-29	270	18.2	52	15.4	322	17.7	46.7	16.1
	30-39	502	33.9	100	29.6	602	33.1	44.3	16.6
	40-49	206	13.9	82	24.3	288	15.8	27.3	28.5
	50-59	128	8.6	40	11.8	168	9.2	16.5	23.8
	60+	92	6.2	32	9.5	124	6.8	6.2	25.8
<b>Race/Ethnicity</b>	Non-Hispanic White	133	9.0	23	6.8	156	8.6	5.8	14.7
	Non-Hispanic Black	644	43.4	153	45.3	797	43.8	44.2	19.2
	Hispanic	609	41.1	133	39.3	742	40.7	29.3	17.9
	Asian	69	4.7	23	6.8	92	5.1	6.4	25.0
	Native Hawaiian/Pacific Islander	2	0.1	0	0.0	2	0.1	33.3	0.0
	Native American	3	0.2	0	0.0	3	0.2	10.6	0.0
	Multi Race	23	1.6	6	1.8	29	1.6	17.6	20.7
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	752	50.7	136	40.2	888	48.8	.	15.3
	Injection Drug Use	21	1.4	7	2.1	28	1.5	.	25.0
	Male to Male Sexual Contact/Injection Drug Use	17	1.1	1	0.3	18	1.0	.	5.6
	Heterosexual	354	23.9	87	25.7	441	24.2	.	19.7
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	4	0.3	0	0.0	4	0.2	.	0.0
	Unknown	335	22.6	107	31.7	442	24.3	.	24.2

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 3C

**NEW YORK CITY**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		870	100.0	9.9	166,189	100.0
<b>Sex at Birth</b>	Male	659	75.7	15.6	122,045	73.4
	Female	211	24.3	4.4	44,144	26.6
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	2,034	1.2
	13-19**	7	0.8	.	1,395	0.8
	20-24	43	4.9	8.3	5,277	3.2
	25-29	110	12.6	16.0	15,954	9.6
	30-39	265	30.5	19.5	62,928	37.9
	40-49	188	21.6	17.8	50,750	30.5
	50-59	133	15.3	13.1	20,367	12.3
	60+	124	14.3	6.2	7,484	4.5
<b>Race/Ethnicity</b>	Non-Hispanic White	75	8.6	2.7	34,933	21.0
	Non-Hispanic Black	410	47.1	21.7	76,565	46.1
	Hispanic	326	37.5	13.2	52,265	31.4
	Asian	41	4.7	2.9	1,934	1.2
	Native Hawaiian/Pacific Islander	1	0.1	12.7	34	0.0
	Native American	1	0.1	3.2	118	0.1
	Multi Race	16	1.8	10.6	300	0.2
	Unknown	0	0.0	.	40	0.0
<b>Risk</b>	Male to Male Sexual Contact	357	41.0	.	51,930	31.2
	Injection Drug Use	49	5.6	.	55,308	33.3
	Male to Male Sexual Contact/Injection Drug Use	22	2.5	.	6,690	4.0
	Heterosexual	224	25.7	.	32,195	19.4
	Blood Products	0	0.0	.	732	0.4
	Pediatric Risk	9	1.0	.	2,781	1.7
	Unknown	209	24.0	.	16,553	10.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 3D

**NEW YORK CITY**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		291	100.0	1,201	100.0	1,492	100.0
<b>Sex at Birth</b>	Male	215	73.9	862	71.8	1,077	72.2
	Female	76	26.1	339	28.2	415	27.8
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	1	0.1	1	0.1
	20-24	1	0.3	3	0.2	4	0.3
	25-29	5	1.7	11	0.9	16	1.1
	30-39	39	13.4	84	7.0	123	8.2
	40-49	35	12.0	92	7.7	127	8.5
	50-59	60	20.6	269	22.4	329	22.1
	60+	151	51.9	741	61.7	892	59.8
<b>Race/Ethnicity</b>	Non-Hispanic White	57	19.6	149	12.4	206	13.8
	Non-Hispanic Black	153	52.6	654	54.5	807	54.1
	Hispanic	73	25.1	373	31.1	446	29.9
	Asian	3	1.0	14	1.2	17	1.1
	Native Hawaiian/Pacific Islander	0	0.0	1	0.1	1	0.1
	Native American	1	0.3	3	0.2	4	0.3
	Multi Race	4	1.4	7	0.6	11	0.7
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	100	34.4	300	25.0	400	26.8
	Injection Drug Use	39	13.4	310	25.8	349	23.4
	Male to Male Sexual Contact/Injection Drug Use	14	4.8	110	9.2	124	8.3
	Heterosexual	74	25.4	323	26.9	397	26.6
	Blood Products	0	0.0	1	0.1	1	0.1
	Pediatric Risk	0	0.0	10	0.8	10	0.7
	Unknown	64	22.0	147	12.2	211	14.1

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 4A

**REST OF STATE****Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		11,498	100.0	99.8	12,393	100.0	89.9	23,891	100.0	189.7	11,389,176
<b>Sex at Birth</b>	Male	8,431	73.3	148.0	8,541	68.9	126.2	16,972	71.0	274.2	5,632,909
	Female	3,067	26.7	51.3	3,852	31.1	54.6	6,919	29.0	105.9	5,756,267
<b>Current Age</b>	12 & under**	5	0.0	.	6	0.0	.	11	0.0	.	.
	13-19**	70	0.6	.	14	0.1	.	84	0.4	.	.
	20-24	352	3.1	46.2	69	0.6	9.1	421	1.8	55.3	761,814
	25-29	928	8.1	137.7	219	1.8	32.5	1,147	4.8	170.1	674,172
	30-39	2,809	24.4	196.5	1,196	9.7	83.7	4,005	16.8	280.1	1,429,738
	40-49	2,259	19.6	166.0	1,723	13.9	126.6	3,982	16.7	292.6	1,361,059
	50-59	2,276	19.8	157.4	3,436	27.7	237.6	5,712	23.9	394.9	1,446,362
	60+	2,799	24.3	91.2	5,730	46.2	186.8	8,529	35.7	278.0	3,067,682
<b>Race/Ethnicity</b>	Non-Hispanic White	4,602	40.0	54.8	4,920	39.7	46.5	9,522	39.9	101.4	7,891,094
	Non-Hispanic Black	4,065	35.4	381.3	4,778	38.6	417.4	8,843	37.0	798.7	1,028,305
	Hispanic	2,391	20.8	157.7	2,311	18.6	156.2	4,702	19.7	313.9	1,589,414
	Asian	294	2.6	46.9	220	1.8	34.4	514	2.2	81.3	605,874
	Native Hawaiian/Pacific Islander	13	0.1	275.8	13	0.1	252.6	26	0.1	528.4	4,758
	Native American	39	0.3	98.5	49	0.4	114.6	88	0.4	213.1	38,765
	Multi Race	90	0.8	60.2	99	0.8	72.9	189	0.8	133.1	230,966
	Unknown	4	0.0	.	3	0.0	.	7	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	6,078	52.9	.	4,894	39.5	.	10,972	45.9	.	.
	Injection Drug Use	716	6.2	.	1,637	13.2	.	2,353	9.8	.	.
	Male to Male Sexual Contact/Injection Drug Use	503	4.4	.	768	6.2	.	1,271	5.3	.	.
	Heterosexual	3,222	28.0	.	3,938	31.8	.	7,160	30.0	.	.
	Blood Products	11	0.1	.	48	0.4	.	59	0.2	.	.
	Pediatric Risk	212	1.8	.	265	2.1	.	477	2.0	.	.
	Unknown	756	6.6	.	843	6.8	.	1,599	6.7	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 4B

**REST OF STATE**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		543	100.0	191	100.0	734	100.0	7.1	26.0
<b>Sex at Birth</b>	Male	422	77.7	163	85.3	585	79.7	11.1	27.9
	Female	121	22.3	28	14.7	149	20.3	2.9	18.8
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	18	3.3	4	2.1	22	3.0	.	18.2
	20-24	94	17.3	15	7.9	109	14.9	14.3	13.8
	25-29	110	20.3	30	15.7	140	19.1	20.8	21.4
	30-39	175	32.2	64	33.5	239	32.6	16.7	26.8
	40-49	77	14.2	33	17.3	110	15.0	8.1	30.0
	50-59	46	8.5	29	15.2	75	10.2	5.2	38.7
	60+	23	4.2	16	8.4	39	5.3	1.3	41.0
<b>Race/Ethnicity</b>	Non-Hispanic White	158	29.1	78	40.8	236	32.2	3.4	33.1
	Non-Hispanic Black	224	41.3	57	29.8	281	38.3	26.7	20.3
	Hispanic	143	26.3	38	19.9	181	24.7	11.2	21.0
	Asian	13	2.4	13	6.8	26	3.5	4.1	50.0
	Native Hawaiian/Pacific Islander	0	0.0	1	0.5	1	0.1	22.0	100.0
	Native American	3	0.6	2	1.0	5	0.7	13.8	40.0
	Multi Race	2	0.4	2	1.0	4	0.5	2.6	50.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	290	53.4	88	46.1	378	51.5	.	23.3
	Injection Drug Use	22	4.1	11	5.8	33	4.5	.	33.3
	Male to Male Sexual Contact/Injection Drug Use	24	4.4	6	3.1	30	4.1	.	20.0
	Heterosexual	135	24.9	42	22.0	177	24.1	.	23.7
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	1	0.5	1	0.1	.	100.0
	Unknown	72	13.3	43	22.5	115	15.7	.	37.4

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**REST OF STATE**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		392	100.0	3.6	41,119	100.0
<b>Sex at Birth</b>	Male	311	79.3	5.8	31,337	76.2
	Female	81	20.7	1.5	9,782	23.8
<b>Age at Diagnosis</b>	12 & under**	1	0.3	.	327	0.8
	13-19**	7	1.8	.	402	1.0
	20-24	23	5.9	3.0	1,406	3.4
	25-29	50	12.8	7.4	4,306	10.5
	30-39	118	30.1	8.3	15,776	38.4
	40-49	76	19.4	5.6	12,367	30.1
	50-59	64	16.3	4.4	4,722	11.5
	60+	53	13.5	1.7	1,813	4.4
<b>Race/Ethnicity</b>	Non-Hispanic White	138	35.2	1.8	15,969	38.8
	Non-Hispanic Black	142	36.2	13.7	16,816	40.9
	Hispanic	85	21.7	5.4	7,743	18.8
	Asian	18	4.6	2.8	283	0.7
	Native Hawaiian/Pacific Islander	1	0.3	22.0	20	0.0
	Native American	3	0.8	8.8	116	0.3
	Multi Race	5	1.3	3.2	142	0.3
	Unknown	0	0.0	.	30	0.1
<b>Risk</b>	Male to Male Sexual Contact	156	39.8	.	12,050	29.3
	Injection Drug Use	38	9.7	.	14,327	34.8
	Male to Male Sexual Contact/Injection Drug Use	24	6.1	.	2,877	7.0
	Heterosexual	96	24.5	.	7,936	19.3
	Blood Products	0	0.0	.	405	1.0
	Pediatric Risk	8	2.0	.	590	1.4
	Unknown	70	17.9	.	2,934	7.1

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**REST OF STATE**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		110	100.0	333	100.0	443	100.0
<b>Sex at Birth</b>	Male	72	65.5	253	76.0	325	73.4
	Female	38	34.5	80	24.0	118	26.6
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	2	1.8	0	0.0	2	0.5
	30-39	9	8.2	14	4.2	23	5.2
	40-49	10	9.1	29	8.7	39	8.8
	50-59	26	23.6	76	22.8	102	23.0
	60+	63	57.3	214	64.3	277	62.5
<b>Race/Ethnicity</b>	Non-Hispanic White	47	42.7	145	43.5	192	43.3
	Non-Hispanic Black	49	44.5	135	40.5	184	41.5
	Hispanic	12	10.9	46	13.8	58	13.1
	Asian	0	0.0	2	0.6	2	0.5
	Native Hawaiian/Pacific Islander	1	0.9	1	0.3	2	0.5
	Native American	0	0.0	2	0.6	2	0.5
	Multi Race	1	0.9	2	0.6	3	0.7
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	43	39.1	123	36.9	166	37.5
	Injection Drug Use	20	18.2	72	21.6	92	20.8
	Male to Male Sexual Contact/Injection Drug Use	5	4.5	36	10.8	41	9.3
	Heterosexual	35	31.8	79	23.7	114	25.7
	Blood Products	0	0.0	2	0.6	2	0.5
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	7	6.4	21	6.3	28	6.3

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 5A

**REST OF STATE: by County**  
**Persons Living with Diagnosed HIV as of December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*						
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS		AIDS		HIV & AIDS		
County	Number	Number	Number	Number	Prevalence**	Number	Prevalence**	Number	Prevalence**	Area Population
Albany	494	585	1,079	494	153.5	585	158.5	1,079	312.0	319,964
Allegany	9	22	31	9	27.9	22	40.2	31	68.1	47,299
Broome	201	230	431	199	116.1	229	108.0	428	224.1	196,397
Cattaraugus	31	37	68	31	44.5	37	44.3	68	88.8	75,475
Cayuga	44	63	107	39	49.4	51	52.5	90	101.9	74,567
Chautauqua	102	105	207	101	85.5	104	70.4	205	155.9	124,105
Chemung	81	85	166	61	70.5	69	74.3	130	144.8	81,115
Chenango	19	33	52	19	40.4	33	52.6	52	93.0	45,776
Clinton	51	69	120	50	60.3	69	82.1	119	142.4	77,871
Columbia	89	99	188	88	109.6	99	108.8	187	218.5	60,299
Cortland	34	21	55	34	84.2	21	47.8	55	132.0	45,945
Delaware	31	30	61	31	59.1	30	48.3	61	107.4	44,191
Dutchess	347	388	735	341	107.4	371	94.3	712	201.8	299,963
Erie	1,188	1,102	2,290	1,182	124.3	1,088	98.7	2,270	223.0	950,602
Franklin	30	26	56	22	48.2	17	33.4	39	81.5	47,086
Fulton	29	36	65	29	52.8	35	57.9	64	110.7	52,073
Genesee	33	35	68	19	29.2	29	44.0	48	73.3	57,604
Greene	68	56	124	63	115.3	53	83.5	116	198.8	46,903
Herkimer	24	33	57	24	42.4	33	45.5	57	87.9	59,585
Jefferson	48	61	109	44	40.1	59	49.6	103	89.7	113,140
Livingston	22	45	67	21	34.4	44	60.9	65	95.3	61,561
Madison	31	31	62	31	48.8	31	39.3	62	88.2	67,072
Monroe	1,156	1,181	2,337	1,154	150.3	1,181	131.1	2,335	281.4	752,202

Data as of June 2025.

\*Persons incarcerated refer to persons in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

\*\*Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 5A

**REST OF STATE: by County**  
**Persons Living with Diagnosed HIV as of December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*						
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS		AIDS		HIV & AIDS		
County	Number	Number	Number	Number	Prevalence**	Number	Prevalence**	Number	Prevalence**	Area Population
Montgomery	44	53	97	43	89.6	53	93.0	96	182.6	49,648
Nassau	1,273	1,380	2,653	1,271	90.1	1,378	79.5	2,649	169.6	1,392,438
Niagara	151	128	279	151	73.5	127	49.1	278	122.6	209,570
Oneida	199	213	412	184	79.8	202	78.2	386	158.0	228,347
Onondaga	555	614	1,169	555	119.5	613	113.8	1,168	233.3	469,812
Ontario	58	72	130	58	49.1	72	51.0	130	100.1	113,012
Orange	445	508	953	441	107.7	504	109.2	945	216.8	411,767
Orleans	25	32	57	17	46.8	26	53.0	43	99.8	39,686
Oswego	40	53	93	40	35.7	53	41.1	93	76.8	118,305
Otsego	30	34	64	30	56.2	34	56.7	64	112.9	60,524
Putnam	71	63	134	71	66.9	61	44.5	132	111.4	98,409
Rensselaer	155	161	316	155	91.4	161	80.4	316	171.8	160,749
Rockland	334	297	631	334	107.0	297	83.0	631	190.0	348,144
Saratoga	117	133	250	117	44.4	133	42.6	250	86.9	240,360
Schenectady	219	256	475	219	128.9	256	135.1	475	264.0	162,261
Schoharie	8	24	32	8	23.7	24	55.7	32	79.5	30,151
Seneca	26	33	59	26	71.7	33	83.5	59	155.2	32,650
Steuben	43	41	84	42	42.7	41	39.5	83	82.2	92,015
Suffolk	1,519	1,613	3,132	1,518	98.1	1,613	85.3	3,131	183.5	1,535,909
Sullivan	89	144	233	85	90.0	138	133.9	223	224.0	80,450
Tioga	20	27	47	20	45.7	27	46.5	47	92.3	47,574
Tompkins	70	71	141	70	81.1	71	66.9	141	148.0	105,602
Ulster	209	254	463	200	94.4	242	98.1	442	192.5	182,977

Data as of June 2025.

\*Persons incarcerated refer to persons in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

\*\*Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 5A

**REST OF STATE: by County**  
**Persons Living with Diagnosed HIV as of December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*						
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS		AIDS		HIV & AIDS		
County	Number	Number	Number	Number	Prevalence**	Number	Prevalence**	Number	Prevalence**	Area Population
Warren	38	44	82	38	60.0	44	53.9	82	113.9	65,288
Washington	25	43	68	25	36.9	42	50.6	67	87.5	59,839
Wayne	45	37	82	45	45.4	37	32.0	82	77.4	90,757
Westchester	1,428	1,592	3,020	1,412	135.0	1,573	125.4	2,985	260.4	1,006,447
Wyoming	15	14	29	11	25.0	12	26.8	23	51.7	39,588
Essex-Hamilton	14	21	35	11	28.8	17	25.8	28	54.6	41,826
Lewis-St. Lawrence	56	56	112	51	41.2	54	32.5	105	73.7	132,768
Schuyler-Yates	15	9	24	14	32.1	9	11.5	23	43.5	41,508
<b>Total</b>	<b>11,498</b>	<b>12,393</b>	<b>23,891</b>	<b>11,348</b>	<b>98.4</b>	<b>12,237</b>	<b>88.6</b>	<b>23,585</b>	<b>187.0</b>	<b>11,389,176</b>

Data as of June 2025.

\*Persons incarcerated refer to persons in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

\*\*Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.



Table 5B

**REST OF STATE: by County**  
**New Diagnoses of HIV and AIDS, 2024, and Cumulative AIDS Diagnoses through December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*					
	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†		AIDS Diagnoses		Cumulative AIDS Diagnoses	
County	Number	Number	Number	Number	Case Rate‡	Number	Case Rate‡	Number	Area Population
Albany	35	22	1,480	32	11.1	20	6.8	1,354	319,964
Allegany	1	1	33	1	3.0	1	3.0	33	47,299
Broome	10	11	478	9	5.5	11	7.5	447	196,397
Cattaraugus	3	1	104	3	3.5	1	1.4	73	75,475
Cayuga	4	3	354	3	5.0	2	3.3	119	74,567
Chautauqua	4	3	201	4	3.8	2	1.8	164	124,105
Chemung	2	3	350	2	2.9	3	4.4	170	81,115
Chenango	1	1	74	1	2.3	1	2.3	58	45,776
Clinton	1	1	477	1	1.5	1	1.5	87	77,871
Columbia	6	3	190	6	11.7	3	5.5	139	60,299
Cortland	3	0	31	3	9.0	0	0.0	29	45,945
Delaware	2	2	74	2	2.0	2	2.0	69	44,191
Dutchess	15	7	1,807	15	5.5	7	2.6	971	299,963
Erie	53	33	3,019	51	5.7	29	3.2	2,727	950,602
Franklin	2	0	402	2	4.5	0	0.0	50	47,086
Fulton	2	1	75	2	4.7	1	2.2	66	52,073
Genesee	1	1	82	0	0.0	0	0.0	64	57,604
Greene	3	0	254	2	5.6	0	0.0	96	46,903
Herkimer	3	6	75	3	5.7	6	12.2	70	59,585
Jefferson	6	2	302	6	5.1	2	1.7	108	113,140
Livingston	0	2	244	0	0.0	1	0.8	81	61,561

Data as of June 2025.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

‡Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 5B

**REST OF STATE: by County**  
**New Diagnoses of HIV and AIDS, 2024, and Cumulative AIDS Diagnoses through December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*					
	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†		AIDS Diagnoses		Cumulative AIDS Diagnoses	
County	Number	Number	Number	Number	Case Rate‡	Number	Case Rate‡	Number	Area Population
Madison	3	3	71	3	6.3	3	6.4	57	67,072
Monroe	83	35	3,094	83	11.8	35	4.8	2,928	752,202
Montgomery	3	1	103	3	6.1	1	1.6	97	49,648
Nassau	112	45	4,982	111	9.0	45	3.3	4,781	1,392,438
Niagara	8	4	334	8	4.6	4	2.4	321	209,570
Oneida	12	9	1,061	12	5.8	9	4.5	472	228,347
Onondaga	43	27	1,583	42	9.4	25	5.9	1,509	469,812
Ontario	4	1	88	4	3.3	1	0.5	83	113,012
Orange	32	8	1,647	30	7.6	8	2.1	1,305	411,767
Orleans	1	1	363	1	2.6	1	2.6	53	39,686
Oswego	5	2	130	5	4.9	2	2.3	127	118,305
Otsego	2	1	89	2	3.6	1	2.6	85	60,524
Putnam	4	1	207	3	2.9	0	0.0	202	98,409
Rensselaer	8	4	370	8	5.3	4	2.4	351	160,749
Rockland	18	7	1,139	18	6.4	7	2.5	1,084	348,144
Saratoga	5	6	353	5	2.4	5	2.2	230	240,360
Schenectady	13	7	567	13	8.3	6	3.7	520	162,261
Schoharie	0	0	52	0	0.0	0	0.0	46	30,151
Seneca	3	2	94	3	9.2	2	7.7	27	32,650
Steuben	2	1	101	2	2.1	1	0.8	97	92,015
Suffolk	109	66	5,027	107	7.7	65	4.3	4,839	1,535,909

Data as of June 2025.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

‡Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 5B

**REST OF STATE: by County**  
**New Diagnoses of HIV and AIDS, 2024, and Cumulative AIDS Diagnoses through December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*					
	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†		AIDS Diagnoses		Cumulative AIDS Diagnoses	
County	Number	Number	Number	Number	Case Rate‡	Number	Case Rate‡	Number	Area Population
Sullivan	2	1	712	2	3.0	1	1.5	457	80,450
Tioga	1	0	54	1	2.6	0	0.0	53	47,574
Tompkins	5	3	184	5	5.1	3	2.5	178	105,602
Ulster	9	5	1,019	7	3.7	4	2.3	626	182,977
Warren	2	0	87	2	4.0	0	0.0	81	65,288
Washington	1	0	299	1	1.9	0	0.0	52	59,839
Wayne	6	2	138	6	7.3	2	1.8	121	90,757
Westchester	75	43	6,156	75	7.9	41	4.0	5,419	1,006,447
Wyoming	2	1	335	1	2.6	0	0.0	19	39,588
Essex-Hamilton	1	0	196	1	3.1	0	0.0	56	41,826
Lewis-St. Lawrence	2	2	349	2	1.6	2	1.4	117	132,768
Schuyler-Yates	1	1	29	1	1.0	0	0.0	27	41,508
<b>Total</b>	<b>734</b>	<b>392</b>	<b>41,119</b>	<b>715</b>	<b>6.9</b>	<b>371</b>	<b>3.4</b>	<b>33,395</b>	<b>11,389,176</b>

Data as of June 2025.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

‡Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 5C

**REST OF STATE: by County**  
**Deaths of Persons with Diagnosed HIV or AIDS, 2024**

County	Including Persons Incarcerated*			Excluding Persons Incarcerated*		
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS	AIDS	HIV & AIDS
Albany	5	31	36	5	31	36
Allegany	0	1	1	0	1	1
Broome	2	7	9	2	7	9
Cattaraugus	0	2	2	0	2	2
Cayuga	0	2	2	0	2	2
Chautauqua	1	2	3	1	2	3
Chemung	0	3	3	0	2	2
Chenango	0	4	4	0	4	4
Clinton	1	2	3	1	2	3
Columbia	0	3	3	0	3	3
Cortland	1	1	2	1	1	2
Delaware	0	3	3	0	3	3
Dutchess	6	11	17	5	11	16
Erie	13	26	39	13	26	39
Franklin	0	1	1	0	0	0
Fulton	0	0	0	0	0	0
Genesee	0	1	1	0	1	1
Greene	2	2	4	2	1	3
Herkimer	0	3	3	0	3	3
Jefferson	1	2	3	1	2	3
Livingston	0	0	0	0	0	0
Madison	0	0	0	0	0	0
Monroe	23	31	54	23	31	54
Montgomery	0	2	2	0	2	2
Nassau	9	41	50	9	41	50
Niagara	0	4	4	0	4	4
Oneida	2	5	7	2	5	7
Onondaga	13	18	31	13	18	31
Ontario	3	0	3	3	0	3
Orange	4	9	13	4	9	13
Orleans	0	0	0	0	0	0
Oswego	0	2	2	0	2	2
Otsego	0	1	1	0	1	1
Putnam	1	3	4	1	3	4

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

\*Persons incarcerated refer to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

Table 5C

**REST OF STATE: by County**  
**Deaths of Persons with Diagnosed HIV or AIDS, 2024**

County	Including Persons Incarcerated*			Excluding Persons Incarcerated*		
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS	AIDS	HIV & AIDS
Rensselaer	1	7	8	1	7	8
Rockland	2	9	11	2	9	11
Saratoga	1	1	2	1	1	2
Schenectady	1	9	10	1	9	10
Schoharie	0	0	0	0	0	0
Seneca	0	1	1	0	1	1
Steuben	2	0	2	2	0	2
Suffolk	4	30	34	4	30	34
Sullivan	1	5	6	1	5	6
Tioga	0	0	0	0	0	0
Tompkins	0	4	4	0	4	4
Ulster	1	7	8	1	7	8
Warren	1	0	1	1	0	1
Washington	0	1	1	0	1	1
Wayne	1	1	2	1	1	2
Westchester	7	31	38	7	30	37
Wyoming	0	0	0	0	0	0
Essex-Hamilton	0	1	1	0	1	1
Lewis-St. Lawrence	1	2	3	1	2	3
Schuyler-Yates	0	1	1	0	1	1
Total	110	333	443	109	329	438

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

\*Persons incarcerated refer to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

Table 6A

**NEW YORK CITY - Males**  
**Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		31,913	100.0	739.3	29,336	100.0	630.4	61,249	100.0	1369.7	4,072,383
<b>Current Age</b>	12 & under**	16	0.1	.	3	0.0	.	19	0.0	.	.
	13-19**	99	0.3	.	6	0.0	.	105	0.2	.	.
	20-24	914	2.9	363.5	111	0.4	44.1	1,025	1.7	407.6	251,472
	25-29	2,864	9.0	877.1	500	1.7	153.1	3,364	5.5	1030.3	326,519
	30-39	10,789	33.8	1593.5	3,669	12.5	541.9	14,458	23.6	2135.4	677,062
	40-49	6,748	21.1	1310.3	4,694	16.0	911.5	11,442	18.7	2221.7	515,003
	50-59	5,330	16.7	1087.6	7,445	25.4	1519.1	12,775	20.9	2606.7	490,082
	60+	5,153	16.1	589.4	12,908	44.0	1476.5	18,061	29.5	2065.9	874,227
<b>Race/Ethnicity</b>	Non-Hispanic White	6,926	21.7	480.4	5,474	18.7	333.0	12,400	20.2	813.4	1,319,564
	Non-Hispanic Black	11,789	36.9	1327.4	13,028	44.4	1336.5	24,817	40.5	2663.9	836,536
	Hispanic	11,468	35.9	950.7	9,826	33.5	803.4	21,294	34.8	1754.1	1,180,014
	Asian	1,295	4.1	192.0	795	2.7	107.4	2,090	3.4	299.4	641,012
	Native Hawaiian/Pacific Islander	62	0.2	2301.6	22	0.1	807.3	84	0.1	3108.9	2,663
	Native American	51	0.2	501.0	33	0.1	318.1	84	0.1	819.1	10,219
	Multi Race	271	0.8	384.1	150	0.5	242.9	421	0.7	627.0	82,375
	Unknown	51	0.2	.	8	0.0	.	59	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	24,126	75.6	.	16,229	55.3	.	40,355	65.9	.	.
	Injection Drug Use	720	2.3	.	2,934	10.0	.	3,654	6.0	.	.
	Male to Male Sexual Contact/Injection Drug Use	1,005	3.1	.	1,988	6.8	.	2,993	4.9	.	.
	Heterosexual	1,284	4.0	.	2,760	9.4	.	4,044	6.6	.	.
	Blood Products	4	0.0	.	24	0.1	.	28	0.0	.	.
	Pediatric Risk	285	0.9	.	447	1.5	.	732	1.2	.	.
	Unknown	4,489	14.1	.	4,954	16.9	.	9,443	15.4	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 6B

**NEW YORK CITY - Males**  
**New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		1,154	100.0	265	100.0	1,419	100.0	33.6	18.7
<b>Age at Diagnosis</b>	12 & under**	3	0.3	0	0.0	3	0.2	.	0.0
	13-19**	41	3.6	2	0.8	43	3.0	.	4.7
	20-24	199	17.2	25	9.4	224	15.8	89.1	11.2
	25-29	236	20.5	39	14.7	275	19.4	84.2	14.2
	30-39	405	35.1	81	30.6	486	34.2	71.8	16.7
	40-49	141	12.2	66	24.9	207	14.6	40.2	31.9
	50-59	81	7.0	29	10.9	110	7.8	22.4	26.4
	60+	48	4.2	23	8.7	71	5.0	8.1	32.4
<b>Race/Ethnicity</b>	Non-Hispanic White	115	10.0	19	7.2	134	9.4	9.8	14.2
	Non-Hispanic Black	459	39.8	109	41.1	568	40.0	67.1	19.2
	Hispanic	498	43.2	109	41.1	607	42.8	48.2	18.0
	Asian	57	4.9	23	8.7	80	5.6	11.8	28.8
	Native Hawaiian/Pacific Islander	1	0.1	0	0.0	1	0.1	35.6	0.0
	Native American	2	0.2	0	0.0	2	0.1	15.1	0.0
	Multi Race	22	1.9	5	1.9	27	1.9	35.0	18.5
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	752	65.2	136	51.3	888	62.6	.	15.3
	Injection Drug Use	16	1.4	6	2.3	22	1.6	.	27.3
	Male to Male Sexual Contact/Injection Drug Use	17	1.5	1	0.4	18	1.3	.	5.6
	Heterosexual	31	2.7	15	5.7	46	3.2	.	32.6
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	3	0.3	0	0.0	3	0.2	.	0.0
	Unknown	335	29.0	107	40.4	442	31.1	.	24.2

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 6C

**NEW YORK CITY - Males**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		659	100.0	15.6	122,045	100.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	1,012	0.8
	13-19**	4	0.6	.	799	0.7
	20-24	36	5.5	14.3	3,582	2.9
	25-29	80	12.1	24.5	11,323	9.3
	30-39	221	33.5	32.6	45,936	37.6
	40-49	148	22.5	28.7	38,249	31.3
	50-59	90	13.7	18.4	15,570	12.8
	60+	80	12.1	9.2	5,574	4.6
<b>Race/Ethnicity</b>	Non-Hispanic White	60	9.1	4.3	30,842	25.3
	Non-Hispanic Black	288	43.7	33.3	50,883	41.7
	Hispanic	255	38.7	21.0	38,294	31.4
	Asian	39	5.9	5.9	1,654	1.4
	Native Hawaiian/Pacific Islander	1	0.2	26.8	32	0.0
	Native American	1	0.2	6.9	95	0.1
	Multi Race	15	2.3	21.8	210	0.2
	Unknown	0	0.0	.	35	0.0
<b>Risk</b>	Male to Male Sexual Contact	357	54.2	.	51,930	42.5
	Injection Drug Use	31	4.7	.	38,327	31.4
	Male to Male Sexual Contact/Injection Drug Use	22	3.3	.	6,690	5.5
	Heterosexual	35	5.3	.	6,782	5.6
	Blood Products	0	0.0	.	404	0.3
	Pediatric Risk	6	0.9	.	1,371	1.1
	Unknown	208	31.6	.	16,541	13.6

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 6D

**NEW YORK CITY - Males**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		215	100.0	862	100.0	1,077	100.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	1	0.5	3	0.3	4	0.4
	25-29	5	2.3	10	1.2	15	1.4
	30-39	36	16.7	74	8.6	110	10.2
	40-49	29	13.5	64	7.4	93	8.6
	50-59	48	22.3	188	21.8	236	21.9
	60+	96	44.7	523	60.7	619	57.5
<b>Race/Ethnicity</b>	Non-Hispanic White	51	23.7	124	14.4	175	16.2
	Non-Hispanic Black	106	49.3	448	52.0	554	51.4
	Hispanic	52	24.2	269	31.2	321	29.8
	Asian	2	0.9	11	1.3	13	1.2
	Native Hawaiian/Pacific Islander	0	0.0	1	0.1	1	0.1
	Native American	1	0.5	3	0.3	4	0.4
	Multi Race	3	1.4	6	0.7	9	0.8
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	100	46.5	300	34.8	400	37.1
	Injection Drug Use	24	11.2	198	23.0	222	20.6
	Male to Male Sexual Contact/Injection Drug Use	14	6.5	110	12.8	124	11.5
	Heterosexual	13	6.0	100	11.6	113	10.5
	Blood Products	0	0.0	1	0.1	1	0.1
	Pediatric Risk	0	0.0	6	0.7	6	0.6
	Unknown	64	29.8	147	17.1	211	19.6

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 6E

**NEW YORK CITY - Females**  
**Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		9,191	100.0	191.6	12,423	100.0	233.5	21,614	100.0	425.2	4,405,689
<b>Current Age</b>	12 & under**	10	0.1	.	4	0.0	.	14	0.1	.	.
	13-19**	52	0.6	.	11	0.1	.	63	0.3	.	.
	20-24	168	1.8	62.4	34	0.3	12.6	202	0.9	75.0	269,165
	25-29	407	4.4	112.1	184	1.5	50.7	591	2.7	162.8	362,924
	30-39	1,458	15.9	213.5	912	7.3	133.5	2,370	11.0	347.0	683,043
	40-49	1,964	21.4	363.7	1,626	13.1	301.1	3,590	16.6	664.9	539,938
	50-59	2,261	24.6	427.6	3,563	28.7	673.9	5,824	26.9	1101.5	528,715
	60+	2,871	31.2	256.3	6,089	49.0	543.6	8,960	41.5	799.9	1,120,099
<b>Race/Ethnicity</b>	Non-Hispanic White	619	6.7	43.0	764	6.1	46.5	1,383	6.4	89.5	1,362,937
	Non-Hispanic Black	5,480	59.6	500.7	7,522	60.5	600.3	13,002	60.2	1101.0	978,381
	Hispanic	2,809	30.6	212.7	3,917	31.5	271.3	6,726	31.1	484.0	1,250,410
	Asian	204	2.2	25.2	153	1.2	17.6	357	1.7	42.8	711,081
	Native Hawaiian/Pacific Islander	4	0.0	157.8	3	0.0	117.1	7	0.0	274.9	2,840
	Native American	16	0.2	150.2	13	0.1	107.8	29	0.1	258.0	10,818
	Multi Race	46	0.5	62.8	50	0.4	66.5	96	0.4	129.3	89,222
	Unknown	13	0.1	.	1	0.0	.	14	0.1	.	.
<b>Risk</b>	Injection Drug Use	566	6.2	.	2,118	17.0	.	2,684	12.4	.	.
	Heterosexual	8,332	90.7	.	9,761	78.6	.	18,093	83.7	.	.
	Blood Products	7	0.1	.	42	0.3	.	49	0.2	.	.
	Pediatric Risk	282	3.1	.	494	4.0	.	776	3.6	.	.
	Unknown	4	0.0	.	8	0.1	.	12	0.1	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 6F

**NEW YORK CITY - Females**  
**New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		329	100.0	73	100.0	402	100.0	8.9	18.2
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	8	2.4	0	0.0	8	2.0	.	0.0
	20-24	34	10.3	5	6.8	39	9.7	14.5	12.8
	25-29	34	10.3	13	17.8	47	11.7	13.0	27.7
	30-39	97	29.5	19	26.0	116	28.9	17.0	16.4
	40-49	65	19.8	16	21.9	81	20.1	15.0	19.8
	50-59	47	14.3	11	15.1	58	14.4	11.0	19.0
	60+	44	13.4	9	12.3	53	13.2	4.7	17.0
<b>Race/Ethnicity</b>	Non-Hispanic White	18	5.5	4	5.5	22	5.5	1.8	18.2
	Non-Hispanic Black	185	56.2	44	60.3	229	57.0	23.3	19.2
	Hispanic	111	33.7	24	32.9	135	33.6	10.5	17.8
	Asian	12	3.6	0	0.0	12	3.0	1.6	0.0
	Native Hawaiian/Pacific Islander	1	0.3	0	0.0	1	0.2	28.3	0.0
	Native American	1	0.3	0	0.0	1	0.2	6.8	0.0
	Multi Race	1	0.3	1	1.4	2	0.5	2.6	50.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Injection Drug Use	5	1.5	1	1.4	6	1.5	.	16.7
	Heterosexual	323	98.2	72	98.6	395	98.3	.	18.2
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	1	0.3	0	0.0	1	0.2	.	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 6G

**NEW YORK CITY - Females**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		211	100.0	4.4	44,144	100.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	1,022	2.3
	13-19**	3	1.4	.	596	1.4
	20-24	7	3.3	2.6	1,695	3.8
	25-29	30	14.2	8.3	4,631	10.5
	30-39	44	20.9	6.4	16,992	38.5
	40-49	40	19.0	7.4	12,501	28.3
	50-59	43	20.4	8.1	4,797	10.9
	60+	44	20.9	3.9	1,910	4.3
<b>Race/Ethnicity</b>	Non-Hispanic White	15	7.1	1.1	4,091	9.3
	Non-Hispanic Black	122	57.8	11.4	25,682	58.2
	Hispanic	71	33.6	5.5	13,971	31.6
	Asian	2	0.9	0.2	280	0.6
	Native Hawaiian/Pacific Islander	0	0.0	0.0	2	0.0
	Native American	0	0.0	0.0	23	0.1
	Multi Race	1	0.5	0.9	90	0.2
	Unknown	0	0.0	.	5	0.0
<b>Risk</b>	Injection Drug Use	18	8.5	.	16,981	38.5
	Heterosexual	189	89.6	.	25,413	57.6
	Blood Products	0	0.0	.	328	0.7
	Pediatric Risk	3	1.4	.	1,410	3.2
	Unknown	1	0.5	.	12	0.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY - Females**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		76	100.0	339	100.0	415	100.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	1	0.3	1	0.2
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	1	0.3	1	0.2
	30-39	3	3.9	10	2.9	13	3.1
	40-49	6	7.9	28	8.3	34	8.2
	50-59	12	15.8	81	23.9	93	22.4
	60+	55	72.4	218	64.3	273	65.8
<b>Race/Ethnicity</b>	Non-Hispanic White	6	7.9	25	7.4	31	7.5
	Non-Hispanic Black	47	61.8	206	60.8	253	61.0
	Hispanic	21	27.6	104	30.7	125	30.1
	Asian	1	1.3	3	0.9	4	1.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	1	1.3	1	0.3	2	0.5
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Injection Drug Use	15	19.7	112	33.0	127	30.6
	Heterosexual	61	80.3	223	65.8	284	68.4
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	4	1.2	4	1.0
	Unknown	0	0.0	0	0.0	0	0.0

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 7A

**REST OF STATE (Excluding persons incarcerated) - Males**  
**Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		8,291	100.0	145.4	8,396	100.0	123.8	16,687	100.0	269.3	5,632,909
<b>Current Age</b>	12 & under**	4	0.0	.	5	0.1	.	9	0.1	.	.
	13-19**	40	0.5	.	9	0.1	.	49	0.3	.	.
	20-24	291	3.5	75.0	59	0.7	15.2	350	2.1	90.2	388,129
	25-29	765	9.2	221.9	172	2.0	49.9	937	5.6	271.8	344,686
	30-39	2,235	27.0	308.9	870	10.4	120.3	3,105	18.6	429.2	723,472
	40-49	1,573	19.0	230.5	1,151	13.7	168.7	2,724	16.3	399.1	682,459
	50-59	1,458	17.6	203.5	2,255	26.9	314.7	3,713	22.3	518.2	716,520
	60+	1,925	23.2	135.4	3,875	46.2	272.5	5,800	34.8	407.9	1,421,877
<b>Race/Ethnicity</b>	Non-Hispanic White	3,697	44.6	88.3	3,825	45.6	72.6	7,522	45.1	160.9	3,892,055
	Non-Hispanic Black	2,470	29.8	471.5	2,764	32.9	517.4	5,234	31.4	989.0	502,103
	Hispanic	1,786	21.5	228.4	1,534	18.3	206.7	3,320	19.9	435.0	808,881
	Asian	222	2.7	74.8	170	2.0	56.9	392	2.3	131.7	293,945
	Native Hawaiian/Pacific Islander	12	0.1	528.3	8	0.1	325.3	20	0.1	853.6	2,329
	Native American	31	0.4	161.9	32	0.4	156.6	63	0.4	318.4	18,919
	Multi Race	69	0.8	95.5	61	0.7	92.6	130	0.8	188.1	114,677
	Unknown	4	0.0	.	2	0.0	.	6	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	6,030	72.7	.	4,862	57.9	.	10,892	65.3	.	.
	Injection Drug Use	376	4.5	.	874	10.4	.	1,250	7.5	.	.
	Male to Male Sexual Contact/Injection Drug Use	483	5.8	.	745	8.9	.	1,228	7.4	.	.
	Heterosexual	585	7.1	.	932	11.1	.	1,517	9.1	.	.
	Blood Products	7	0.1	.	33	0.4	.	40	0.2	.	.
	Pediatric Risk	96	1.2	.	134	1.6	.	230	1.4	.	.
	Unknown	714	8.6	.	816	9.7	.	1,530	9.2	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 7B

**REST OF STATE (Excluding persons incarcerated) - Males**  
**New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		411	100.0	158	100.0	569	100.0	10.8	27.8
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	15	3.6	4	2.5	19	3.3	.	21.1
	20-24	79	19.2	14	8.9	93	16.3	24.0	15.1
	25-29	89	21.7	26	16.5	115	20.2	33.4	22.6
	30-39	138	33.6	52	32.9	190	33.4	26.3	27.4
	40-49	49	11.9	23	14.6	72	12.7	10.6	31.9
	50-59	28	6.8	25	15.8	53	9.3	7.4	47.2
	60+	13	3.2	14	8.9	27	4.7	1.9	51.9
<b>Race/Ethnicity</b>	Non-Hispanic White	128	31.1	67	42.4	195	34.3	5.6	34.4
	Non-Hispanic Black	152	37.0	41	25.9	193	33.9	35.8	21.2
	Hispanic	116	28.2	34	21.5	150	26.4	17.9	22.7
	Asian	11	2.7	12	7.6	23	4.0	7.5	52.2
	Native Hawaiian/Pacific Islander	0	0.0	1	0.6	1	0.2	48.0	100.0
	Native American	3	0.7	1	0.6	4	0.7	23.0	25.0
	Multi Race	1	0.2	2	1.3	3	0.5	4.5	66.7
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	288	70.1	87	55.1	375	65.9	.	23.2
	Injection Drug Use	10	2.4	8	5.1	18	3.2	.	44.4
	Male to Male Sexual Contact/Injection Drug Use	21	5.1	6	3.8	27	4.7	.	22.2
	Heterosexual	24	5.8	15	9.5	39	6.9	.	38.5
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	1	0.6	1	0.2	.	100.0
	Unknown	68	16.5	41	25.9	109	19.2	.	37.6

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 7C

**REST OF STATE (Excluding persons incarcerated) - Males**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		293	100.0	5.4	24,351	100.0
<b>Age at Diagnosis</b>	12 & under**	1	0.3	.	173	0.7
	13-19**	5	1.7	.	201	0.8
	20-24	21	7.2	5.4	802	3.3
	25-29	41	14.0	11.9	2,311	9.5
	30-39	91	31.1	12.6	8,807	36.2
	40-49	56	19.1	8.2	7,582	31.1
	50-59	43	14.7	6.0	3,215	13.2
	60+	35	11.9	2.5	1,260	5.2
<b>Race/Ethnicity</b>	Non-Hispanic White	115	39.2	3.1	11,975	49.2
	Non-Hispanic Black	93	31.7	18.4	8,449	34.7
	Hispanic	63	21.5	7.7	3,533	14.5
	Asian	16	5.5	5.3	205	0.8
	Native Hawaiian/Pacific Islander	1	0.3	48.0	13	0.1
	Native American	2	0.7	12.4	68	0.3
	Multi Race	3	1.0	3.5	80	0.3
	Unknown	0	0.0	.	28	0.1
<b>Risk</b>	Male to Male Sexual Contact	152	51.9	.	11,488	47.2
	Injection Drug Use	16	5.5	.	6,276	25.8
	Male to Male Sexual Contact/Injection Drug Use	22	7.5	.	2,011	8.3
	Heterosexual	29	9.9	.	1,762	7.2
	Blood Products	0	0.0	.	295	1.2
	Pediatric Risk	7	2.4	.	283	1.2
	Unknown	67	22.9	.	2,236	9.2

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 7D

***REST OF STATE (Excluding persons incarcerated) - Males  
Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),  
by Age, Race/Ethnicity and Risk***

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		71	100.0	249	100.0	320	100.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	2	2.8	0	0.0	2	0.6
	30-39	8	11.3	11	4.4	19	5.9
	40-49	5	7.0	21	8.4	26	8.1
	50-59	16	22.5	50	20.1	66	20.6
	60+	40	56.3	167	67.1	207	64.7
<b>Race/Ethnicity</b>	Non-Hispanic White	32	45.1	122	49.0	154	48.1
	Non-Hispanic Black	30	42.3	92	36.9	122	38.1
	Hispanic	9	12.7	32	12.9	41	12.8
	Asian	0	0.0	2	0.8	2	0.6
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	1	0.4	1	0.3
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	43	60.6	123	49.4	166	51.9
	Injection Drug Use	8	11.3	45	18.1	53	16.6
	Male to Male Sexual Contact/Injection Drug Use	5	7.0	36	14.5	41	12.8
	Heterosexual	8	11.3	24	9.6	32	10.0
	Blood Products	0	0.0	2	0.8	2	0.6
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	7	9.9	19	7.6	26	8.1

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 7E

**REST OF STATE (Excluding persons incarcerated) - Females**  
**Persons Living with Diagnosed HIV as of December 2024, by Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		3,057	100.0	51.1	3,841	100.0	54.5	6,898	100.0	105.5	5,756,267
<b>Current Age</b>	12 & under**	1	0.0	.	1	0.0	.	2	0.0	.	.
	13-19**	30	1.0	.	5	0.1	.	35	0.5	.	.
	20-24	53	1.7	14.2	8	0.2	2.1	61	0.9	16.3	373,685
	25-29	146	4.8	44.3	45	1.2	13.7	191	2.8	58.0	329,486
	30-39	523	17.1	74.1	304	7.9	43.0	827	12.0	117.1	706,266
	40-49	656	21.5	96.7	534	13.9	78.7	1,190	17.3	175.4	678,600
	50-59	785	25.7	107.6	1,145	29.8	156.9	1,930	28.0	264.4	729,842
	60+	863	28.2	52.4	1,799	46.8	109.3	2,662	38.6	161.7	1,645,805
<b>Race/Ethnicity</b>	Non-Hispanic White	878	28.7	20.8	1,076	28.0	20.9	1,954	28.3	41.7	3,999,039
	Non-Hispanic Black	1,518	49.7	275.5	1,915	49.9	313.1	3,433	49.8	588.7	526,202
	Hispanic	563	18.4	76.4	740	19.3	100.6	1,303	18.9	177.0	780,533
	Asian	69	2.3	20.8	50	1.3	14.4	119	1.7	35.2	311,929
	Native Hawaiian/Pacific Islander	1	0.0	46.8	5	0.1	191.8	6	0.1	238.6	2,429
	Native American	8	0.3	37.1	17	0.4	75.2	25	0.4	112.3	19,846
	Multi Race	20	0.7	27.3	37	1.0	53.6	57	0.8	81.0	116,289
	Unknown	0	0.0	.	1	0.0	.	1	0.0	.	.
<b>Risk</b>	Injection Drug Use	324	10.6	.	725	18.9	.	1,049	15.2	.	.
	Heterosexual	2,615	85.5	.	2,974	77.4	.	5,589	81.0	.	.
	Blood Products	4	0.1	.	15	0.4	.	19	0.3	.	.
	Pediatric Risk	111	3.6	.	123	3.2	.	234	3.4	.	.
	Unknown	3	0.1	.	4	0.1	.	7	0.1	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 7F

**REST OF STATE (Excluding persons incarcerated) - Females**  
**New Diagnoses of HIV 2024 by Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		118	100.0	28	100.0	146	100.0	2.8	19.2
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	3	2.5	0	0.0	3	2.1	.	0.0
	20-24	12	10.2	1	3.6	13	8.9	3.5	7.7
	25-29	19	16.1	4	14.3	23	15.8	7.0	17.4
	30-39	31	26.3	8	28.6	39	26.7	5.5	20.5
	40-49	25	21.2	9	32.1	34	23.3	5.0	26.5
	50-59	18	15.3	4	14.3	22	15.1	3.0	18.2
	60+	10	8.5	2	7.1	12	8.2	0.7	16.7
<b>Race/Ethnicity</b>	Non-Hispanic White	24	20.3	9	32.1	33	22.6	0.9	27.3
	Non-Hispanic Black	69	58.5	14	50.0	83	56.8	16.1	16.9
	Hispanic	23	19.5	3	10.7	26	17.8	3.4	11.5
	Asian	1	0.8	1	3.6	2	1.4	0.7	50.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	1	3.6	1	0.7	5.4	100.0
	Multi Race	1	0.8	0	0.0	1	0.7	1.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Injection Drug Use	8	6.8	2	7.1	10	6.8	.	20.0
	Heterosexual	110	93.2	26	92.9	136	93.2	.	19.1
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 7G

**REST OF STATE (Excluding persons incarcerated) - Females**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024) by Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		78	100.0	1.4	9,044	100.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	146	1.6
	13-19**	2	2.6	.	154	1.7
	20-24	1	1.3	0.3	379	4.2
	25-29	8	10.3	2.4	1,019	11.3
	30-39	21	26.9	3.0	3,289	36.4
	40-49	18	23.1	2.7	2,547	28.2
	50-59	15	19.2	2.1	1,038	11.5
	60+	13	16.7	0.8	472	5.2
<b>Race/Ethnicity</b>	Non-Hispanic White	19	24.4	0.5	2,939	32.5
	Non-Hispanic Black	38	48.7	7.0	4,624	51.1
	Hispanic	16	20.5	2.2	1,335	14.8
	Asian	2	2.6	0.6	62	0.7
	Native Hawaiian/Pacific Islander	0	0.0	0.0	7	0.1
	Native American	1	1.3	5.4	34	0.4
	Multi Race	2	2.6	3.0	42	0.5
	Unknown	0	0.0	.	1	0.0
<b>Risk</b>	Injection Drug Use	11	14.1	.	2,984	33.0
	Heterosexual	66	84.6	.	5,692	62.9
	Blood Products	0	0.0	.	96	1.1
	Pediatric Risk	1	1.3	.	271	3.0
	Unknown	0	0.0	.	1	0.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 7H

***REST OF STATE (Excluding persons incarcerated) - Females  
Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),  
by Age, Race/Ethnicity and Risk***

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		38	100.0	80	100.0	118	100.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	1	2.6	3	3.8	4	3.4
	40-49	5	13.2	7	8.8	12	10.2
	50-59	9	23.7	25	31.3	34	28.8
	60+	23	60.5	45	56.3	68	57.6
<b>Race/Ethnicity</b>	Non-Hispanic White	15	39.5	23	28.8	38	32.2
	Non-Hispanic Black	18	47.4	42	52.5	60	50.8
	Hispanic	3	7.9	11	13.8	14	11.9
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	1	2.6	1	1.3	2	1.7
	Native American	0	0.0	1	1.3	1	0.8
	Multi Race	1	2.6	2	2.5	3	2.5
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Injection Drug Use	11	28.9	26	32.5	37	31.4
	Heterosexual	27	71.1	54	67.5	81	68.6
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 8A

**REST OF STATE - PERSONS INCARCERATED\***  
**Persons Living with Diagnosed HIV as of December 2024,**  
**by Sex at Birth, Age and Race/Ethnicity**

		HIV Non-AIDS		AIDS		HIV and AIDS	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		150	100.0	156	100.0	306	100.0
<b>Sex at Birth</b>	Male	140	93.3	145	92.9	285	93.1
	Female	10	6.7	11	7.1	21	6.9
<b>Current Age</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	8	5.3	2	1.3	10	3.3
	25-29	17	11.3	2	1.3	19	6.2
	30-39	51	34.0	22	14.1	73	23.9
	40-49	30	20.0	38	24.4	68	22.2
	50-59	33	22.0	36	23.1	69	22.5
	60+	11	7.3	56	35.9	67	21.9
<b>Race/Ethnicity</b>	Non-Hispanic White	27	18.0	19	12.2	46	15.0
	Non-Hispanic Black	77	51.3	99	63.5	176	57.5
	Hispanic	42	28.0	37	23.7	79	25.8
	Asian	3	2.0	0	0.0	3	1.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	1	0.7	1	0.6	2	0.7
	Unknown	0	0.0	0	0.0	0	0.0

Data as of June 2025.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

Table 8B

**REST OF STATE - PERSONS INCARCERATED\***  
**New Diagnoses of HIV and AIDS 2024, by Sex at Birth, Age and Race/Ethnicity**

		HIV Diagnoses†		AIDS Diagnoses	
		Number	Percent	Number	Percent
<b>Total</b>		19	100.0	21	100.0
<b>Sex at Birth</b>	Male	16	84.2	18	85.7
	Female	3	15.8	3	14.3
<b>Age at Diagnosis</b>	12 & under	0	0.0	0	0.0
	13-19	0	0.0	0	0.0
	20-24	3	15.8	1	4.8
	25-29	2	10.5	1	4.8
	30-39	10	52.6	6	28.6
	40-49	4	21.1	2	9.5
	50-59	0	0.0	6	28.6
	60+	0	0.0	5	23.8
<b>Race/Ethnicity</b>	Non-Hispanic White	8	42.1	4	19.0
	Non-Hispanic Black	5	26.3	11	52.4
	Hispanic	5	26.3	6	28.6
	Asian	1	5.3	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0
	Native American	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0

Data as of June 2025.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 8C

**REST OF STATE - PERSONS INCARCERATED\***  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024),**  
**by Sex at Birth, Age and Race/Ethnicity**

		HIV Non-AIDS		AIDS		HIV and AIDS	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		1	100.0	4	100.0	5	100.0
<b>Sex at Birth</b>	Male	1	100.0	4	100.0	5	100.0
	Female	0	0.0	0	0.0	0	0.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	0	0.0	0	0.0	0	0.0
	40-49	0	0.0	1	25.0	1	20.0
	50-59	1	100.0	1	25.0	2	40.0
	60+	0	0.0	2	50.0	2	40.0
<b>Race/Ethnicity</b>	Non-Hispanic White	0	0.0	0	0.0	0	0.0
	Non-Hispanic Black	1	100.0	1	25.0	2	40.0
	Hispanic	0	0.0	3	75.0	3	60.0
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.



Table 9A

**REST OF STATE: by Ryan White Region**  
**Persons Living with Diagnosed HIV as of December 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*						
	HIV Non-AIDS	AIDS	HIV & AIDS	HIV Non-AIDS		AIDS		HIV & AIDS		
Ryan White Region	Number	Number	Number	Number	Prevalence**	Number	Prevalence**	Number	Prevalence**	Area Population
Albany	1,442	1,670	3,112	1,423	88.8	1,652	88.0	3,075	176.8	1,519,033
Binghamton	240	290	530	238	91.2	289	87.6	527	178.8	289,747
Buffalo	1,554	1,475	3,029	1,521	99.8	1,445	79.8	2,966	179.6	1,543,929
Lower Hudson	1,833	1,952	3,785	1,817	124.2	1,931	110.5	3,748	234.8	1,453,000
Mid Hudson	1,090	1,294	2,384	1,067	103.7	1,255	104.1	2,322	207.8	975,157
Nassau/Suffolk	2,792	2,993	5,785	2,789	94.2	2,991	82.5	5,780	176.7	2,928,347
Rochester	1,446	1,503	2,949	1,421	110.4	1,486	97.1	2,907	207.4	1,264,820
Syracuse	1,101	1,216	2,317	1,072	78.1	1,188	73.8	2,260	152.0	1,415,143
Total	11,498	12,393	23,891	11,348	98.4	12,237	88.6	23,585	187.0	11,389,176

Data as of June 2025.

\*Persons incarcerated refer to persons in correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

\*\*Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 9B

**REST OF STATE: by Ryan White Region**  
**New Diagnoses of HIV\* and AIDS, 2024**  
**and Cumulative AIDS Diagnoses through December 2024**

	Including Persons Incarcerated**			Excluding Persons Incarcerated**					
	HIV Diagnoses	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses		AIDS Diagnoses		Cumulative AIDS Diagnoses	
Ryan White Region	Number	Number	Number	Number	Case Rate†	Number	Case Rate†	Number	Area Population
Albany	86	48	5,068	82	6.0	44	3.1	3,379	1,519,033
Binghamton	12	12	606	11	4.5	12	5.3	558	289,747
Buffalo	73	45	4,471	69	4.9	38	2.7	3,454	1,543,929
Lower Hudson	97	51	7,502	96	7.2	48	3.4	6,705	1,453,000
Mid Hudson	58	21	5,185	54	5.8	20	2.3	3,359	975,157
Nassau/Suffolk	221	111	10,009	218	8.3	110	3.8	9,620	2,928,347
Rochester	101	47	4,138	101	8.7	45	3.7	3,534	1,264,820
Syracuse	86	57	4,140	84	6.5	54	4.3	2,786	1,415,143
Total	734	392	41,119	715	6.9	371	3.4	33,395	11,389,176

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*Persons incarcerated refer to persons incarcerated in correctional facilities at time of diagnosis or at some time after diagnosis.

†Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 9C

**REST OF STATE: by Ryan White Region**  
**Deaths of Persons with Diagnosed HIV or AIDS, 2024**

	Including Persons Incarcerated*			Excluding Persons Incarcerated*		
Ryan White Region	HIV Non-AIDS	AIDS	HIV and AIDS	HIV Non-AIDS	AIDS	HIV and AIDS
Albany	12	64	76	12	62	74
Binghamton	2	11	13	2	11	13
Buffalo	14	36	50	14	36	50
Lower Hudson	10	43	53	10	42	52
Mid Hudson	12	32	44	11	32	43
Nassau/Suffolk	13	71	84	13	71	84
Rochester	29	37	66	29	36	65
Syracuse	18	39	57	18	39	57
Total	110	333	443	109	329	438

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

\*Persons incarcerated refer to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis, excluding those whose most recent known address before December 2024 is not a correctional facility, jail or transitional facility.

Table 10A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ALBANY**  
*(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)*  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,423	100.0	88.8	1,652	100.0	88.0	3,075	100.0	176.8	1,519,033
<b>Sex at Birth</b>	Male	1,039	73.0	129.2	1,148	69.5	122.0	2,187	71.1	251.2	756,586
	Female	384	27.0	48.0	504	30.5	54.6	888	28.9	102.5	762,447
<b>Current Age</b>	12 & under**	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19**	5	0.4	.	1	0.1	.	6	0.2	.	.
	20-24	29	2.0	26.7	8	0.5	7.4	37	1.2	34.1	108,653
	25-29	93	6.5	104.0	25	1.5	28.0	118	3.8	132.0	89,385
	30-39	306	21.5	157.2	171	10.4	87.8	477	15.5	245.0	194,663
	40-49	267	18.8	149.1	208	12.6	116.1	475	15.4	265.2	179,119
	50-59	333	23.4	174.8	493	29.8	258.9	826	26.9	433.7	190,455
	60+	390	27.4	89.8	746	45.2	171.8	1,136	36.9	261.6	434,219
<b>Race/Ethnicity</b>	Non-Hispanic White	758	53.3	54.8	828	50.1	49.8	1,586	51.6	104.6	1,228,968
	Non-Hispanic Black	434	30.5	449.6	582	35.2	615.7	1,016	33.0	1065.4	96,618
	Hispanic	178	12.5	207.3	193	11.7	259.3	371	12.1	466.6	93,442
	Asian	28	2.0	48.3	29	1.8	54.2	57	1.9	102.5	57,646
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0	.	0	0.0	.	980
	Native American	7	0.5	67.9	3	0.2	35.2	10	0.3	103.1	7,060
	Multi Race	17	1.2	64.9	16	1.0	64.5	33	1.1	129.4	34,319
	Unknown	1	0.1	.	1	0.1	.	2	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	747	52.5	.	680	41.2	.	1,427	46.4	.	.
	Injection Drug Use	118	8.3	.	228	13.8	.	346	11.3	.	.
	Male to Male Sexual Contact/Injection Drug Use	82	5.8	.	134	8.1	.	216	7.0	.	.
	Heterosexual	376	26.4	.	472	28.6	.	848	27.6	.	.
	Blood Products	3	0.2	.	5	0.3	.	8	0.3	.	.
	Pediatric Risk	27	1.9	.	43	2.6	.	70	2.3	.	.
	Unknown	70	4.9	.	90	5.4	.	160	5.2	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 10B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ALBANY**  
*(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)*  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		57	100.0	25	100.0	82	100.0	6.0	30.5
<b>Sex at Birth</b>	Male	43	75.4	20	80.0	63	76.8	9.0	31.7
	Female	14	24.6	5	20.0	19	23.2	2.8	26.3
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	4	7.0	0	0.0	4	4.9	.	0.0
	20-24	7	12.3	2	8.0	9	11.0	8.3	22.2
	25-29	7	12.3	3	12.0	10	12.2	11.2	30.0
	30-39	20	35.1	11	44.0	31	37.8	15.9	35.5
	40-49	12	21.1	4	16.0	16	19.5	8.9	25.0
	50-59	6	10.5	2	8.0	8	9.8	4.2	25.0
	60+	1	1.8	3	12.0	4	4.9	0.9	75.0
<b>Race/Ethnicity</b>	Non-Hispanic White	21	36.8	10	40.0	31	37.8	2.8	32.3
	Non-Hispanic Black	16	28.1	11	44.0	27	32.9	28.2	40.7
	Hispanic	15	26.3	2	8.0	17	20.7	15.7	11.8
	Asian	3	5.3	2	8.0	5	6.1	9.2	40.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	1	1.8	0	0.0	1	1.2	14.4	0.0
	Multi Race	1	1.8	0	0.0	1	1.2	3.3	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	30	52.6	11	44.0	41	50.0	.	26.8
	Injection Drug Use	5	8.8	3	12.0	8	9.8	.	37.5
	Male to Male Sexual Contact/Injection Drug Use	5	8.8	0	0.0	5	6.1	.	0.0
	Heterosexual	12	21.1	6	24.0	18	22.0	.	33.3
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	5	8.8	5	20.0	10	12.2	.	50.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 10C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ALBANY**  
*(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)*

**New Diagnoses of AIDS (January-December 2024)  
and Cumulative AIDS Diagnoses (through December 2024)  
by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		44	100.0	3.1	3,379	100.0
<b>Sex at Birth</b>	Male	36	81.8	4.9	2,499	74.0
	Female	8	18.2	1.1	880	26.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	30	0.9
	13-19**	0	0.0	.	32	0.9
	20-24	4	9.1	3.7	115	3.4
	25-29	5	11.4	5.6	395	11.7
	30-39	15	34.1	7.7	1,192	35.3
	40-49	8	18.2	4.5	1,031	30.5
	50-59	7	15.9	3.7	422	12.5
	60+	5	11.4	1.2	162	4.8
<b>Race/Ethnicity</b>	Non-Hispanic White	19	43.2	1.5	1,862	55.1
	Non-Hispanic Black	16	36.4	16.7	1,072	31.7
	Hispanic	4	9.1	4.0	393	11.6
	Asian	4	9.1	7.4	25	0.7
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0
	Native American	0	0.0	.	11	0.3
	Multi Race	1	2.3	1.8	13	0.4
	Unknown	0	0.0	.	3	0.1
<b>Risk</b>	Male to Male Sexual Contact	19	43.2	.	1,278	37.8
	Injection Drug Use	4	9.1	.	797	23.6
	Male to Male Sexual Contact/Injection Drug Use	3	6.8	.	218	6.5
	Heterosexual	10	22.7	.	753	22.3
	Blood Products	0	0.0	.	44	1.3
	Pediatric Risk	2	4.5	.	58	1.7
	Unknown	6	13.6	.	231	6.8

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 10D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ALBANY**  
*(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)*  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		12	100.0	62	100.0	74	100.0
<b>Sex at Birth</b>	Male	7	58.3	48	77.4	55	74.3
	Female	5	41.7	14	22.6	19	25.7
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	1	8.3	5	8.1	6	8.1
	40-49	1	8.3	2	3.2	3	4.1
	50-59	4	33.3	15	24.2	19	25.7
	60+	6	50.0	40	64.5	46	62.2
<b>Race/Ethnicity</b>	Non-Hispanic White	5	41.7	27	43.5	32	43.2
	Non-Hispanic Black	6	50.0	26	41.9	32	43.2
	Hispanic	1	8.3	8	12.9	9	12.2
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	1	1.6	1	1.4
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	5	41.7	20	32.3	25	33.8
	Injection Drug Use	3	25.0	16	25.8	19	25.7
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	9	14.5	9	12.2
	Heterosexual	3	25.0	15	24.2	18	24.3
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	1	8.3	2	3.2	3	4.1

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 11A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BINGHAMTON**  
**(Includes counties of: Broome, Chenango, Tioga)**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		238	100.0	91.2	289	100.0	87.6	527	100.0	178.8	289,747
<b>Sex at Birth</b>	Male	163	68.5	124.8	191	66.1	113.5	354	67.2	238.3	144,000
	Female	75	31.5	57.7	98	33.9	62.5	173	32.8	120.2	145,747
<b>Current Age</b>	12 & under**	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19**	2	0.8	.	0	0.0	.	2	0.4	.	.
	20-24	3	1.3	12.0	1	0.3	4.0	4	0.8	16.0	25,077
	25-29	18	7.6	108.4	3	1.0	18.1	21	4.0	126.5	16,601
	30-39	73	30.7	223.2	32	11.1	97.8	105	19.9	321.0	32,708
	40-49	48	20.2	152.5	38	13.1	120.7	86	16.3	273.2	31,484
	50-59	46	19.3	138.9	86	29.8	259.7	132	25.0	398.5	33,121
	60+	48	20.2	57.0	129	44.6	153.2	177	33.6	210.3	84,177
<b>Race/Ethnicity</b>	Non-Hispanic White	153	64.3	69.2	164	56.7	54.7	317	60.2	123.9	242,972
	Non-Hispanic Black	51	21.4	454.7	88	30.4	779.7	139	26.4	1234.4	13,059
	Hispanic	27	11.3	248.3	33	11.4	332.8	60	11.4	581.2	14,076
	Asian	4	1.7	40.7	2	0.7	20.9	6	1.1	61.6	12,009
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0	.	0	0.0	.	112
	Native American	1	0.4	197.3	2	0.7	122.6	3	0.6	319.9	648
	Multi Race	2	0.8	60.6	0	0.0	.	2	0.4	60.6	6,871
	Unknown	0	0.0	.	0	0.0	.	0	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	111	46.6	.	100	34.6	.	211	40.0	.	.
	Injection Drug Use	21	8.8	.	60	20.8	.	81	15.4	.	.
	Male to Male Sexual Contact/Injection Drug Use	18	7.6	.	27	9.3	.	45	8.5	.	.
	Heterosexual	70	29.4	.	72	24.9	.	142	26.9	.	.
	Blood Products	0	0.0	.	1	0.3	.	1	0.2	.	.
	Pediatric Risk	4	1.7	.	8	2.8	.	12	2.3	.	.
	Unknown	14	5.9	.	21	7.3	.	35	6.6	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.



Table 11B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BINGHAMTON**  
*(Includes counties of: Broome, Chenango, Tioga)*  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

Page 73 of 126

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		5	100.0	6	100.0	11	100.0	4.5	54.5
<b>Sex at Birth</b>	Male	3	60.0	6	100.0	9	81.8	7.6	66.7
	Female	2	40.0	0	0.0	2	18.2	1.4	0.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	0	0.0	0	0.0	0	0.0	.	0.0
	20-24	1	20.0	0	0.0	1	9.1	4.0	0.0
	25-29	0	0.0	1	16.7	1	9.1	6.0	100.0
	30-39	3	60.0	2	33.3	5	45.5	15.3	40.0
	40-49	0	0.0	1	16.7	1	9.1	3.2	100.0
	50-59	1	20.0	2	33.3	3	27.3	9.1	66.7
	60+	0	0.0	0	0.0	0	0.0	0.0	0.0
<b>Race/Ethnicity</b>	Non-Hispanic White	2	40.0	4	66.7	6	54.5	3.0	66.7
	Non-Hispanic Black	1	20.0	2	33.3	3	27.3	20.9	66.7
	Hispanic	2	40.0	0	0.0	2	18.2	16.2	0.0
	Asian	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0	0.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	1	20.0	2	33.3	3	27.3	.	66.7
	Injection Drug Use	0	0.0	1	16.7	1	9.1	.	100.0
	Male to Male Sexual Contact/Injection Drug Use	1	20.0	1	16.7	2	18.2	.	50.0
	Heterosexual	3	60.0	1	16.7	4	36.4	.	25.0
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	0	0.0	1	16.7	1	9.1	.	100.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 11C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BINGHAMTON**  
**(Includes counties of: Broome, Chenango, Tioga)**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		12	100.0	5.3	558	100.0
<b>Sex at Birth</b>	Male	8	66.7	7.2	404	72.4
	Female	4	33.3	3.5	154	27.6
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	1	0.2
	13-19**	0	0.0	.	8	1.4
	20-24	0	0.0	.	35	6.3
	25-29	1	8.3	6.0	59	10.6
	30-39	4	33.3	12.2	205	36.7
	40-49	3	25.0	9.5	148	26.5
	50-59	4	33.3	12.1	78	14.0
	60+	0	0.0	.	24	4.3
<b>Race/Ethnicity</b>	Non-Hispanic White	5	41.7	2.7	365	65.4
	Non-Hispanic Black	4	33.3	36.4	138	24.7
	Hispanic	3	25.0	30.3	49	8.8
	Asian	0	0.0	.	4	0.7
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0
	Native American	0	0.0	.	2	0.4
	Multi Race	0	0.0	.	0	0.0
	Unknown	0	0.0	.	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	2	16.7	.	224	40.1
	Injection Drug Use	2	16.7	.	113	20.3
	Male to Male Sexual Contact/Injection Drug Use	2	16.7	.	51	9.1
	Heterosexual	5	41.7	.	118	21.1
	Blood Products	0	0.0	.	2	0.4
	Pediatric Risk	0	0.0	.	8	1.4
	Unknown	1	8.3	.	42	7.5

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 11D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BINGHAMTON**  
**(Includes counties of: Broome, Chenango, Tioga)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		2	100.0	11	100.0	13	100.0
<b>Sex at Birth</b>	Male	1	50.0	7	63.6	8	61.5
	Female	1	50.0	4	36.4	5	38.5
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	0	0.0	0	0.0	0	0.0
	40-49	0	0.0	2	18.2	2	15.4
	50-59	0	0.0	3	27.3	3	23.1
	60+	2	100.0	6	54.5	8	61.5
<b>Race/Ethnicity</b>	Non-Hispanic White	1	50.0	7	63.6	8	61.5
	Non-Hispanic Black	1	50.0	4	36.4	5	38.5
	Hispanic	0	0.0	0	0.0	0	0.0
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	0	0.0	4	36.4	4	30.8
	Injection Drug Use	2	100.0	1	9.1	3	23.1
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	1	9.1	1	7.7
	Heterosexual	0	0.0	4	36.4	4	30.8
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	1	9.1	1	7.7

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 12A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BUFFALO**  
**(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,521	100.0	99.8	1,445	100.0	79.8	2,966	100.0	179.6	1,543,929
<b>Sex at Birth</b>	Male	1,135	74.6	148.3	1,019	70.5	112.1	2,154	72.6	260.4	760,147
	Female	386	25.4	51.5	426	29.5	48.7	812	27.4	100.1	783,782
<b>Current Age</b>	12 & under**	1	0.1	.	1	0.1	.	2	0.1	.	.
	13-19**	14	0.9	.	2	0.1	.	16	0.5	.	.
	20-24	57	3.7	59.2	10	0.7	10.4	67	2.3	69.6	96,285
	25-29	143	9.4	151.5	29	2.0	30.7	172	5.8	182.2	94,396
	30-39	389	25.6	189.0	139	9.6	67.5	528	17.8	256.5	205,855
	40-49	332	21.8	187.0	236	16.3	133.0	568	19.2	320.0	177,501
	50-59	278	18.3	147.3	418	28.9	221.4	696	23.5	368.7	188,783
	60+	307	20.2	70.8	610	42.2	140.7	917	30.9	211.5	433,667
<b>Race/Ethnicity</b>	Non-Hispanic White	639	42.0	51.8	600	41.5	38.7	1,239	41.8	90.6	1,197,964
	Non-Hispanic Black	621	40.8	436.3	605	41.9	411.0	1,226	41.3	847.3	146,788
	Hispanic	190	12.5	232.0	189	13.1	259.9	379	12.8	491.9	94,522
	Asian	46	3.0	84.3	33	2.3	57.7	79	2.7	141.9	58,921
	Native Hawaiian/Pacific Islander	3	0.2	674.4	1	0.1	293.3	4	0.1	967.7	492
	Native American	6	0.4	52.2	12	0.8	113.8	18	0.6	166.0	11,648
	Multi Race	16	1.1	67.6	5	0.3	33.8	21	0.7	101.3	33,594
	Unknown	0	0.0	.	0	0.0	.	0	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	854	56.1	.	649	44.9	.	1,503	50.7	.	.
	Injection Drug Use	112	7.4	.	182	12.6	.	294	9.9	.	.
	Male to Male Sexual Contact/Injection Drug Use	93	6.1	.	135	9.3	.	228	7.7	.	.
	Heterosexual	374	24.6	.	398	27.5	.	772	26.0	.	.
	Blood Products	0	0.0	.	9	0.6	.	9	0.3	.	.
	Pediatric Risk	24	1.6	.	28	1.9	.	52	1.8	.	.
	Unknown	64	4.2	.	44	3.0	.	108	3.6	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 12B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BUFFALO**  
**(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

Page 77 of 126

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		48	100.0	21	100.0	69	100.0	4.9	30.4
<b>Sex at Birth</b>	Male	36	75.0	17	81.0	53	76.8	7.4	32.1
	Female	12	25.0	4	19.0	16	23.2	2.3	25.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	0	0.0	1	4.8	1	1.4	.	100.0
	20-24	9	18.8	2	9.5	11	15.9	11.4	18.2
	25-29	20	41.7	1	4.8	21	30.4	22.2	4.8
	30-39	13	27.1	7	33.3	20	29.0	9.7	35.0
	40-49	3	6.3	5	23.8	8	11.6	4.5	62.5
	50-59	2	4.2	3	14.3	5	7.2	2.6	60.0
	60+	1	2.1	2	9.5	3	4.3	0.7	66.7
<b>Race/Ethnicity</b>	Non-Hispanic White	17	35.4	10	47.6	27	39.1	2.5	37.0
	Non-Hispanic Black	24	50.0	7	33.3	31	44.9	20.4	22.6
	Hispanic	7	14.6	1	4.8	8	11.6	7.9	12.5
	Asian	0	0.0	2	9.5	2	2.9	2.5	100.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	1	4.8	1	1.4	9.2	100.0
	Multi Race	0	0.0	0	0.0	0	0.0	0.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	30	62.5	13	61.9	43	62.3	.	30.2
	Injection Drug Use	0	0.0	0	0.0	0	0.0	.	0.0
	Male to Male Sexual Contact/Injection Drug Use	2	4.2	1	4.8	3	4.3	.	33.3
	Heterosexual	12	25.0	6	28.6	18	26.1	.	33.3
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	4	8.3	1	4.8	5	7.2	.	20.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 12C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BUFFALO**  
**(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		38	100.0	2.7	3,454	100.0
<b>Sex at Birth</b>	Male	32	84.2	4.5	2,553	73.9
	Female	6	15.8	0.9	901	26.1
<b>Age at Diagnosis</b>	12 & under**	1	2.6	.	21	0.6
	13-19**	1	2.6	.	46	1.3
	20-24	3	7.9	3.1	167	4.8
	25-29	7	18.4	7.4	366	10.6
	30-39	14	36.8	6.8	1,207	34.9
	40-49	5	13.2	2.8	1,040	30.1
	50-59	5	13.2	2.6	452	13.1
	60+	2	5.3	0.5	155	4.5
<b>Race/Ethnicity</b>	Non-Hispanic White	14	36.8	1.3	1,461	42.3
	Non-Hispanic Black	17	44.7	11.8	1,552	44.9
	Hispanic	2	5.3	2.0	365	10.6
	Asian	4	10.5	5.4	40	1.2
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0
	Native American	1	2.6	9.2	24	0.7
	Multi Race	0	0.0	.	8	0.2
	Unknown	0	0.0	.	4	0.1
<b>Risk</b>	Male to Male Sexual Contact	21	55.3	.	1,501	43.5
	Injection Drug Use	1	2.6	.	766	22.2
	Male to Male Sexual Contact/Injection Drug Use	4	10.5	.	246	7.1
	Heterosexual	8	21.1	.	759	22.0
	Blood Products	0	0.0	.	36	1.0
	Pediatric Risk	2	5.3	.	43	1.2
	Unknown	2	5.3	.	103	3.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 12D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): BUFFALO**  
**(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		14	100.0	36	100.0	50	100.0
<b>Sex at Birth</b>	Male	13	92.9	32	88.9	45	90.0
	Female	1	7.1	4	11.1	5	10.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	1	7.1	4	11.1	5	10.0
	40-49	2	14.3	5	13.9	7	14.0
	50-59	3	21.4	8	22.2	11	22.0
	60+	8	57.1	19	52.8	27	54.0
<b>Race/Ethnicity</b>	Non-Hispanic White	3	21.4	20	55.6	23	46.0
	Non-Hispanic Black	9	64.3	15	41.7	24	48.0
	Hispanic	2	14.3	0	0.0	2	4.0
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	1	2.8	1	2.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	8	57.1	21	58.3	29	58.0
	Injection Drug Use	2	14.3	2	5.6	4	8.0
	Male to Male Sexual Contact/Injection Drug Use	1	7.1	6	16.7	7	14.0
	Heterosexual	1	7.1	4	11.1	5	10.0
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	2	14.3	3	8.3	5	10.0

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 13A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): LOWER HUDSON**  
*(Includes counties of: Putnam, Rockland, Westchester)*  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,817	100.0	124.2	1,931	100.0	110.5	3,748	100.0	234.8	1,453,000
<b>Sex at Birth</b>	Male	1,278	70.3	180.6	1,249	64.7	148.5	2,527	67.4	329.0	712,742
	Female	539	29.7	68.6	682	35.3	74.8	1,221	32.6	143.4	740,258
<b>Current Age</b>	12 & under**	1	0.1	.	2	0.1	.	3	0.1	.	.
	13-19**	10	0.6	.	3	0.2	.	13	0.3	.	.
	20-24	46	2.5	51.4	9	0.5	10.0	55	1.5	61.4	89,569
	25-29	140	7.7	172.8	34	1.8	42.0	174	4.6	214.7	81,038
	30-39	427	23.5	243.7	152	7.9	86.7	579	15.4	330.4	175,245
	40-49	357	19.6	192.4	273	14.1	147.2	630	16.8	339.6	185,505
	50-59	375	20.6	198.2	523	27.1	276.4	898	24.0	474.6	189,221
	60+	461	25.4	127.2	935	48.4	258.0	1,396	37.2	385.2	362,455
<b>Race/Ethnicity</b>	Non-Hispanic White	499	27.5	62.4	467	24.2	44.3	966	25.8	106.8	780,137
	Non-Hispanic Black	683	37.6	362.1	904	46.8	408.0	1,587	42.3	770.1	174,293
	Hispanic	589	32.4	156.7	514	26.6	136.2	1,103	29.4	292.8	379,923
	Asian	32	1.8	35.0	21	1.1	19.1	53	1.4	54.2	92,427
	Native Hawaiian/Pacific Islander	2	0.1	293.3	3	0.2	518.2	5	0.1	811.5	480
	Native American	5	0.3	268.0	6	0.3	350.6	11	0.3	618.6	1,865
	Multi Race	6	0.3	34.2	16	0.8	102.3	22	0.6	136.6	23,875
	Unknown	1	0.1	.	0	0.0	.	1	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	917	50.5	.	667	34.5	.	1,584	42.3	.	.
	Injection Drug Use	75	4.1	.	234	12.1	.	309	8.2	.	.
	Male to Male Sexual Contact/Injection Drug Use	36	2.0	.	86	4.5	.	122	3.3	.	.
	Heterosexual	615	33.8	.	774	40.1	.	1,389	37.1	.	.
	Blood Products	3	0.2	.	6	0.3	.	9	0.2	.	.
	Pediatric Risk	29	1.6	.	42	2.2	.	71	1.9	.	.
	Unknown	142	7.8	.	122	6.3	.	264	7.0	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.



Table 13B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): LOWER HUDSON** Page 81 of 126

(Includes counties of: Putnam, Rockland, Westchester)

**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		80	100.0	16	100.0	96	100.0	7.2	16.7
<b>Sex at Birth</b>	Male	62	77.5	11	68.8	73	76.0	11.3	15.1
	Female	18	22.5	5	31.3	23	24.0	3.2	21.7
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	2	2.5	0	0.0	2	2.1	.	0.0
	20-24	15	18.8	0	0.0	15	15.6	16.7	0.0
	25-29	17	21.3	5	31.3	22	22.9	27.1	22.7
	30-39	24	30.0	2	12.5	26	27.1	14.8	7.7
	40-49	9	11.3	2	12.5	11	11.5	5.9	18.2
	50-59	5	6.3	4	25.0	9	9.4	4.8	44.4
	60+	8	10.0	3	18.8	11	11.5	3.0	27.3
<b>Race/Ethnicity</b>	Non-Hispanic White	15	18.8	4	25.0	19	19.8	2.6	21.1
	Non-Hispanic Black	36	45.0	5	31.3	41	42.7	24.2	12.2
	Hispanic	26	32.5	5	31.3	31	32.3	8.2	16.1
	Asian	2	2.5	1	6.3	3	3.1	3.3	33.3
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	1	1.3	1	6.3	2	2.1	109.5	50.0
	Multi Race	0	0.0	0	0.0	0	0.0	0.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	40	50.0	6	37.5	46	47.9	.	13.0
	Injection Drug Use	1	1.3	2	12.5	3	3.1	.	66.7
	Male to Male Sexual Contact/Injection Drug Use	1	1.3	0	0.0	1	1.0	.	0.0
	Heterosexual	27	33.8	8	50.0	35	36.5	.	22.9
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	11	13.8	0	0.0	11	11.5	.	0.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 13C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): LOWER HUDSON**  
*(Includes counties of: Putnam, Rockland, Westchester)*  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		48	100.0	3.4	6,705	100.0
<b>Sex at Birth</b>	Male	31	64.6	4.6	4,730	70.5
	Female	17	35.4	2.3	1,975	29.5
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	81	1.2
	13-19**	1	2.1	.	76	1.1
	20-24	0	0.0	.	191	2.8
	25-29	6	12.5	7.4	579	8.6
	30-39	13	27.1	7.4	2,357	35.2
	40-49	9	18.8	4.9	2,159	32.2
	50-59	9	18.8	4.8	880	13.1
	60+	10	20.8	2.8	382	5.7
<b>Race/Ethnicity</b>	Non-Hispanic White	9	18.8	0.9	2,142	31.9
	Non-Hispanic Black	22	45.8	12.2	3,251	48.5
	Hispanic	12	25.0	3.2	1,226	18.3
	Asian	2	4.2	2.0	37	0.6
	Native Hawaiian/Pacific Islander	0	0.0	.	4	0.1
	Native American	2	4.2	117.3	14	0.2
	Multi Race	1	2.1	5.4	26	0.4
	Unknown	0	0.0	.	5	0.1
<b>Risk</b>	Male to Male Sexual Contact	10	20.8	.	1,882	28.1
	Injection Drug Use	3	6.3	.	2,216	33.0
	Male to Male Sexual Contact/Injection Drug Use	1	2.1	.	384	5.7
	Heterosexual	23	47.9	.	1,707	25.5
	Blood Products	0	0.0	.	60	0.9
	Pediatric Risk	2	4.2	.	125	1.9
	Unknown	9	18.8	.	331	4.9

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 13D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): LOWER HUDSON**  
**(Includes counties of: Putnam, Rockland, Westchester)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		10	100.0	42	100.0	52	100.0
<b>Sex at Birth</b>	Male	7	70.0	28	66.7	35	67.3
	Female	3	30.0	14	33.3	17	32.7
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	0	0.0	0	0.0	0	0.0
	40-49	1	10.0	1	2.4	2	3.8
	50-59	3	30.0	6	14.3	9	17.3
	60+	6	60.0	35	83.3	41	78.8
<b>Race/Ethnicity</b>	Non-Hispanic White	2	20.0	14	33.3	16	30.8
	Non-Hispanic Black	5	50.0	22	52.4	27	51.9
	Hispanic	3	30.0	6	14.3	9	17.3
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	3	30.0	12	28.6	15	28.8
	Injection Drug Use	0	0.0	17	40.5	17	32.7
	Male to Male Sexual Contact/Injection Drug Use	1	10.0	2	4.8	3	5.8
	Heterosexual	5	50.0	10	23.8	15	28.8
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	1	10.0	1	2.4	2	3.8

Data as of June 2025.  
Death ascertainment for 2024 is incomplete.

Table 14A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): MID-HUDSON**  
*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)*  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,067	100.0	103.7	1,255	100.0	104.1	2,322	100.0	207.8	975,157
<b>Sex at Birth</b>	Male	751	70.4	146.9	816	65.0	136.8	1,567	67.5	283.7	487,091
	Female	316	29.6	59.5	439	35.0	72.1	755	32.5	131.6	488,066
<b>Current Age</b>	12 & under**	0	0.0	.	1	0.1	.	1	0.0	.	.
	13-19**	6	0.6	.	0	0.0	.	6	0.3	.	.
	20-24	17	1.6	25.7	5	0.4	7.6	22	0.9	33.2	66,183
	25-29	80	7.5	143.0	21	1.7	37.5	101	4.3	180.5	55,962
	30-39	233	21.8	188.6	109	8.7	88.2	342	14.7	276.8	123,538
	40-49	183	17.2	151.2	152	12.1	125.6	335	14.4	276.8	121,012
	50-59	245	23.0	194.7	334	26.6	265.5	579	24.9	460.2	125,820
	60+	303	28.4	122.7	633	50.4	256.3	936	40.3	378.9	247,014
<b>Race/Ethnicity</b>	Non-Hispanic White	452	42.4	64.2	525	41.8	60.3	977	42.1	124.5	628,112
	Non-Hispanic Black	347	32.5	318.3	437	34.8	385.5	784	33.8	703.8	98,336
	Hispanic	232	21.7	126.9	274	21.8	158.1	506	21.8	285.0	193,727
	Asian	23	2.2	71.2	9	0.7	24.1	32	1.4	95.2	30,609
	Native Hawaiian/Pacific Islander	2	0.2	440.0	3	0.2	847.4	5	0.2	1287.4	346
	Native American	2	0.2	90.2	0	0.0	.	2	0.1	90.2	2,077
	Multi Race	8	0.7	60.4	7	0.6	51.2	15	0.6	111.6	21,950
	Unknown	1	0.1	.	0	0.0	.	1	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	533	50.0	.	440	35.1	.	973	41.9	.	.
	Injection Drug Use	91	8.5	.	184	14.7	.	275	11.8	.	.
	Male to Male Sexual Contact/Injection Drug Use	43	4.0	.	67	5.3	.	110	4.7	.	.
	Heterosexual	315	29.5	.	453	36.1	.	768	33.1	.	.
	Blood Products	2	0.2	.	3	0.2	.	5	0.2	.	.
	Pediatric Risk	28	2.6	.	32	2.5	.	60	2.6	.	.
	Unknown	55	5.2	.	76	6.1	.	131	5.6	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 14B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): MID-HUDSON**  
*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)*  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

Page 85 of 126

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		45	100.0	9	100.0	54	100.0	5.8	16.7
<b>Sex at Birth</b>	Male	30	66.7	8	88.9	38	70.4	8.0	21.1
	Female	15	33.3	1	11.1	16	29.6	3.5	6.3
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	1	2.2	0	0.0	1	1.9	.	0.0
	20-24	3	6.7	3	33.3	6	11.1	9.1	50.0
	25-29	9	20.0	0	0.0	9	16.7	16.1	0.0
	30-39	17	37.8	1	11.1	18	33.3	14.6	5.6
	40-49	5	11.1	2	22.2	7	13.0	5.8	28.6
	50-59	6	13.3	2	22.2	8	14.8	6.4	25.0
	60+	4	8.9	1	11.1	5	9.3	2.0	20.0
<b>Race/Ethnicity</b>	Non-Hispanic White	11	24.4	4	44.4	15	27.8	2.8	26.7
	Non-Hispanic Black	24	53.3	1	11.1	25	46.3	23.0	4.0
	Hispanic	9	20.0	3	33.3	12	22.2	5.8	25.0
	Asian	1	2.2	0	0.0	1	1.9	3.6	0.0
	Native Hawaiian/Pacific Islander	0	0.0	1	11.1	1	1.9	322.9	100.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0	0.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	19	42.2	5	55.6	24	44.4	.	20.8
	Injection Drug Use	2	4.4	0	0.0	2	3.7	.	0.0
	Male to Male Sexual Contact/Injection Drug Use	2	4.4	0	0.0	2	3.7	.	0.0
	Heterosexual	19	42.2	3	33.3	22	40.7	.	13.6
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	3	6.7	1	11.1	4	7.4	.	25.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 14C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): MID-HUDSON**  
*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)*  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		20	100.0	2.3	3,359	100.0
<b>Sex at Birth</b>	Male	13	65.0	2.7	2,381	70.9
	Female	7	35.0	1.8	978	29.1
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	40	1.2
	13-19**	0	0.0	.	34	1.0
	20-24	3	15.0	4.5	91	2.7
	25-29	0	0.0	.	285	8.5
	30-39	5	25.0	4.0	1,211	36.1
	40-49	8	40.0	6.6	1,058	31.5
	50-59	3	15.0	2.4	474	14.1
	60+	1	5.0	0.4	166	4.9
<b>Race/Ethnicity</b>	Non-Hispanic White	8	40.0	1.5	1,456	43.3
	Non-Hispanic Black	5	25.0	5.1	1,197	35.6
	Hispanic	6	30.0	2.9	673	20.0
	Asian	0	0.0	.	12	0.4
	Native Hawaiian/Pacific Islander	1	5.0	322.9	4	0.1
	Native American	0	0.0	.	6	0.2
	Multi Race	0	0.0	.	10	0.3
	Unknown	0	0.0	.	1	0.0
<b>Risk</b>	Male to Male Sexual Contact	8	40.0	.	852	25.4
	Injection Drug Use	3	15.0	.	1,236	36.8
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	.	191	5.7
	Heterosexual	6	30.0	.	787	23.4
	Blood Products	0	0.0	.	38	1.1
	Pediatric Risk	0	0.0	.	64	1.9
	Unknown	3	15.0	.	191	5.7

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 14D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): MID-HUDSON**  
**(Includes counties of: Dutchess, Orange, Sullivan, Ulster)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		11	100.0	32	100.0	43	100.0
<b>Sex at Birth</b>	Male	5	45.5	22	68.8	27	62.8
	Female	6	54.5	10	31.3	16	37.2
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	0	0.0	1	3.1	1	2.3
	40-49	1	9.1	2	6.3	3	7.0
	50-59	2	18.2	8	25.0	10	23.3
	60+	8	72.7	21	65.6	29	67.4
<b>Race/Ethnicity</b>	Non-Hispanic White	10	90.9	13	40.6	23	53.5
	Non-Hispanic Black	1	9.1	11	34.4	12	27.9
	Hispanic	0	0.0	8	25.0	8	18.6
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	5	45.5	11	34.4	16	37.2
	Injection Drug Use	2	18.2	4	12.5	6	14.0
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	3	9.4	3	7.0
	Heterosexual	4	36.4	10	31.3	14	32.6
	Blood Products	0	0.0	1	3.1	1	2.3
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	3	9.4	3	7.0

Data as of June 2025.  
Death ascertainment for 2024 is incomplete.

Table 15A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): NASSAU/SUFFOLK**  
**(Includes counties of: Nassau, Suffolk)**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		2,789	100.0	94.2	2,991	100.0	82.5	5,780	100.0	176.7	2,928,347
<b>Sex at Birth</b>	Male	2,063	74.0	142.2	2,029	67.8	115.8	4,092	70.8	258.0	1,447,599
	Female	726	26.0	45.6	962	32.2	50.3	1,688	29.2	95.9	1,480,748
<b>Current Age</b>	12 & under**	1	0.0	.	0	0.0	.	1	0.0	.	.
	13-19**	14	0.5	.	3	0.1	.	17	0.3	.	.
	20-24	109	3.9	59.9	14	0.5	7.7	123	2.1	67.6	181,833
	25-29	262	9.4	149.7	53	1.8	30.3	315	5.4	180.0	175,004
	30-39	665	23.8	187.7	296	9.9	83.5	961	16.6	271.2	354,364
	40-49	563	20.2	155.4	395	13.2	109.0	958	16.6	264.4	362,316
	50-59	486	17.4	122.0	819	27.4	205.7	1,305	22.6	327.7	398,231
	60+	689	24.7	88.8	1,411	47.2	181.9	2,100	36.3	270.8	775,567
<b>Race/Ethnicity</b>	Non-Hispanic White	976	35.0	54.5	1,068	35.7	44.5	2,044	35.4	99.1	1,689,365
	Non-Hispanic Black	894	32.1	291.3	1,055	35.3	302.4	1,949	33.7	593.7	285,615
	Hispanic	783	28.1	128.2	725	24.2	116.9	1,508	26.1	245.1	633,160
	Asian	100	3.6	34.7	93	3.1	30.2	193	3.3	64.9	268,462
	Native Hawaiian/Pacific Islander	3	0.1	265.9	1	0.0	65.8	4	0.1	331.7	1,096
	Native American	8	0.3	189.6	8	0.3	142.0	16	0.3	331.6	5,240
	Multi Race	25	0.9	83.6	39	1.3	124.4	64	1.1	208.1	45,409
	Unknown	0	0.0	.	2	0.1	.	2	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	1,521	54.5	.	1,159	38.7	.	2,680	46.4	.	.
	Injection Drug Use	99	3.5	.	316	10.6	.	415	7.2	.	.
	Male to Male Sexual Contact/Injection Drug Use	81	2.9	.	124	4.1	.	205	3.5	.	.
	Heterosexual	793	28.4	.	997	33.3	.	1,790	31.0	.	.
	Blood Products	1	0.0	.	16	0.5	.	17	0.3	.	.
	Pediatric Risk	59	2.1	.	66	2.2	.	125	2.2	.	.
	Unknown	235	8.4	.	313	10.5	.	548	9.5	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.



Table 15B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): NASSAU/SUFFOLK**  
*(Includes counties of: Nassau, Suffolk)*  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

Page 89 of 126

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		166	100.0	52	100.0	218	100.0	8.3	23.9
<b>Sex at Birth</b>	Male	131	78.9	46	88.5	177	81.2	13.4	26.0
	Female	35	21.1	6	11.5	41	18.8	3.1	14.6
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	6	3.6	2	3.8	8	3.7	.	25.0
	20-24	33	19.9	3	5.8	36	16.5	19.8	8.3
	25-29	32	19.3	11	21.2	43	19.7	24.6	25.6
	30-39	48	28.9	18	34.6	66	30.3	18.6	27.3
	40-49	29	17.5	7	13.5	36	16.5	9.9	19.4
	50-59	13	7.8	8	15.4	21	9.6	5.3	38.1
	60+	5	3.0	3	5.8	8	3.7	1.0	37.5
<b>Race/Ethnicity</b>	Non-Hispanic White	48	28.9	12	23.1	60	27.5	4.2	20.0
	Non-Hispanic Black	54	32.5	17	32.7	71	32.6	25.1	23.9
	Hispanic	58	34.9	18	34.6	76	34.9	12.2	23.7
	Asian	6	3.6	5	9.6	11	5.0	4.2	45.5
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0	0.0	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	95	57.2	19	36.5	114	52.3	.	16.7
	Injection Drug Use	2	1.2	0	0.0	2	0.9	.	0.0
	Male to Male Sexual Contact/Injection Drug Use	6	3.6	1	1.9	7	3.2	.	14.3
	Heterosexual	38	22.9	9	17.3	47	21.6	.	19.1
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	1	1.9	1	0.5	.	100.0
	Unknown	25	15.1	22	42.3	47	21.6	.	46.8

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 15C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): NASSAU/SUFFOLK**  
*(Includes counties of: Nassau, Suffolk)*  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		110	100.0	3.8	9,620	100.0
<b>Sex at Birth</b>	Male	86	78.2	6.0	7,058	73.4
	Female	24	21.8	1.6	2,562	26.6
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	111	1.2
	13-19**	2	1.8	.	95	1.0
	20-24	3	2.7	1.6	302	3.1
	25-29	17	15.5	9.7	928	9.6
	30-39	34	30.9	9.6	3,572	37.1
	40-49	17	15.5	4.7	2,891	30.1
	50-59	18	16.4	4.5	1,199	12.5
	60+	19	17.3	2.4	522	5.4
<b>Race/Ethnicity</b>	Non-Hispanic White	29	26.4	1.7	4,374	45.5
	Non-Hispanic Black	42	38.2	13.8	3,549	36.9
	Hispanic	33	30.0	5.3	1,508	15.7
	Asian	5	4.5	1.8	104	1.1
	Native Hawaiian/Pacific Islander	0	0.0	.	5	0.1
	Native American	0	0.0	.	17	0.2
	Multi Race	1	0.9	3.7	50	0.5
	Unknown	0	0.0	.	13	0.1
<b>Risk</b>	Male to Male Sexual Contact	42	38.2	.	3,179	33.0
	Injection Drug Use	4	3.6	.	2,678	27.8
	Male to Male Sexual Contact/Injection Drug Use	6	5.5	.	532	5.5
	Heterosexual	25	22.7	.	2,004	20.8
	Blood Products	0	0.0	.	126	1.3
	Pediatric Risk	1	0.9	.	184	1.9
	Unknown	32	29.1	.	917	9.5

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 15D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): NASSAU/SUFFOLK**  
**(Includes counties of: Nassau, Suffolk)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		13	100.0	71	100.0	84	100.0
<b>Sex at Birth</b>	Male	6	46.2	52	73.2	58	69.0
	Female	7	53.8	19	26.8	26	31.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	2	15.4	2	2.8	4	4.8
	40-49	2	15.4	8	11.3	10	11.9
	50-59	3	23.1	16	22.5	19	22.6
	60+	6	46.2	45	63.4	51	60.7
<b>Race/Ethnicity</b>	Non-Hispanic White	5	38.5	23	32.4	28	33.3
	Non-Hispanic Black	5	38.5	32	45.1	37	44.0
	Hispanic	1	7.7	12	16.9	13	15.5
	Asian	0	0.0	1	1.4	1	1.2
	Native Hawaiian/Pacific Islander	1	7.7	1	1.4	2	2.4
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	1	7.7	2	2.8	3	3.6
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	3	23.1	25	35.2	28	33.3
	Injection Drug Use	3	23.1	15	21.1	18	21.4
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	6	8.5	6	7.1
	Heterosexual	5	38.5	19	26.8	24	28.6
	Blood Products	0	0.0	1	1.4	1	1.2
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	2	15.4	5	7.0	7	8.3

Data as of June 2025.  
Death ascertainment for 2024 is incomplete.

Table 16A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ROCHESTER**  
**(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,421	100.0	110.4	1,486	100.0	97.1	2,907	100.0	207.4	1,264,820
<b>Sex at Birth</b>	Male	1,087	76.5	172.5	1,091	73.4	146.3	2,178	74.9	318.8	620,132
	Female	334	23.5	49.3	395	26.6	50.2	729	25.1	99.6	644,688
<b>Current Age</b>	12 & under**	1	0.1	.	1	0.1	.	2	0.1	.	.
	13-19**	8	0.6	.	2	0.1	.	10	0.3	.	.
	20-24	46	3.2	56.6	7	0.5	8.6	53	1.8	65.2	81,252
	25-29	103	7.2	135.8	26	1.7	34.3	129	4.4	170.1	75,852
	30-39	382	26.9	229.2	141	9.5	84.6	523	18.0	313.8	166,691
	40-49	256	18.0	175.9	204	13.7	140.1	460	15.8	316.0	145,577
	50-59	262	18.4	170.2	406	27.3	263.7	668	23.0	433.9	153,956
	60+	363	25.5	102.6	699	47.0	197.5	1,062	36.5	300.1	353,932
<b>Race/Ethnicity</b>	Non-Hispanic White	562	39.5	53.3	611	41.1	46.8	1,173	40.4	100.2	969,672
	Non-Hispanic Black	591	41.6	479.2	629	42.3	499.4	1,220	42.0	978.6	124,336
	Hispanic	233	16.4	262.0	223	15.0	268.6	456	15.7	530.6	100,889
	Asian	23	1.6	61.0	9	0.6	24.5	32	1.1	85.5	37,035
	Native Hawaiian/Pacific Islander	0	0.0	.	3	0.2	450.0	3	0.1	450.0	410
	Native American	5	0.4	180.2	4	0.3	78.9	9	0.3	259.0	2,913
	Multi Race	7	0.5	38.8	7	0.5	51.5	14	0.5	90.3	29,565
	Unknown	0	0.0	.	0	0.0	.	0	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	777	54.7	.	632	42.5	.	1,409	48.5	.	.
	Injection Drug Use	117	8.2	.	239	16.1	.	356	12.2	.	.
	Male to Male Sexual Contact/Injection Drug Use	72	5.1	.	99	6.7	.	171	5.9	.	.
	Heterosexual	365	25.7	.	411	27.7	.	776	26.7	.	.
	Blood Products	0	0.0	.	4	0.3	.	4	0.1	.	.
	Pediatric Risk	19	1.3	.	21	1.4	.	40	1.4	.	.
	Unknown	71	5.0	.	80	5.4	.	151	5.2	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 16B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ROCHESTER**  
**(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

Page 93 of 126

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		80	100.0	21	100.0	101	100.0	8.7	20.8
<b>Sex at Birth</b>	Male	64	80.0	18	85.7	82	81.2	14.1	22.0
	Female	16	20.0	3	14.3	19	18.8	3.3	15.8
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	1	1.3	0	0.0	1	1.0	.	0.0
	20-24	16	20.0	2	9.5	18	17.8	22.2	11.1
	25-29	16	20.0	4	19.0	20	19.8	26.4	20.0
	30-39	25	31.3	7	33.3	32	31.7	19.2	21.9
	40-49	12	15.0	4	19.0	16	15.8	11.0	25.0
	50-59	8	10.0	1	4.8	9	8.9	5.8	11.1
	60+	2	2.5	3	14.3	5	5.0	1.4	60.0
<b>Race/Ethnicity</b>	Non-Hispanic White	18	22.5	7	33.3	25	24.8	2.7	28.0
	Non-Hispanic Black	45	56.3	9	42.9	54	53.5	42.1	16.7
	Hispanic	15	18.8	3	14.3	18	17.8	19.7	16.7
	Asian	0	0.0	1	4.8	1	1.0	2.5	100.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	1	1.3	0	0.0	1	1.0	46.5	0.0
	Multi Race	1	1.3	1	4.8	2	2.0	15.4	50.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	44	55.0	11	52.4	55	54.5	.	20.0
	Injection Drug Use	5	6.3	1	4.8	6	5.9	.	16.7
	Male to Male Sexual Contact/Injection Drug Use	1	1.3	1	4.8	2	2.0	.	50.0
	Heterosexual	18	22.5	4	19.0	22	21.8	.	18.2
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	12	15.0	4	19.0	16	15.8	.	25.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 16C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ROCHESTER**  
**(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		45	100.0	3.7	3,534	100.0
<b>Sex at Birth</b>	Male	40	88.9	6.5	2,618	74.1
	Female	5	11.1	0.8	916	25.9
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	22	0.6
	13-19**	1	2.2	.	26	0.7
	20-24	5	11.1	6.2	144	4.1
	25-29	5	11.1	6.6	373	10.6
	30-39	9	20.0	5.4	1,277	36.1
	40-49	12	26.7	8.2	1,055	29.9
	50-59	4	8.9	2.6	433	12.3
	60+	9	20.0	2.5	204	5.8
<b>Race/Ethnicity</b>	Non-Hispanic White	16	35.6	1.5	1,626	46.0
	Non-Hispanic Black	17	37.8	14.4	1,457	41.2
	Hispanic	10	22.2	11.0	418	11.8
	Asian	1	2.2	2.5	12	0.3
	Native Hawaiian/Pacific Islander	0	0.0	.	5	0.1
	Native American	0	0.0	.	7	0.2
	Multi Race	1	2.2	8.3	6	0.2
	Unknown	0	0.0	.	3	0.1
<b>Risk</b>	Male to Male Sexual Contact	20	44.4	.	1,355	38.3
	Injection Drug Use	6	13.3	.	921	26.1
	Male to Male Sexual Contact/Injection Drug Use	3	6.7	.	204	5.8
	Heterosexual	10	22.2	.	716	20.3
	Blood Products	0	0.0	.	34	1.0
	Pediatric Risk	0	0.0	.	40	1.1
	Unknown	6	13.3	.	264	7.5

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 16D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): ROCHESTER**  
**(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		29	100.0	36	100.0	65	100.0
<b>Sex at Birth</b>	Male	21	72.4	26	72.2	47	72.3
	Female	8	27.6	10	27.8	18	27.7
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	0	0.0	0	0.0
	30-39	3	10.3	0	0.0	3	4.6
	40-49	2	6.9	2	5.6	4	6.2
	50-59	6	20.7	10	27.8	16	24.6
	60+	18	62.1	24	66.7	42	64.6
<b>Race/Ethnicity</b>	Non-Hispanic White	14	48.3	15	41.7	29	44.6
	Non-Hispanic Black	12	41.4	14	38.9	26	40.0
	Hispanic	3	10.3	6	16.7	9	13.8
	Asian	0	0.0	1	2.8	1	1.5
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	14	48.3	12	33.3	26	40.0
	Injection Drug Use	3	10.3	8	22.2	11	16.9
	Male to Male Sexual Contact/Injection Drug Use	2	6.9	2	5.6	4	6.2
	Heterosexual	9	31.0	11	30.6	20	30.8
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	1	3.4	3	8.3	4	6.2

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 17A

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): SYRACUSE**  
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-AIDS			AIDS			HIV and AIDS			Area Population
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	
<b>Total</b>		1,072	100.0	78.1	1,188	100.0	73.8	2,260	100.0	152.0	1,415,143
<b>Sex at Birth</b>	Male	775	72.3	112.2	853	71.8	106.7	1,628	72.0	218.9	704,612
	Female	297	27.7	43.5	335	28.2	41.3	632	28.0	84.8	710,531
<b>Current Age</b>	12 & under**	1	0.1	.	1	0.1	.	2	0.1	.	.
	13-19**	11	1.0	.	3	0.3	.	14	0.6	.	.
	20-24	37	3.5	32.8	13	1.1	11.5	50	2.2	44.3	112,962
	25-29	72	6.7	83.8	26	2.2	30.3	98	4.3	114.0	85,934
	30-39	283	26.4	160.2	134	11.3	75.8	417	18.5	236.0	176,674
	40-49	223	20.8	140.7	179	15.1	112.9	402	17.8	253.6	158,545
	50-59	218	20.3	130.7	321	27.0	192.5	539	23.8	323.2	166,775
	60+	227	21.2	60.3	511	43.0	135.7	738	32.7	195.9	376,651
<b>Race/Ethnicity</b>	Non-Hispanic White	536	50.0	45.0	638	53.7	45.2	1,174	51.9	90.2	1,153,904
	Non-Hispanic Black	367	34.2	448.7	379	31.9	481.8	746	33.0	930.5	89,260
	Hispanic	117	10.9	179.5	123	10.4	222.8	240	10.6	402.3	79,675
	Asian	35	3.3	82.7	24	2.0	62.8	59	2.6	145.5	48,765
	Native Hawaiian/Pacific Islander	3	0.3	399.7	2	0.2	447.6	5	0.2	847.3	842
	Native American	5	0.5	64.0	14	1.2	165.8	19	0.8	229.8	7,314
	Multi Race	8	0.7	47.1	8	0.7	43.0	16	0.7	90.1	35,383
	Unknown	1	0.1	.	0	0.0	.	1	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	570	53.2	.	535	45.0	.	1,105	48.9	.	.
	Injection Drug Use	67	6.3	.	156	13.1	.	223	9.9	.	.
	Male to Male Sexual Contact/Injection Drug Use	58	5.4	.	73	6.1	.	131	5.8	.	.
	Heterosexual	292	27.2	.	329	27.7	.	621	27.5	.	.
	Blood Products	2	0.2	.	4	0.3	.	6	0.3	.	.
	Pediatric Risk	17	1.6	.	17	1.4	.	34	1.5	.	.
	Unknown	66	6.2	.	74	6.2	.	140	6.2	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.



Table 17B

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): SYRACUSE**  
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		48	100.0	36	100.0	84	100.0	6.5	42.9
<b>Sex at Birth</b>	Male	42	87.5	32	88.9	74	88.1	11.1	43.2
	Female	6	12.5	4	11.1	10	11.9	1.6	40.0
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	4	8.3	1	2.8	5	6.0	.	20.0
	20-24	7	14.6	3	8.3	10	11.9	8.9	30.0
	25-29	7	14.6	5	13.9	12	14.3	14.0	41.7
	30-39	19	39.6	12	33.3	31	36.9	17.5	38.7
	40-49	4	8.3	7	19.4	11	13.1	6.9	63.6
	50-59	5	10.4	7	19.4	12	14.3	7.2	58.3
	60+	2	4.2	1	2.8	3	3.6	0.8	33.3
<b>Race/Ethnicity</b>	Non-Hispanic White	20	41.7	25	69.4	45	53.6	4.4	55.6
	Non-Hispanic Black	21	43.8	3	8.3	24	28.6	23.5	12.5
	Hispanic	7	14.6	5	13.9	12	14.3	14.5	41.7
	Asian	0	0.0	2	5.6	2	2.4	4.0	100.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	0	0.0	1	2.8	1	1.2	3.3	100.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	29	60.4	20	55.6	49	58.3	.	40.8
	Injection Drug Use	3	6.3	3	8.3	6	7.1	.	50.0
	Male to Male Sexual Contact/Injection Drug Use	3	6.3	2	5.6	5	6.0	.	40.0
	Heterosexual	5	10.4	4	11.1	9	10.7	.	44.4
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	8	16.7	7	19.4	15	17.9	.	46.7

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 17C

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): SYRACUSE**  
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

**New Diagnoses of AIDS (January-December 2024)  
 and Cumulative AIDS Diagnoses (through December 2024)  
 by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		54	100.0	4.3	2,786	100.0
<b>Sex at Birth</b>	Male	47	87.0	7.3	2,108	75.7
	Female	7	13.0	1.1	678	24.3
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	13	0.5
	13-19**	2	3.7	.	38	1.4
	20-24	4	7.4	3.5	136	4.9
	25-29	8	14.8	9.3	345	12.4
	30-39	18	33.3	10.2	1,075	38.6
	40-49	12	22.2	7.6	747	26.8
	50-59	8	14.8	4.8	315	11.3
	60+	2	3.7	0.5	117	4.2
<b>Race/Ethnicity</b>	Non-Hispanic White	34	63.0	3.3	1,628	58.4
	Non-Hispanic Black	8	14.8	10.7	857	30.8
	Hispanic	9	16.7	10.3	236	8.5
	Asian	2	3.7	4.0	33	1.2
	Native Hawaiian/Pacific Islander	0	0.0	.	2	0.1
	Native American	0	0.0	.	21	0.8
	Multi Race	1	1.9	3.3	9	0.3
	Unknown	0	0.0	.	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	30	55.6	.	1,217	43.7
	Injection Drug Use	4	7.4	.	533	19.1
	Male to Male Sexual Contact/Injection Drug Use	3	5.6	.	185	6.6
	Heterosexual	8	14.8	.	610	21.9
	Blood Products	0	0.0	.	51	1.8
	Pediatric Risk	1	1.9	.	32	1.1
	Unknown	8	14.8	.	158	5.7

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 17D

**NEW YORK STATE RYAN WHITE REGION (Excluding Persons Incarcerated): SYRACUSE**  
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		18	100.0	39	100.0	57	100.0
<b>Sex at Birth</b>	Male	11	61.1	34	87.2	45	78.9
	Female	7	38.9	5	12.8	12	21.1
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	2	11.1	0	0.0	2	3.5
	30-39	2	11.1	2	5.1	4	7.0
	40-49	1	5.6	6	15.4	7	12.3
	50-59	4	22.2	9	23.1	13	22.8
	60+	9	50.0	22	56.4	31	54.4
<b>Race/Ethnicity</b>	Non-Hispanic White	7	38.9	26	66.7	33	57.9
	Non-Hispanic Black	9	50.0	10	25.6	19	33.3
	Hispanic	2	11.1	3	7.7	5	8.8
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	5	27.8	18	46.2	23	40.4
	Injection Drug Use	4	22.2	8	20.5	12	21.1
	Male to Male Sexual Contact/Injection Drug Use	1	5.6	7	17.9	8	14.0
	Heterosexual	8	44.4	5	12.8	13	22.8
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	0	0.0	1	2.6	1	1.8

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 18A

**NEW YORK CITY: by Borough**  
**Persons Living with Diagnosed HIV as of December 2024**

	HIV Non-AIDS		AIDS		HIV & AIDS		
Borough	Number	Prevalence*	Number	Prevalence*	Number	Prevalence*	Area Population
Bronx	11,279	823.1	13,080	863.1	24,359	1686.3	1,384,724
Brooklyn	10,968	399.0	11,187	383.7	22,155	782.7	2,617,631
Manhattan	10,408	567.9	9,763	493.2	20,171	1061.1	1,660,664
Queens	7,625	316.3	6,701	238.6	14,326	554.9	2,316,841
Staten Island	824	159.2	1,028	163.9	1,852	323.2	498,212
Total	41,104	459.0	41,759	422.3	82,863	881.3	8,478,072

Data as of June 2025.

\*Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 18B

**NEW YORK CITY: by Borough**  
**New Diagnoses of HIV and AIDS, 2024**  
**and Cumulative AIDS Diagnoses through December 2024**

	HIV Diagnoses*		AIDS Diagnoses			
Borough	Number	Case Rate†	Number	Case Rate†	Cumulative AIDS Diagnoses	Area Population
Bronx	423	31.1	263	19.6	37,498	1,384,724
Brooklyn	563	21.2	250	9.3	45,507	2,617,631
Manhattan	349	18.3	169	9.0	55,121	1,660,664
Queens	440	19.5	165	7.2	24,566	2,316,841
Staten Island	46	10.0	23	4.6	3,497	498,212
Total	1,821	21.0	870	9.9	166,189	8,478,072

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†Per 100,000 population. Rates are age-adjusted to the 2000 US Standard Population.

Table 18C

**NEW YORK CITY: by Borough**  
**Deaths of Persons with Diagnosed HIV or AIDS, 2024**

Borough	HIV Non-AIDS	AIDS	HIV and AIDS
Bronx	93	457	550
Brooklyn	80	306	386
Manhattan	71	255	326
Queens	43	131	174
Staten Island	4	52	56
Total	291	1,201	1,492

Table 19A

**NEW YORK CITY BOROUGH: Bronx**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		11,279	100.0	823.1	13,080	100.0	863.1	24,359	100.0	1686.3	1,384,724
<b>Sex at Birth</b>	Male	7,882	69.9	1242.5	8,455	64.6	788.8	16,337	67.1	2031.4	653,428
	Female	3,397	30.1	444.1	4,625	35.4	414.9	8,022	32.9	859.1	731,296
<b>Current Age</b>	12 & under**	8	0.1	.	2	0.0	.	10	0.0	.	.
	13-19**	49	0.4	.	6	0.0	.	55	0.2	.	.
	20-24	337	3.0	354.1	49	0.4	51.5	386	1.6	405.6	95,168
	25-29	951	8.4	1001.3	219	1.7	230.6	1,170	4.8	1231.9	94,979
	30-39	3,324	29.5	1669.6	1,577	12.1	792.1	4,901	20.1	2461.7	199,089
	40-49	2,346	20.8	1421.5	2,051	15.7	1242.8	4,397	18.1	2664.3	165,035
	50-59	2,074	18.4	1266.8	3,557	27.2	2172.5	5,631	23.1	3439.3	163,725
	60+	2,190	19.4	738.0	5,619	43.0	1893.4	7,809	32.1	2631.4	296,762
<b>Race/Ethnicity</b>	Non-Hispanic White	616	5.5	569.1	754	5.8	300.1	1,370	5.6	869.3	122,886
	Non-Hispanic Black	5,444	48.3	1290.9	6,635	50.7	893.3	12,079	49.6	2184.2	410,192
	Hispanic	5,040	44.7	671.4	5,541	42.4	517.7	10,581	43.4	1189.1	767,477
	Asian	85	0.8	129.9	89	0.7	75.1	174	0.7	205.0	63,974
	Native Hawaiian/Pacific Islander	13	0.1	2035.2	3	0.0	593.2	16	0.1	2628.4	674
	Native American	16	0.1	365.8	15	0.1	172.4	31	0.1	538.2	4,201
	Multi Race	57	0.5	466.1	41	0.3	197.5	98	0.4	663.6	15,320
	Unknown	8	0.1	.	2	0.0	.	10	0.0	.	.
<b>Risk</b>	Male to Male Sexual Contact	5,400	47.9	.	3,710	28.4	.	9,110	37.4	.	.
	Injection Drug Use	554	4.9	.	2,165	16.6	.	2,719	11.2	.	.
	Male to Male Sexual Contact/Injection Drug Use	311	2.8	.	749	5.7	.	1,060	4.4	.	.
	Heterosexual	3,520	31.2	.	4,476	34.2	.	7,996	32.8	.	.
	Blood Products	2	0.0	.	19	0.1	.	21	0.1	.	.
	Pediatric Risk	199	1.8	.	363	2.8	.	562	2.3	.	.
	Unknown	1,293	11.5	.	1,598	12.2	.	2,891	11.9	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 19B

**NEW YORK CITY BOROUGH: Bronx**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		344	100.0	79	100.0	423	100.0	31.1	18.7
<b>Sex at Birth</b>	Male	255	74.1	60	75.9	315	74.5	48.8	19.0
	Female	89	25.9	19	24.1	108	25.5	14.7	17.6
<b>Age at Diagnosis</b>	12 & under**	1	0.3	0	0.0	1	0.2	.	0.0
	13-19**	17	4.9	1	1.3	18	4.3	.	5.6
	20-24	72	20.9	5	6.3	77	18.2	80.9	6.5
	25-29	61	17.7	14	17.7	75	17.7	79.0	18.7
	30-39	102	29.7	28	35.4	130	30.7	65.3	21.5
	40-49	39	11.3	21	26.6	60	14.2	36.4	35.0
	50-59	26	7.6	5	6.3	31	7.3	18.9	16.1
	60+	26	7.6	5	6.3	31	7.3	10.4	16.1
<b>Race/Ethnicity</b>	Non-Hispanic White	12	3.5	1	1.3	13	3.1	11.2	7.7
	Non-Hispanic Black	153	44.5	42	53.2	195	46.1	48.2	21.5
	Hispanic	171	49.7	32	40.5	203	48.0	26.4	15.8
	Asian	5	1.5	3	3.8	8	1.9	13.3	37.5
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	3	0.9	1	1.3	4	0.9	33.5	25.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	157	45.6	30	38.0	187	44.2	.	16.0
	Injection Drug Use	8	2.3	2	2.5	10	2.4	.	20.0
	Male to Male Sexual Contact/Injection Drug Use	2	0.6	0	0.0	2	0.5	.	0.0
	Heterosexual	102	29.7	22	27.8	124	29.3	.	17.7
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	2	0.6	0	0.0	2	0.5	.	0.0
	Unknown	73	21.2	25	31.6	98	23.2	.	25.5

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 19C

**NEW YORK CITY BOROUGH: Bronx**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		263	100.0	19.6	37,498	100.0
<b>Sex at Birth</b>	Male	192	73.0	31.0	24,575	65.5
	Female	71	27.0	9.3	12,923	34.5
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	597	1.6
	13-19**	1	0.4	.	443	1.2
	20-24	8	3.0	8.4	1,369	3.7
	25-29	34	12.9	35.8	3,552	9.5
	30-39	89	33.8	44.7	13,797	36.8
	40-49	53	20.2	32.1	11,428	30.5
	50-59	40	15.2	24.4	4,659	12.4
	60+	38	14.4	12.8	1,653	4.4
<b>Race/Ethnicity</b>	Non-Hispanic White	12	4.6	10.7	2,424	6.5
	Non-Hispanic Black	123	46.8	29.1	16,666	44.4
	Hispanic	119	45.2	16.5	18,168	48.5
	Asian	3	1.1	4.5	151	0.4
	Native Hawaiian/Pacific Islander	0	0.0	0.0	5	0.0
	Native American	0	0.0	0.0	25	0.1
	Multi Race	6	2.3	44.8	50	0.1
	Unknown	0	0.0	.	9	0.0
<b>Risk</b>	Male to Male Sexual Contact	100	38.0	.	6,704	17.9
	Injection Drug Use	23	8.7	.	14,978	39.9
	Male to Male Sexual Contact/Injection Drug Use	8	3.0	.	1,644	4.4
	Heterosexual	71	27.0	.	9,354	24.9
	Blood Products	0	0.0	.	130	0.3
	Pediatric Risk	2	0.8	.	876	2.3
	Unknown	59	22.4	.	3,812	10.2

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Bronx**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		93	100.0	457	100.0	550	100.0
<b>Sex at Birth</b>	Male	57	61.3	326	71.3	383	69.6
	Female	36	38.7	131	28.7	167	30.4
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	1	1.1	3	0.7	4	0.7
	30-39	11	11.8	39	8.5	50	9.1
	40-49	11	11.8	40	8.8	51	9.3
	50-59	21	22.6	117	25.6	138	25.1
	60+	49	52.7	258	56.5	307	55.8
<b>Race/Ethnicity</b>	Non-Hispanic White	6	6.5	23	5.0	29	5.3
	Non-Hispanic Black	49	52.7	252	55.1	301	54.7
	Hispanic	37	39.8	176	38.5	213	38.7
	Asian	1	1.1	3	0.7	4	0.7
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	2	0.4	2	0.4
	Multi Race	0	0.0	1	0.2	1	0.2
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	23	24.7	85	18.6	108	19.6
	Injection Drug Use	18	19.4	136	29.8	154	28.0
	Male to Male Sexual Contact/Injection Drug Use	5	5.4	58	12.7	63	11.5
	Heterosexual	31	33.3	127	27.8	158	28.7
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	5	1.1	5	0.9
	Unknown	16	17.2	46	10.1	62	11.3

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 20A

**NEW YORK CITY BOROUGH: Brooklyn**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		10,968	100.0	399.0	11,187	100.0	383.7	22,155	100.0	782.7	2,617,631
<b>Sex at Birth</b>	Male	8,082	73.7	617.1	7,319	65.4	475.3	15,401	69.5	1092.4	1,247,954
	Female	2,886	26.3	196.9	3,868	34.6	230.2	6,754	30.5	427.1	1,369,677
<b>Current Age</b>	12 & under**	6	0.1	.	4	0.0	.	10	0.0	.	.
	13-19**	52	0.5	.	6	0.1	.	58	0.3	.	.
	20-24	307	2.8	203.1	39	0.3	25.8	346	1.6	228.9	151,170
	25-29	977	8.9	450.0	217	1.9	100.0	1,194	5.4	550.0	217,096
	30-39	3,504	31.9	785.0	1,315	11.8	294.6	4,819	21.8	1079.5	446,397
	40-49	2,300	21.0	703.2	1,753	15.7	535.9	4,053	18.3	1239.1	327,096
	50-59	1,880	17.1	646.7	2,890	25.8	994.1	4,770	21.5	1640.9	290,702
	60+	1,942	17.7	339.2	4,963	44.4	866.8	6,905	31.2	1206.0	572,570
<b>Race/Ethnicity</b>	Non-Hispanic White	1,831	16.7	186.3	1,169	10.4	95.9	3,000	13.5	282.3	975,527
	Non-Hispanic Black	6,129	55.9	788.1	7,236	64.7	738.0	13,365	60.3	1526.1	734,735
	Hispanic	2,589	23.6	504.0	2,528	22.6	425.7	5,117	23.1	929.7	498,945
	Asian	296	2.7	80.0	189	1.7	43.6	485	2.2	123.6	344,743
	Native Hawaiian/Pacific Islander	15	0.1	2569.9	4	0.0	527.9	19	0.1	3097.8	751
	Native American	15	0.1	278.1	14	0.1	218.5	29	0.1	496.7	4,951
	Multi Race	82	0.7	147.2	46	0.4	86.3	128	0.6	233.6	57,979
	Unknown	11	0.1	.	1	0.0	.	12	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	6,056	55.2	.	3,798	34.0	.	9,854	44.5	.	.
	Injection Drug Use	336	3.1	.	1,265	11.3	.	1,601	7.2	.	.
	Male to Male Sexual Contact/Injection Drug Use	208	1.9	.	412	3.7	.	620	2.8	.	.
	Heterosexual	2,970	27.1	.	3,946	35.3	.	6,916	31.2	.	.
	Blood Products	1	0.0	.	19	0.2	.	20	0.1	.	.
	Pediatric Risk	178	1.6	.	275	2.5	.	453	2.0	.	.
	Unknown	1,219	11.1	.	1,472	13.2	.	2,691	12.1	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 20B

**NEW YORK CITY BOROUGH: Brooklyn**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		442	100.0	121	100.0	563	100.0	21.2	21.5
<b>Sex at Birth</b>	Male	331	74.9	89	73.6	420	74.6	32.7	21.2
	Female	111	25.1	32	26.4	143	25.4	10.5	22.4
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	17	3.8	1	0.8	18	3.2	.	5.6
	20-24	57	12.9	13	10.7	70	12.4	46.3	18.6
	25-29	78	17.6	16	13.2	94	16.7	43.3	17.0
	30-39	144	32.6	29	24.0	173	30.7	38.8	16.8
	40-49	74	16.7	31	25.6	105	18.7	32.1	29.5
	50-59	42	9.5	18	14.9	60	10.7	20.6	30.0
	60+	30	6.8	13	10.7	43	7.6	7.5	30.2
<b>Race/Ethnicity</b>	Non-Hispanic White	53	12.0	16	13.2	69	12.3	7.1	23.2
	Non-Hispanic Black	251	56.8	73	60.3	324	57.5	45.0	22.5
	Hispanic	120	27.1	29	24.0	149	26.5	28.2	19.5
	Asian	9	2.0	3	2.5	12	2.1	3.1	25.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	2	0.5	0	0.0	2	0.4	31.6	0.0
	Multi Race	7	1.6	0	0.0	7	1.2	9.9	0.0
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	193	43.7	38	31.4	231	41.0	.	16.5
	Injection Drug Use	3	0.7	3	2.5	6	1.1	.	50.0
	Male to Male Sexual Contact/Injection Drug Use	6	1.4	0	0.0	6	1.1	.	0.0
	Heterosexual	119	26.9	38	31.4	157	27.9	.	24.2
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	121	27.4	42	34.7	163	29.0	.	25.8

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

Table 20C

**NEW YORK CITY BOROUGH: Brooklyn**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		250	100.0	9.3	45,507	100.0
<b>Sex at Birth</b>	Male	187	74.8	14.6	31,049	68.2
	Female	63	25.2	4.5	14,458	31.8
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	716	1.6
	13-19**	2	0.8	.	450	1.0
	20-24	20	8.0	13.2	1,660	3.6
	25-29	25	10.0	11.5	4,675	10.3
	30-39	73	29.2	16.4	16,848	37.0
	40-49	54	21.6	16.5	13,464	29.6
	50-59	37	14.8	12.7	5,558	12.2
	60+	39	15.6	6.8	2,136	4.7
<b>Race/Ethnicity</b>	Non-Hispanic White	31	12.4	3.2	5,892	12.9
	Non-Hispanic Black	150	60.0	20.1	28,008	61.5
	Hispanic	56	22.4	10.8	11,135	24.5
	Asian	10	4.0	2.8	356	0.8
	Native Hawaiian/Pacific Islander	0	0.0	0.0	5	0.0
	Native American	1	0.4	14.6	31	0.1
	Multi Race	2	0.8	5.3	76	0.2
	Unknown	0	0.0	.	4	0.0
<b>Risk</b>	Male to Male Sexual Contact	91	36.4	.	10,299	22.6
	Injection Drug Use	10	4.0	.	15,806	34.7
	Male to Male Sexual Contact/Injection Drug Use	3	1.2	.	1,491	3.3
	Heterosexual	72	28.8	.	10,952	24.1
	Blood Products	0	0.0	.	231	0.5
	Pediatric Risk	2	0.8	.	936	2.1
	Unknown	72	28.8	.	5,792	12.7

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Brooklyn**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		80	100.0	306	100.0	386	100.0
<b>Sex at Birth</b>	Male	63	78.8	197	64.4	260	67.4
	Female	17	21.3	109	35.6	126	32.6
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	2	0.7	2	0.5
	25-29	1	1.3	3	1.0	4	1.0
	30-39	13	16.3	16	5.2	29	7.5
	40-49	7	8.8	17	5.6	24	6.2
	50-59	14	17.5	77	25.2	91	23.6
	60+	45	56.3	191	62.4	236	61.1
<b>Race/Ethnicity</b>	Non-Hispanic White	14	17.5	31	10.1	45	11.7
	Non-Hispanic Black	53	66.3	200	65.4	253	65.5
	Hispanic	11	13.8	70	22.9	81	21.0
	Asian	0	0.0	2	0.7	2	0.5
	Native Hawaiian/Pacific Islander	0	0.0	1	0.3	1	0.3
	Native American	1	1.3	1	0.3	2	0.5
	Multi Race	1	1.3	1	0.3	2	0.5
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	22	27.5	67	21.9	89	23.1
	Injection Drug Use	10	12.5	79	25.8	89	23.1
	Male to Male Sexual Contact/Injection Drug Use	2	2.5	15	4.9	17	4.4
	Heterosexual	20	25.0	99	32.4	119	30.8
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0
	Unknown	26	32.5	46	15.0	72	18.7

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 21A

**NEW YORK CITY BOROUGH: Manhattan**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		10,408	100.0	567.9	9,763	100.0	493.2	20,171	100.0	1061.1	1,660,664
<b>Sex at Birth</b>	Male	9,271	89.1	1024.7	7,992	81.9	747.4	17,263	85.6	1772.1	795,198
	Female	1,137	10.9	118.3	1,771	18.1	197.2	2,908	14.4	315.4	865,466
<b>Current Age</b>	12 & under**	6	0.1	.	0	0.0	.	6	0.0	.	.
	13-19**	21	0.2	.	2	0.0	.	23	0.1	.	.
	20-24	190	1.8	164.2	21	0.2	18.2	211	1.0	182.4	115,691
	25-29	654	6.3	351.9	106	1.1	57.0	760	3.8	409.0	185,836
	30-39	2,830	27.2	939.6	831	8.5	275.9	3,661	18.1	1215.5	301,195
	40-49	2,222	21.3	1077.4	1,277	13.1	619.2	3,499	17.3	1696.6	206,232
	50-59	2,064	19.8	1071.8	2,516	25.8	1306.5	4,580	22.7	2378.3	192,577
	60+	2,421	23.3	600.7	5,010	51.3	1243.2	7,431	36.8	1843.9	403,002
<b>Race/Ethnicity</b>	Non-Hispanic White	3,742	36.0	446.0	3,044	31.2	263.6	6,786	33.6	709.6	768,242
	Non-Hispanic Black	2,982	28.7	1215.0	3,559	36.5	1279.7	6,541	32.4	2494.8	216,156
	Hispanic	3,109	29.9	718.7	2,843	29.1	587.3	5,952	29.5	1306.0	406,600
	Asian	396	3.8	154.4	231	2.4	81.0	627	3.1	235.4	226,828
	Native Hawaiian/Pacific Islander	16	0.2	1809.8	10	0.1	1012.8	26	0.1	2822.5	841
	Native American	19	0.2	631.1	7	0.1	217.8	26	0.1	848.9	2,665
	Multi Race	109	1.0	353.2	63	0.6	172.1	172	0.9	525.3	39,332
	Unknown	35	0.3	.	6	0.1	.	41	0.2	.	.
<b>Risk</b>	Male to Male Sexual Contact	7,629	73.3	.	5,528	56.6	.	13,157	65.2	.	.
	Injection Drug Use	209	2.0	.	879	9.0	.	1,088	5.4	.	.
	Male to Male Sexual Contact/Injection Drug Use	313	3.0	.	523	5.4	.	836	4.1	.	.
	Heterosexual	1,165	11.2	.	1,721	17.6	.	2,886	14.3	.	.
	Blood Products	2	0.0	.	12	0.1	.	14	0.1	.	.
	Pediatric Risk	82	0.8	.	136	1.4	.	218	1.1	.	.
	Unknown	1,008	9.7	.	964	9.9	.	1,972	9.8	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 21B

**NEW YORK CITY BOROUGH: Manhattan**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		300	100.0	49	100.0	349	100.0	18.3	14.0
<b>Sex at Birth</b>	Male	259	86.3	40	81.6	299	85.7	32.4	13.4
	Female	41	13.7	9	18.4	50	14.3	4.8	18.0
<b>Age at Diagnosis</b>	12 & under**	2	0.7	0	0.0	2	0.6	.	0.0
	13-19**	4	1.3	0	0.0	4	1.1	.	0.0
	20-24	44	14.7	3	6.1	47	13.5	40.6	6.4
	25-29	53	17.7	7	14.3	60	17.2	32.3	11.7
	30-39	114	38.0	15	30.6	129	37.0	42.8	11.6
	40-49	35	11.7	11	22.4	46	13.2	22.3	23.9
	50-59	30	10.0	7	14.3	37	10.6	19.2	18.9
	60+	18	6.0	6	12.2	24	6.9	6.0	25.0
<b>Race/Ethnicity</b>	Non-Hispanic White	44	14.7	2	4.1	46	13.2	5.3	4.3
	Non-Hispanic Black	108	36.0	17	34.7	125	35.8	53.1	13.6
	Hispanic	130	43.3	21	42.9	151	43.3	33.8	13.9
	Asian	12	4.0	8	16.3	20	5.7	6.7	40.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	1	0.3	0	0.0	1	0.3	21.1	0.0
	Multi Race	5	1.7	1	2.0	6	1.7	18.3	16.7
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	186	62.0	25	51.0	211	60.5	.	11.8
	Injection Drug Use	3	1.0	2	4.1	5	1.4	.	40.0
	Male to Male Sexual Contact/Injection Drug Use	4	1.3	0	0.0	4	1.1	.	0.0
	Heterosexual	42	14.0	10	20.4	52	14.9	.	19.2
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	2	0.7	0	0.0	2	0.6	.	0.0
	Unknown	63	21.0	12	24.5	75	21.5	.	16.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 21C

**NEW YORK CITY BOROUGH: Manhattan**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		169	100.0	9.0	55,121	100.0
<b>Sex at Birth</b>	Male	136	80.5	15.0	45,548	82.6
	Female	33	19.5	3.0	9,573	17.4
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	395	0.7
	13-19**	0	0.0	.	253	0.5
	20-24	4	2.4	3.5	1,256	2.3
	25-29	22	13.0	11.8	4,932	8.9
	30-39	48	28.4	15.9	21,324	38.7
	40-49	35	20.7	17.0	17,374	31.5
	50-59	33	19.5	17.1	7,010	12.7
	60+	27	16.0	6.7	2,577	4.7
<b>Race/Ethnicity</b>	Non-Hispanic White	17	10.1	1.8	19,747	35.8
	Non-Hispanic Black	75	44.4	30.1	20,045	36.4
	Hispanic	62	36.7	14.2	14,551	26.4
	Asian	10	5.9	3.6	628	1.1
	Native Hawaiian/Pacific Islander	1	0.6	63.8	11	0.0
	Native American	0	0.0	0.0	34	0.1
	Multi Race	4	2.4	10.9	87	0.2
	Unknown	0	0.0	.	18	0.0
<b>Risk</b>	Male to Male Sexual Contact	87	51.5	.	26,286	47.7
	Injection Drug Use	12	7.1	.	15,594	28.3
	Male to Male Sexual Contact/Injection Drug Use	5	3.0	.	2,494	4.5
	Heterosexual	31	18.3	.	6,095	11.1
	Blood Products	0	0.0	.	172	0.3
	Pediatric Risk	2	1.2	.	513	0.9
	Unknown	32	18.9	.	3,967	7.2

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Manhattan**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		71	100.0	255	100.0	326	100.0
<b>Sex at Birth</b>	Male	60	84.5	208	81.6	268	82.2
	Female	11	15.5	47	18.4	58	17.8
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	1	1.4	0	0.0	1	0.3
	25-29	2	2.8	2	0.8	4	1.2
	30-39	9	12.7	14	5.5	23	7.1
	40-49	12	16.9	17	6.7	29	8.9
	50-59	14	19.7	42	16.5	56	17.2
	60+	33	46.5	180	70.6	213	65.3
<b>Race/Ethnicity</b>	Non-Hispanic White	27	38.0	62	24.3	89	27.3
	Non-Hispanic Black	26	36.6	115	45.1	141	43.3
	Hispanic	14	19.7	73	28.6	87	26.7
	Asian	1	1.4	5	2.0	6	1.8
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	3	4.2	0	0.0	3	0.9
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	41	57.7	95	37.3	136	41.7
	Injection Drug Use	5	7.0	52	20.4	57	17.5
	Male to Male Sexual Contact/Injection Drug Use	3	4.2	30	11.8	33	10.1
	Heterosexual	10	14.1	50	19.6	60	18.4
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	1	0.4	1	0.3
	Unknown	12	16.9	27	10.6	39	12.0

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 22A

**NEW YORK CITY BOROUGH: Queens**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		7,625	100.0	316.3	6,701	100.0	238.6	14,326	100.0	554.9	2,316,841
<b>Sex at Birth</b>	Male	6,107	80.1	518.5	4,912	73.3	316.8	11,019	76.9	835.3	1,131,885
	Female	1,518	19.9	115.9	1,789	26.7	105.9	3,307	23.1	221.9	1,184,956
<b>Current Age</b>	12 & under**	6	0.1	.	1	0.0	.	7	0.0	.	.
	13-19**	26	0.3	.	3	0.0	.	29	0.2	.	.
	20-24	223	2.9	173.4	31	0.5	24.1	254	1.8	197.5	128,605
	25-29	637	8.4	396.0	130	1.9	80.8	767	5.4	476.9	160,845
	30-39	2,379	31.2	686.0	772	11.5	222.6	3,151	22.0	908.6	346,808
	40-49	1,665	21.8	567.1	1,104	16.5	376.0	2,769	19.3	943.1	293,605
	50-59	1,410	18.5	462.7	1,775	26.5	582.4	3,185	22.2	1045.1	304,758
	60+	1,279	16.8	213.9	2,885	43.1	482.5	4,164	29.1	696.4	597,958
<b>Race/Ethnicity</b>	Non-Hispanic White	1,127	14.8	195.1	993	14.8	109.0	2,120	14.8	304.1	544,548
	Non-Hispanic Black	2,391	31.4	541.5	2,680	40.0	444.3	5,071	35.4	985.8	409,407
	Hispanic	3,312	43.4	495.1	2,545	38.0	324.4	5,857	40.9	819.5	659,589
	Asian	688	9.0	102.7	422	6.3	48.8	1,110	7.7	151.5	641,218
	Native Hawaiian/Pacific Islander	22	0.3	834.3	8	0.1	192.5	30	0.2	1026.8	3,064
	Native American	15	0.2	214.5	8	0.1	100.7	23	0.2	315.2	8,485
	Multi Race	61	0.8	139.7	45	0.7	71.6	106	0.7	211.3	50,530
	Unknown	9	0.1	.	0	0.0	.	9	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	4,672	61.3	.	2,913	43.5	.	7,585	52.9	.	.
	Injection Drug Use	139	1.8	.	563	8.4	.	702	4.9	.	.
	Male to Male Sexual Contact/Injection Drug Use	151	2.0	.	253	3.8	.	404	2.8	.	.
	Heterosexual	1,708	22.4	.	2,015	30.1	.	3,723	26.0	.	.
	Blood Products	4	0.1	.	15	0.2	.	19	0.1	.	.
	Pediatric Risk	93	1.2	.	140	2.1	.	233	1.6	.	.
	Unknown	858	11.3	.	802	12.0	.	1,660	11.6	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 22B

**NEW YORK CITY BOROUGH: Queens**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		361	100.0	79	100.0	440	100.0	19.5	18.0
<b>Sex at Birth</b>	Male	285	78.9	68	86.1	353	80.2	31.5	19.3
	Female	76	21.1	11	13.9	87	19.8	7.7	12.6
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	11	3.0	0	0.0	11	2.5	.	0.0
	20-24	55	15.2	9	11.4	64	14.5	49.8	14.1
	25-29	73	20.2	13	16.5	86	19.5	53.5	15.1
	30-39	129	35.7	25	31.6	154	35.0	44.4	16.2
	40-49	48	13.3	18	22.8	66	15.0	22.5	27.3
	50-59	28	7.8	8	10.1	36	8.2	11.8	22.2
	60+	17	4.7	6	7.6	23	5.2	3.8	26.1
<b>Race/Ethnicity</b>	Non-Hispanic White	22	6.1	4	5.1	26	5.9	5.3	15.4
	Non-Hispanic Black	113	31.3	19	24.1	132	30.0	33.7	14.4
	Hispanic	177	49.0	44	55.7	221	50.2	32.4	19.9
	Asian	41	11.4	9	11.4	50	11.4	7.7	18.0
	Native Hawaiian/Pacific Islander	2	0.6	0	0.0	2	0.5	72.6	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	6	1.7	3	3.8	9	2.0	20.8	33.3
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	201	55.7	37	46.8	238	54.1	.	15.5
	Injection Drug Use	5	1.4	0	0.0	5	1.1	.	0.0
	Male to Male Sexual Contact/Injection Drug Use	4	1.1	1	1.3	5	1.1	.	20.0
	Heterosexual	79	21.9	15	19.0	94	21.4	.	16.0
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	72	19.9	26	32.9	98	22.3	.	26.5

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Queens**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		165	100.0	7.2	24,566	100.0
<b>Sex at Birth</b>	Male	126	76.4	11.1	18,387	74.8
	Female	39	23.6	3.3	6,179	25.2
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	283	1.2
	13-19**	4	2.4	.	220	0.9
	20-24	9	5.5	7.0	870	3.5
	25-29	26	15.8	16.2	2,521	10.3
	30-39	50	30.3	14.4	9,618	39.2
	40-49	40	24.2	13.6	7,341	29.9
	50-59	20	12.1	6.6	2,735	11.1
	60+	16	9.7	2.7	978	4.0
<b>Race/Ethnicity</b>	Non-Hispanic White	12	7.3	2.4	5,393	22.0
	Non-Hispanic Black	54	32.7	13.1	10,610	43.2
	Hispanic	78	47.3	11.5	7,670	31.2
	Asian	18	10.9	2.9	780	3.2
	Native Hawaiian/Pacific Islander	0	0.0	0.0	12	0.0
	Native American	0	0.0	0.0	24	0.1
	Multi Race	3	1.8	8.0	69	0.3
	Unknown	0	0.0	.	8	0.0
<b>Risk</b>	Male to Male Sexual Contact	68	41.2	.	7,854	32.0
	Injection Drug Use	4	2.4	.	7,500	30.5
	Male to Male Sexual Contact/Injection Drug Use	6	3.6	.	924	3.8
	Heterosexual	44	26.7	.	5,082	20.7
	Blood Products	0	0.0	.	158	0.6
	Pediatric Risk	3	1.8	.	390	1.6
	Unknown	40	24.2	.	2,658	10.8

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Queens**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		43	100.0	131	100.0	174	100.0
<b>Sex at Birth</b>	Male	31	72.1	93	71.0	124	71.3
	Female	12	27.9	38	29.0	50	28.7
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	1	0.8	1	0.6
	20-24	0	0.0	1	0.8	1	0.6
	25-29	1	2.3	1	0.8	2	1.1
	30-39	5	11.6	12	9.2	17	9.8
	40-49	5	11.6	12	9.2	17	9.8
	50-59	11	25.6	18	13.7	29	16.7
	60+	21	48.8	86	65.6	107	61.5
<b>Race/Ethnicity</b>	Non-Hispanic White	8	18.6	23	17.6	31	17.8
	Non-Hispanic Black	23	53.5	63	48.1	86	49.4
	Hispanic	11	25.6	37	28.2	48	27.6
	Asian	1	2.3	4	3.1	5	2.9
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	4	3.1	4	2.3
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	14	32.6	40	30.5	54	31.0
	Injection Drug Use	5	11.6	27	20.6	32	18.4
	Male to Male Sexual Contact/Injection Drug Use	4	9.3	7	5.3	11	6.3
	Heterosexual	13	30.2	33	25.2	46	26.4
	Blood Products	0	0.0	1	0.8	1	0.6
	Pediatric Risk	0	0.0	2	1.5	2	1.1
	Unknown	7	16.3	21	16.0	28	16.1

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

Table 23A

**NEW YORK CITY BOROUGH: Staten Island**  
**Persons Living with Diagnosed HIV as of December 2024, by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS			AIDS			HIV and AIDS			
		Number	Percent	Prevalence*	Number	Percent	Prevalence*	Number	Percent	Prevalence*	Area Population
<b>Total</b>		824	100.0	159.2	1,028	100.0	163.9	1,852	100.0	323.2	498,212
<b>Sex at Birth</b>	Male	571	69.3	227.1	658	64.0	155.6	1,229	66.4	382.7	243,918
	Female	253	30.7	93.6	370	36.0	75.8	623	33.6	169.4	254,294
<b>Current Age</b>	12 & under**	0	0.0	.	0	0.0	.	0	0.0	.	.
	13-19**	3	0.4	.	0	0.0	.	3	0.2	.	.
	20-24	25	3.0	83.3	5	0.5	16.7	30	1.6	100.0	30,003
	25-29	52	6.3	169.5	12	1.2	39.1	64	3.5	208.6	30,687
	30-39	210	25.5	315.2	86	8.4	129.1	296	16.0	444.3	66,616
	40-49	179	21.7	284.2	135	13.1	214.4	314	17.0	498.6	62,973
	50-59	163	19.8	243.2	270	26.3	402.8	433	23.4	645.9	67,035
	60+	192	23.3	154.8	520	50.6	419.2	712	38.4	574.0	124,034
<b>Race/Ethnicity</b>	Non-Hispanic White	229	27.8	74.0	278	27.0	55.0	507	27.4	129.0	271,298
	Non-Hispanic Black	323	39.2	708.8	440	42.8	588.0	763	41.2	1296.9	44,427
	Hispanic	227	27.5	239.6	286	27.8	188.1	513	27.7	427.8	97,813
	Asian	34	4.1	41.7	17	1.7	11.2	51	2.8	53.0	75,330
	Native Hawaiian/Pacific Islander	0	0.0	.	0	0.0	.	0	0.0	.	173
	Native American	2	0.2	637.9	2	0.2	144.1	4	0.2	782.0	735
	Multi Race	8	1.0	120.3	5	0.5	51.3	13	0.7	171.6	8,436
	Unknown	1	0.1	.	0	0.0	.	1	0.1	.	.
<b>Risk</b>	Male to Male Sexual Contact	369	44.8	.	280	27.2	.	649	35.0	.	.
	Injection Drug Use	48	5.8	.	180	17.5	.	228	12.3	.	.
	Male to Male Sexual Contact/Injection Drug Use	22	2.7	.	51	5.0	.	73	3.9	.	.
	Heterosexual	253	30.7	.	363	35.3	.	616	33.3	.	.
	Blood Products	2	0.2	.	1	0.1	.	3	0.2	.	.
	Pediatric Risk	15	1.8	.	27	2.6	.	42	2.3	.	.
	Unknown	115	14.0	.	126	12.3	.	241	13.0	.	.

Data as of June 2025.

\*Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

Table 23B

**NEW YORK CITY BOROUGH: Staten Island**  
**New Diagnoses of HIV 2024 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Non-Concurrent HIV A		Concurrent HIV and AIDS B		All HIV Diagnoses* A+B			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	Case Rate†	%
<b>Total</b>		36	100.0	10	100.0	46	100.0	10.0	21.7
<b>Sex at Birth</b>	Male	24	66.7	8	80.0	32	69.6	14.0	25.0
	Female	12	33.3	2	20.0	14	30.4	5.9	14.3
<b>Age at Diagnosis</b>	12 & under**	0	0.0	0	0.0	0	0.0	.	0.0
	13-19**	0	0.0	0	0.0	0	0.0	.	0.0
	20-24	5	13.9	0	0.0	5	10.9	16.7	0.0
	25-29	5	13.9	2	20.0	7	15.2	22.8	28.6
	30-39	13	36.1	3	30.0	16	34.8	24.0	18.8
	40-49	10	27.8	1	10.0	11	23.9	17.5	9.1
	50-59	2	5.6	2	20.0	4	8.7	6.0	50.0
	60+	1	2.8	2	20.0	3	6.5	2.4	66.7
<b>Race/Ethnicity</b>	Non-Hispanic White	2	5.6	0	0.0	2	4.3	0.8	0.0
	Non-Hispanic Black	19	52.8	2	20.0	21	45.7	49.4	9.5
	Hispanic	11	30.6	7	70.0	18	39.1	18.6	38.9
	Asian	2	5.6	0	0.0	2	4.3	2.4	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0	0.0	0.0
	Native American	0	0.0	0	0.0	0	0.0	0.0	0.0
	Multi Race	2	5.6	1	10.0	3	6.5	32.6	33.3
	Unknown	0	0.0	0	0.0	0	0.0	.	0.0
<b>Risk</b>	Male to Male Sexual Contact	15	41.7	6	60.0	21	45.7	.	28.6
	Injection Drug Use	2	5.6	0	0.0	2	4.3	.	0.0
	Male to Male Sexual Contact/Injection Drug Use	1	2.8	0	0.0	1	2.2	.	0.0
	Heterosexual	12	33.3	2	20.0	14	30.4	.	14.3
	Blood Products	0	0.0	0	0.0	0	0.0	.	0.0
	Pediatric Risk	0	0.0	0	0.0	0	0.0	.	0.0
	Unknown	6	16.7	2	20.0	8	17.4	.	25.0

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.



Table 23C

**NEW YORK CITY BOROUGH: Staten Island**  
**New Diagnoses of AIDS (January-December 2024)**  
**and Cumulative AIDS Diagnoses (through December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate†	Number	Percent
<b>Total</b>		23	100.0	4.6	3,497	100.0
<b>Sex at Birth</b>	Male	18	78.3	7.5	2,486	71.1
	Female	5	21.7	1.7	1,011	28.9
<b>Age at Diagnosis</b>	12 & under**	0	0.0	.	43	1.2
	13-19**	0	0.0	.	29	0.8
	20-24	2	8.7	6.7	122	3.5
	25-29	3	13.0	9.8	274	7.8
	30-39	5	21.7	7.5	1,341	38.3
	40-49	6	26.1	9.5	1,143	32.7
	50-59	3	13.0	4.5	405	11.6
	60+	4	17.4	3.2	140	4.0
<b>Race/Ethnicity</b>	Non-Hispanic White	3	13.0	1.1	1,477	42.2
	Non-Hispanic Black	8	34.8	19.0	1,236	35.3
	Hispanic	11	47.8	10.5	741	21.2
	Asian	0	0.0	0.0	19	0.5
	Native Hawaiian/Pacific Islander	0	0.0	0.0	1	0.0
	Native American	0	0.0	0.0	4	0.1
	Multi Race	1	4.3	10.5	18	0.5
	Unknown	0	0.0	.	1	0.0
<b>Risk</b>	Male to Male Sexual Contact	11	47.8	.	787	22.5
	Injection Drug Use	0	0.0	.	1,430	40.9
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	.	137	3.9
	Heterosexual	6	26.1	.	712	20.4
	Blood Products	0	0.0	.	41	1.2
	Pediatric Risk	0	0.0	.	66	1.9
	Unknown	6	26.1	.	324	9.3

Data as of June 2025.

\*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

\*\*The 2024 US Census population data is not published at a county level using these specific age groups.

†Per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2000 US Standard Population.

**NEW YORK CITY BOROUGH: Staten Island**  
**Deaths of Persons with Diagnosed HIV or AIDS (January-December 2024)**  
**by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV		Deaths Among AIDS		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
<b>Total</b>		4	100.0	52	100.0	56	100.0
<b>Sex at Birth</b>	Male	4	100.0	38	73.1	42	75.0
	Female	0	0.0	14	26.9	14	25.0
<b>Age at Death</b>	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	2	3.8	2	3.6
	30-39	1	25.0	3	5.8	4	7.1
	40-49	0	0.0	6	11.5	6	10.7
	50-59	0	0.0	15	28.8	15	26.8
	60+	3	75.0	26	50.0	29	51.8
<b>Race/Ethnicity</b>	Non-Hispanic White	2	50.0	10	19.2	12	21.4
	Non-Hispanic Black	2	50.0	24	46.2	26	46.4
	Hispanic	0	0.0	17	32.7	17	30.4
	Asian	0	0.0	0	0.0	0	0.0
	Native Hawaiian/Pacific Islander	0	0.0	0	0.0	0	0.0
	Native American	0	0.0	0	0.0	0	0.0
	Multi Race	0	0.0	1	1.9	1	1.8
	Unknown	0	0.0	0	0.0	0	0.0
<b>Risk</b>	Male to Male Sexual Contact	0	0.0	13	25.0	13	23.2
	Injection Drug Use	1	25.0	16	30.8	17	30.4
	Male to Male Sexual Contact/Injection Drug Use	0	0.0	0	0.0	0	0.0
	Heterosexual	0	0.0	14	26.9	14	25.0
	Blood Products	0	0.0	0	0.0	0	0.0
	Pediatric Risk	0	0.0	2	3.8	2	3.6
	Unknown	3	75.0	7	13.5	10	17.9

Data as of June 2025.

Death ascertainment for 2024 is incomplete.

**NEW YORK STATE: Includes all 62 Counties**  
**Perinatal HIV Transmission Among All Live-Born Infants in New York State, 1997 - 2024**

Year	Total Live Births <sup>1</sup>	HIV-Exposed Infants <sup>2</sup>	Perinatal Transmission Cases <sup>2</sup>	Perinatal Transmission Rate <sup>3</sup>	Perinatal Transmission Cases per 100,000 <sup>4</sup>
1997	256,976	957	99	11.30%	38.52
1998	257,748	1,035	81	8.60%	31.43
1999	255,147	979	62	6.80%	24.30
2000	258,455	864	28	3.50%	10.83
2001	253,524	779	27	3.80%	10.65
2002	250,806	769	23	3.10%	9.17
2003	253,001	727	8	1.20%	3.16
2004	249,000	675	16	2.50%	6.43
2005	245,402	615	13	2.20%	5.30
2006	249,182	605	10	1.70%	4.01
2007	252,662	598	8	1.40%	3.17
2008	249,655	521	6	1.20%	2.40
2009	246,592	571	11	2.00%	4.46
2010	242,914	509	3	0.60%	1.24
2011	239,736	515	6	1.30%	2.50
2012	239,224	446	3	0.70%	1.25
2013	235,274	461	2	0.50%	0.85
2014	238,000	435	3	0.80%	1.26
2015	235,964	405	0	0.00%	0.00
2016	232,663	428	2	0.50%	0.86
2017	227,453	408	1	0.30%	0.44
2018	226,903	343	0	0.00%	0.00
2019	222,396	359	2	0.60%	0.90
2020	209,098	343	1	0.30%	0.48
2021	211,525	306	2	0.70%	0.95
2022	208,765	272	0	0.00%	0.00
2023	204,745	296	0	0.00%	0.00
2024	206,756	268	1	0.40%	0.48

Data as of June 2025. Perinatal HIV transmission = HIV-exposed infants who were determined to be perinatally infected.

<sup>1</sup> Data Source: New York State Department of Health Vital Statistics. [https://www.health.ny.gov/statistics/vital\\_statistics](https://www.health.ny.gov/statistics/vital_statistics)

<sup>2</sup> Data Source: New York State Department of Health Newborn Screening Program. Reflects only reported live-born infants perinatally exposed to HIV.

<sup>3</sup> Excludes infants with indeterminate status.

<sup>4</sup> Per 100,000 Live Births.

Table 24B

**NEW YORK STATE: Includes all 62 Counties**  
**HIV-Exposed Infants Born in New York State, 1997 - 2024**

			HIV Testing Results of Exposed Infants <sup>3</sup>							
	Number of HIV-Exposed		Number Indeterminate <sup>4</sup>	Number Uninfected			Number Infected			HIV Transmission
Year <sup>1</sup>	Birth Events <sup>2</sup>	Live-Born Infants	Total	Confirmed <sup>5</sup>	Presumptive <sup>6</sup>	Total	Confirmed <sup>7</sup>	Presumptive <sup>8</sup>	Total	Rate <sup>9</sup>
1997	941	957	83	520	255	775	77	22	99	11.3
1998	1,018	1,035	91	559	304	863	64	17	81	8.6
1999	969	979	70	598	249	847	52	10	62	6.8
2000	846	864	63	548	225	773	26	2	28	3.5
2001	772	779	64	521	167	688	26	1	27	3.8
2002	749	769	38	562	146	708	21	2	23	3.1
2003	717	727	44	528	147	675	7	1	8	1.2
2004	661	675	44	484	131	615	16	0	16	2.5
2005	601	615	32	467	103	570	12	1	13	2.2
2006	599	605	20	462	113	575	10	0	10	1.7
2007	589	598	32	460	98	558	8	0	8	1.4
2008	506	521	29	398	88	486	6	0	6	1.2
2009	553	571	33	424	103	527	11	0	11	2.0
2010	497	509	33	353	120	473	2	1	3	0.6
2011	498	515	35	356	118	474	6	0	6	1.3
2012	443	446	43	320	80	400	3	0	3	0.7
2013	456	461	31	321	107	428	2	0	2	0.5
2014	433	435	35	317	80	397	3	0	3	0.8
2015	393	405	24	284	97	381	0	0	0	0.0
2016	416	428	25	304	97	401	2	0	2	0.5
2017	400	408	30	291	86	377	1	0	1	0.3
2018	336	343	27	234	82	316	0	0	0	0.0
2019	349	359	19	257	81	338	1	1	2	0.6

<sup>1</sup>Data as of June 2025. HIV Screening of newborn infants was initiated in February 1997. Data for 1997 from February - December.

<sup>2</sup>Reflects the number of women with HIV infection who gave birth to live-born infants.

<sup>3</sup>DNA PCR was the test performed on all diagnostic specimens until APTIMA was adopted in November 2008.

<sup>4</sup>Indeterminate = no positive HIV diagnostic test result and no negative HIV diagnostic test result at  $\geq 4$  weeks of age; or no test results.

<sup>5</sup>Confirmed Uninfected = at least 2 negative HIV diagnostic test results, one at  $\geq 4$  weeks of age and one at  $\geq 4$  months of age.

<sup>6</sup>Presumptive Uninfected = at least 1 HIV diagnostic test result negative at  $\geq 4$  weeks of age.

<sup>7</sup>Confirmed Infected = two positive diagnostic test results.

<sup>8</sup>Presumptive Infected = one positive diagnostic test result.

<sup>9</sup>Per 100 Exposed infants. Excludes infants with indeterminate status.

Table 24B

**NEW YORK STATE: Includes all 62 Counties**  
**HIV-Exposed Infants Born in New York State, 1997 - 2024**

			HIV Testing Results of Exposed Infants <sup>3</sup>							
	Number of HIV-Exposed		Number Indeterminate <sup>4</sup>	Number Uninfected			Number Infected			HIV Transmission
Year <sup>1</sup>	Birth Events <sup>2</sup>	Live-Born Infants	Total	Confirmed <sup>5</sup>	Presumptive <sup>6</sup>	Total	Confirmed <sup>7</sup>	Presumptive <sup>8</sup>	Total	Rate <sup>9</sup>
2020	332	343	34	239	69	308	0	1	1	0.3
2021	299	306	23	199	82	281	2	0	2	0.7
2022	266	272	15	195	62	257	0	0	0	0.0
2023	283	296	16	211	69	280	0	0	0	0.0
2024	261	268	12	195	60	255	1	0	1	0.4
Total	15,183	15,489	1,045	10,607	3,419	14,026	359	59	418	2.9

<sup>1</sup>Data as of June 2025. HIV Screening of newborn infants was initiated in February 1997. Data for 1997 from February - December.

<sup>2</sup>Reflects the number of women with HIV infection who gave birth to live-born infants.

<sup>3</sup>DNA PCR was the test performed on all diagnostic specimens until APTIMA was adopted in November 2008.

<sup>4</sup>Indeterminate = no positive HIV diagnostic test result and no negative HIV diagnostic test result at  $\geq 4$  weeks of age; or no test results.

<sup>5</sup>Confirmed Uninfected = at least 2 negative HIV diagnostic test results, one at  $\geq 4$  weeks of age and one at  $\geq 4$  months of age.

<sup>6</sup>Presumptive Uninfected = at least 1 HIV diagnostic test result negative at  $\geq 4$  weeks of age.

<sup>7</sup>Confirmed Infected = two positive diagnostic test results.

<sup>8</sup>Presumptive Infected = one positive diagnostic test result.

<sup>9</sup>Per 100 Exposed infants. Excludes infants with indeterminate status.

**Contact Information:**

Data Analysis and Research Translation  
Division of Epidemiology, Evaluation and Partner Services  
P.O. Box 2073, ESP Station  
Albany NY 12220-0073  
(518) 474-4284  
[bhae@health.ny.gov](mailto:bhae@health.ny.gov)