



Department
of Health



**Mosquito-borne Illness
Weekly Report
Aug 03 - Aug 09 (MMWR Week 32)**

2025

**NYSDOH STATEWIDE MOSQUITO-BORNE DISEASE
ACTIVITY REPORT
August 14, 2025**

The New York State Department of Health (NYSDOH) collects, compiles, and analyzes information on mosquito-borne disease activity in New York State (NYS) and produces this weekly report. Data in this report reflects testing performed by both NYSDOH's Wadsworth Center Laboratories and the New York City Department of Health and Mental Hygiene's (NYCDOHMH) Public Health Laboratory.

Weekly Summary¹
(August 03 - August 09)

- West Nile Virus (WNV):
 - 55 WNV-positive mosquito pools² have been identified in NYS, outside of NYC³.
 - **Erie 1, Nassau 6, Orange 1, Oswego 1, Rockland 18, Suffolk 24, Westchester 4**
 - WNV-positive mosquito pools have been reported from 5 NYC counties in the previous two weeks.
 - **New York, Richmond, Bronx, Queens, Kings**
 - 1 human case of WNV infection has been reported, outside of NYC.
 - 0 equine cases of WNV infection have been reported.
 - 0 presumptive viremic donors⁴ have been reported, outside of NYC.
- Eastern Equine Encephalitis Virus (EEEV):
 - 8 EEEV-positive mosquito pools have been identified.
 - **Madison 3, Onondaga 1, Oswego 4**
 - 0 human cases of EEEV infection have been reported.
 - 0 equine cases of EEEV infection have been reported.
 - 0 ratite cases of EEEV infection have been reported.
- Chikungunya Virus (CHIKV), Dengue Virus (DENV), Zika Virus (ZIKV), and Malaria⁵:
 - 0 human cases of CHIKV infection have been reported. 0 cases of local mosquito-borne transmission⁶ (LMBT) have been identified.
 - 2 human cases of DENV infection have been reported. 0 cases of LMBT have been identified.
 - 0 human cases of ZIKV infection have been reported. 0 cases of LMBT have been identified.
 - 1 human case of malaria infection has been reported. 0 cases of LMBT have been identified.

¹ Cases featured in the weekly summary are based on the date the case investigation was finalized.

² Mosquitoes collected by county surveillance staff are grouped into one or more "pools" of specimens based on date, location, and species. A positive pool refers to one in which at least one specimen was positive for a given pathogen.

³ Data pertaining to New York City municipalities in this report are derived from the NYC Department of Mental Health and Hygiene (NYCDOHMH) website (<https://www.nyc.gov/site/doh/health/health-topics/west-nile-virus.page>) and only reflect WNV+ mosquito pools. NYCDOHMH does not report the total number of pools collected or tested. Consequently, some fields relating to NYC cannot be calculated and have been omitted from this report.

⁴ Presumptive viremic donors (PVDs) are people who had no symptoms at the time of donating blood (people with symptoms are deferred from donating) through a blood collection agency, but whose blood tested positive in preliminary tests when screened for West Nile virus. Some PVDs develop symptoms after donation, at which point they are included in human case counts.

⁵ NYCDOHMH directly reports human cases of mosquito-borne infections to CDC.

⁶ Local mosquito-borne transmission is defined by the absence of the following epidemiological risk factors: recent travel to a country or region with known active mosquito-borne transmission of the associated pathogen; recent blood transfusion; recent laboratory exposure; or mother-to-child transmission during pregnancy for pathogens in which vertical transmission is possible.

Year to Date Summary
(01/01/2025 - 08/09/2025)

- West Nile Virus (WNV):
 - 141 WNV-positive mosquito pools¹ have been identified in NYS, outside of NYC².
 - 628 WNV-positive mosquito pools have been reported from NYC counties.
 - 3 human cases of WNV infection have been reported, outside of NYC.
 - 0 human cases of WNV infection have been reported in NYC.
 - 0 equine cases of WNV infection have been reported.
 - 2 presumptive viremic donors³ have been reported, outside of NYC.
 - 1 presumptive viremic donor has been reported in NYC counties.
- Eastern Equine Encephalitis Virus (EEEV):
 - 23 EEEV-positive mosquito pools have been identified.
 - 0 human cases of EEEV infection have been reported.
 - 0 equine cases of EEEV infection have been reported.
 - 0 caprine cases of EEEV infection have been reported.
 - 3 ratite cases of EEEV infection have been reported.
- Chikungunya Virus (CHIKV), Dengue Virus (DENV), Zika Virus (ZIKV), and Malaria⁴:
 - 2 human cases of CHIKV infection have been reported. 0 cases of local mosquito-borne transmission⁵ (LMBT) have been identified.
 - 20 human cases of DENV infection have been reported. 0 cases of LMBT have been identified.
 - 31 human cases of malaria infection have been reported. 0 cases of LMBT have been identified.
 - 0 human cases of ZIKV infection have been reported. 0 cases of LMBT have been identified.
 - *Aedes albopictus* is considered established in 5 counties outside of NYC. *Aedes aegypti* has not been identified anywhere in the state. Refer to the map on page 6 of this report for details regarding their currently documented range in NYS.

¹ Mosquitoes collected by county surveillance staff are grouped into one or more “pools” of specimens based on date, location, and species. A positive pool refers to one in which at least one specimen was positive for a given pathogen.


² Data pertaining to New York City municipalities in this report are derived from the NYC Department of Mental Health and Hygiene (NYCDOHMH) website (<https://www.nyc.gov/site/doh/health/health-topics/west-nile-virus.page>) and only reflect WNV+ mosquito pools. NYCDOHMH does not report the total number of pools collected or tested. Consequently, some fields relating to NYC cannot be calculated and have been omitted from this report.

³ Presumptive viremic donors (PVDs) are people who had no symptoms at the time of donating blood (people with symptoms are deferred from donating) through a blood collection agency, but whose blood tested positive in preliminary tests when screened for West Nile virus. Some PVDs develop symptoms after donation, at which point they are included in human case counts.

⁴ NYCDOHMH directly reports human cases of mosquito-borne infections to CDC.

⁵ Local mosquito-borne transmission is defined by the absence of the following epidemiological risk factors: recent travel to a country or region with known active mosquito-borne transmission of the associated pathogen; recent blood transfusion; recent laboratory exposure; or mother-to-child transmission during pregnancy for pathogens in which vertical transmission is possible.

2025 West Nile Virus Surveillance Summary




*The number of WNV positive mosquitoes, mammal infections, or human cases depends, in part, on the amount of surveillance and testing performed in each county, and is not necessarily associated with the degree of WNV infection risk.
 -- Map shows results reported through date range indicated.

Surveillance Summary (01/01/2025 - 08/09/2025)


- Human cases of WNV reported AND WNV positive mosquitoes OR mammals reported
- Mosquito surveillance being conducted AND no WNV reported
- WNV positive mosquitoes OR mammals reported
- No mosquito surveillance being conducted AND no WNV reported

2025 Eastern Equine Encephalitis Virus Surveillance Summary




*The number of EEEV positive mosquitoes, mammal infections, or human cases depends, in part, on the amount of surveillance and testing performed in each county, and is not necessarily associated with the degree of EEE infection risk.
 -- Map shows results reported through date range indicated.

Surveillance Summary (01/01/2025 - 08/09/2025)




2025 Established *Aedes aegypti*/*albopictus* Populations




*The total number of *Aedes aegypti* or *albopictus* identified within a county depends on the amount of surveillance performed in each county, and is not necessarily associated with degree of arboviral disease risk.

*Counties classified as having established *A. albopictus* or *A. aegypti* populations are identified as such based on collection of the associated species within a given county for at least two consecutive years.

Surveillance Summary (01/01/2025 - 08/09/2025)



2025 Mosquito-borne Illness Surveillance



Current week positives are highlighted with a yellow halo around the respective specimen symbols.
 -- Human cases represent local mosquito-borne transmission (LMBT). Travel associated cases are not included.
 -- NYC positive human cases are placed at the centroid of the patient's county of residence.
 -- Map shows results reported through date range indicated.
 -- Symbols indicating human cases of WNV and EEE outside of NYC are an approximation of case locality.
 -- Symbols indicating cases are based on report date.

Surveillance Summary (01/01/2025 - 08/09/2025)

- | | |
|---|---|
| ■ WNV Human Cases | ■ EEE Human Cases |
| ● WNV Positive Mosquitoes | ● EEE Positive Mosquitoes |
| ▲ WNV Positive Equine | ▲ EEE Positive Equine or Ratite |

New York State Arboviral Surveillance Summary (01/01/2025 - 08/09/2025)

| Jurisdiction | West Nile Virus | | | | |
|---------------------------|-----------------|--------|----------------|-------------|--------------|
| | Cases | | Mosquito Pools | | |
| | Human | Equine | WNV+ Pools | Total Pools | % Positivity |
| Albany | 0 | 0 | -- | -- | -- |
| Allegany | 0 | 0 | -- | -- | -- |
| Bronx * | 0 | 0 | 100 | -- | -- |
| Broome | 0 | 0 | -- | -- | -- |
| Cattaraugus * | 0 | 0 | 1 | 173 | 0.6 |
| Cayuga | 0 | 0 | -- | -- | -- |
| Chautauqua * | 0 | 0 | 0 | 0 | 0.0 |
| Chemung | 0 | 0 | -- | -- | -- |
| Chenango | 0 | 0 | -- | -- | -- |
| Clinton | 0 | 0 | -- | -- | -- |
| Columbia | 0 | 0 | -- | -- | -- |
| Cortland | 0 | 0 | -- | -- | -- |
| Delaware | 0 | 0 | -- | -- | -- |
| Dutchess | 0 | 0 | -- | -- | -- |
| Erie * | 1 | 0 | 5 | 120 | 4.2 |
| Essex | 0 | 0 | -- | -- | -- |
| Franklin | 0 | 0 | -- | -- | -- |
| Fulton | 0 | 0 | -- | -- | -- |
| Genesee | 0 | 0 | -- | -- | -- |
| Greene | 0 | 0 | -- | -- | -- |
| Hamilton | 0 | 0 | -- | -- | -- |
| Herkimer | 0 | 0 | -- | -- | -- |
| Jefferson | 0 | 0 | -- | -- | -- |
| Kings * | 0 | 0 | 67 | -- | -- |
| Lewis | 0 | 0 | -- | -- | -- |
| Livingston | 0 | 0 | -- | -- | -- |
| Madison * | 0 | 0 | 1 | 312 | 0.3 |
| Monroe | 0 | 0 | -- | -- | -- |
| Montgomery | 0 | 0 | -- | -- | -- |
| Nassau * | 0 | 0 | 20 | 283 | 7.1 |
| New York * | 0 | 0 | 18 | -- | -- |
| Niagara | 0 | 0 | -- | -- | -- |
| Oneida * | 0 | 0 | 0 | 204 | 0.0 |
| Onondaga * | 2 | 0 | 2 | 358 | 0.6 |
| Ontario | 0 | 0 | -- | -- | -- |
| Orange * | 0 | 0 | 1 | 170 | 0.6 |
| Orleans | 0 | 0 | -- | -- | -- |
| Oswego * | 0 | 0 | 1 | 385 | 0.3 |
| Otsego | 0 | 0 | -- | -- | -- |
| Putnam | 0 | 0 | -- | -- | -- |
| Queens * | 0 | 0 | 222 | -- | -- |
| Rensselaer | 0 | 0 | -- | -- | -- |
| Richmond * | 0 | 0 | 221 | -- | -- |
| Rockland * | 0 | 0 | 48 | 382 | 12.6 |
| Saratoga | 0 | 0 | -- | -- | -- |
| Schenectady | 0 | 0 | -- | -- | -- |
| Schoharie | 0 | 0 | -- | -- | -- |
| Schuyler | 0 | 0 | -- | -- | -- |
| Seneca | 0 | 0 | -- | -- | -- |
| St. Lawrence * | 0 | 0 | 1 | 215 | 0.5 |
| Steuben | 0 | 0 | -- | -- | -- |
| Suffolk * | 0 | 0 | 56 | 978 | 5.7 |
| Sullivan | 0 | 0 | -- | -- | -- |
| Tioga | 0 | 0 | -- | -- | -- |
| Tompkins | 0 | 0 | -- | -- | -- |
| Ulster | 0 | 0 | -- | -- | -- |
| Warren | 0 | 0 | -- | -- | -- |
| Washington | 0 | 0 | -- | -- | -- |
| Wayne | 0 | 0 | -- | -- | -- |
| Westchester * | 0 | 0 | 5 | 66 | 7.6 |
| Wyoming | 0 | 0 | -- | -- | -- |
| Yates | 0 | 0 | -- | -- | -- |
| NYS (excluding NYC) Total | 3 | 0 | 141 | 3646 | 3.9 |
| NYC*† Total | 0 | -- | 628 | -- | -- |
| NYS Total | 3 | 0 | 769 | 3646 | -- |

* Jurisdiction conducting mosquito surveillance

† NYCDOHMH mosquito pools represent positive totals only; number of total pools collected and tested not available

New York State Arboviral Surveillance Summary (01/01/2025 - 08/09/2025)

| Jurisdiction | Eastern Equine Encephalitis | | | | | | |
|---------------------------|-----------------------------|--------|-----------|-----------|----------------|-------------|--------------|
| | Cases | | | | Mosquito Pools | | |
| | Human | Equine | Caprine** | Ratite*** | EEEV+ Pools | Total Pools | % Positivity |
| Albany | 0 | 0 | 0 | 0 | -- | -- | -- |
| Allegany | 0 | 0 | 0 | 0 | -- | -- | -- |
| Bronx * | 0 | 0 | 0 | 0 | 0 | -- | -- |
| Broome | 0 | 0 | 0 | 0 | -- | -- | -- |
| Cattaraugus * | 0 | 0 | 0 | 0 | 0 | 173 | 0.0 |
| Cayuga | 0 | 0 | 0 | 0 | -- | -- | -- |
| Chautauqua * | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Chemung | 0 | 0 | 0 | 0 | -- | -- | -- |
| Chenango | 0 | 0 | 0 | 0 | -- | -- | -- |
| Clinton | 0 | 0 | 0 | 0 | -- | -- | -- |
| Columbia | 0 | 0 | 0 | 0 | -- | -- | -- |
| Cortland | 0 | 0 | 0 | 0 | -- | -- | -- |
| Delaware | 0 | 0 | 0 | 0 | -- | -- | -- |
| Dutchess | 0 | 0 | 0 | 0 | -- | -- | -- |
| Erie * | 0 | 0 | 0 | 0 | 0 | 120 | 0.0 |
| Essex | 0 | 0 | 0 | 0 | -- | -- | -- |
| Franklin | 0 | 0 | 0 | 0 | -- | -- | -- |
| Fulton | 0 | 0 | 0 | 0 | -- | -- | -- |
| Genesee | 0 | 0 | 0 | 0 | -- | -- | -- |
| Greene | 0 | 0 | 0 | 0 | -- | -- | -- |
| Hamilton | 0 | 0 | 0 | 0 | -- | -- | -- |
| Herkimer | 0 | 0 | 0 | 0 | -- | -- | -- |
| Jefferson | 0 | 0 | 0 | 0 | -- | -- | -- |
| Kings * | 0 | 0 | 0 | 0 | 0 | -- | -- |
| Lewis | 0 | 0 | 0 | 0 | -- | -- | -- |
| Livingston | 0 | 0 | 0 | 0 | -- | -- | -- |
| Madison * | 0 | 0 | 0 | 0 | 5 | 312 | 1.6 |
| Monroe | 0 | 0 | 0 | 0 | -- | -- | -- |
| Montgomery | 0 | 0 | 0 | 0 | -- | -- | -- |
| Nassau * | 0 | 0 | 0 | 0 | 0 | 283 | 0.0 |
| New York * | 0 | 0 | 0 | 0 | 0 | -- | -- |
| Niagara | 0 | 0 | 0 | 0 | -- | -- | -- |
| Oneida * | 0 | 0 | 0 | 0 | 0 | 204 | 0.0 |
| Onondaga * | 0 | 0 | 0 | 3 | 10 | 358 | 2.8 |
| Ontario | 0 | 0 | 0 | 0 | -- | -- | -- |
| Orange * | 0 | 0 | 0 | 0 | 0 | 170 | 0.0 |
| Orleans | 0 | 0 | 0 | 0 | -- | -- | -- |
| Oswego * | 0 | 0 | 0 | 0 | 8 | 385 | 2.1 |
| Otsego | 0 | 0 | 0 | 0 | -- | -- | -- |
| Putnam | 0 | 0 | 0 | 0 | -- | -- | -- |
| Queens * | 0 | 0 | 0 | 0 | 0 | -- | -- |
| Rensselaer | 0 | 0 | 0 | 0 | -- | -- | -- |
| Richmond * | 0 | 0 | 0 | 0 | 0 | -- | -- |
| Rockland * | 0 | 0 | 0 | 0 | 0 | 382 | 0.0 |
| Saratoga | 0 | 0 | 0 | 0 | -- | -- | -- |
| Schenectady | 0 | 0 | 0 | 0 | -- | -- | -- |
| Schoharie | 0 | 0 | 0 | 0 | -- | -- | -- |
| Schuyler | 0 | 0 | 0 | 0 | -- | -- | -- |
| Seneca | 0 | 0 | 0 | 0 | -- | -- | -- |
| St. Lawrence * | 0 | 0 | 0 | 0 | 0 | 215 | 0.0 |
| Steuben | 0 | 0 | 0 | 0 | -- | -- | -- |
| Suffolk * | 0 | 0 | 0 | 0 | 0 | 978 | 0.0 |
| Sullivan | 0 | 0 | 0 | 0 | -- | -- | -- |
| Tioga | 0 | 0 | 0 | 0 | -- | -- | -- |
| Tompkins | 0 | 0 | 0 | 0 | -- | -- | -- |
| Ulster | 0 | 0 | 0 | 0 | -- | -- | -- |
| Warren | 0 | 0 | 0 | 0 | -- | -- | -- |
| Washington | 0 | 0 | 0 | 0 | -- | -- | -- |
| Wayne | 0 | 0 | 0 | 0 | -- | -- | -- |
| Westchester * | 0 | 0 | 0 | 0 | 0 | 66 | 0.0 |
| Wyoming | 0 | 0 | 0 | 0 | -- | -- | -- |
| Yates | 0 | 0 | 0 | 0 | -- | -- | -- |
| NYS (excluding NYC) Total | 0 | 0 | 0 | 3 | 23 | 3646 | 0.6 |
| NYC* Total | -- | -- | -- | -- | -- | -- | -- |
| NYS Total | 0 | 0 | 0 | 3 | 23 | 3646 | -- |

* Jurisdiction conducting mosquito surveillance

** Caprine - of, relating to, or being a goat

*** Ratite - (of a bird) having a flat breastbone without a keel, and so unable to fly




Fig 1. Current year and trend data for human WNV cases (excluding NYC). Trend lines are plotted with a LOESS smoother for comparison of the current year to the previous 3-yr average and should not be used to discern exact case numbers for a given MMWR Week*.




Fig 2. Current year and trend data for human EEE cases (excluding NYC). Trend lines are plotted with a LOESS smoother for comparison of the current year to the previous 3-yr average and should not be used to discern exact case numbers for a given MMWR Week*.

* Cases are assigned to MMWR Week based on a prioritized list of dates associated with their case investigation to best convey timing and risk of exposure. Not all dates are available for all cases due to a variety of factors involved in case investigation. When available, the following dates are prioritized when assigning a case to a specific MMWR Week in this order: symptom onset date, diagnosis date, report date, and investigation start date (always available).

New York State Arboviral Surveillance Summary (01/01/2025 - 08/09/2025)

| Jurisdiction | Chikungunya | | Dengue | | Malaria | | Zika | |
|----------------------------------|-------------------|-----------|-------------------|-----------|-------------------|-----------|-------------------|-----------|
| | Human Cases | | Human Cases | | Human Cases | | Human Cases | |
| | Travel Associated | LMBT | Travel Associated | LMBT | Travel Associated | LMBT | Travel Associated | LMBT |
| Albany | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Allegany | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bronx | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Broome | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Cattaraugus | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cayuga | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chautauqua | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chemung | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chenango | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Clinton | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Columbia | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cortland | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Delaware | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dutchess | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Erie | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Essex | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Franklin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fulton | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Genesee | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greene | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hamilton | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Herkimer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Jefferson | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kings | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lewis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Livingston | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Madison | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Monroe | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| Montgomery | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nassau | 0 | 0 | 9 | 0 | 6 | 0 | 0 | 0 |
| New York | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Niagara | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oneida | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Onondaga | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Ontario | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Orange | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Orleans | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oswego | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Otsego | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Putnam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Queens | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rensselaer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Richmond | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rockland | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Saratoga | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Schenectady | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Schoharie | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Schuyler | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Seneca | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| St. Lawrence | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Steuben | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Suffolk | 1 | 0 | 5 | 0 | 4 | 0 | 0 | 0 |
| Sullivan | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tioga | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tompkins | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ulster | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Warren | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Washington | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wayne | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Westchester | 0 | 0 | 1 | 0 | 5 | 0 | 0 | 0 |
| Wyoming | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Yates | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NYS (excluding NYC) Total | 2 | 0 | 20 | 0 | 31 | 0 | 0 | 0 |
| NYC*† Total | -- | -- | -- | -- | -- | -- | -- | -- |
| NYS Total | 2 | 0 | 20 | 0 | 31 | 0 | 0 | 0 |

LMBT - Local Mosquito-borne Transmission

* Jurisdiction conducting mosquito surveillance

† NYCDOHM directly reports human cases of ZIKV infection to CDC

West Nile Virus Mosquito Pool Positivity by Species




Fig 3. Weekly summary of West Nile virus positivity by mosquito species. Numbers within each bar represent the number of total pools tested.




Fig 4. Year-to-date summary of West Nile virus positivity by mosquito species. Numbers within each bar represent the number of total pools tested.

| Abbreviation | Species | Abbreviation | Species | Abbreviation | Species |
|--------------|----------------------------|--------------|-----------------------------|--------------|--------------------------|
| ALB | <i>Ae. albopictus</i> | MOR | <i>Cs. morsitans</i> | CGR | <i>Ae. communis gr.</i> |
| CIN | <i>Ae. cinereus</i> | ERR | <i>Cx. erraticus</i> | DOR | <i>Ae. dorsalis</i> |
| VEX | <i>Ae. vexans</i> | PIP | <i>Cx. pipiens</i> | EXC | <i>Ae. excrucians</i> |
| CRU | <i>An. crucians</i> | PRE | <i>Cx. pipiens-restuans</i> | INT | <i>Ae. intrudens</i> |
| PUN | <i>An. punctipennis</i> | RES | <i>Cx. restuans</i> | JAP | <i>Ae. japonicus</i> |
| QUA | <i>An. quadrimaculatus</i> | SAL | <i>Cx. salinarius</i> | SOL | <i>Ae. sollicitans</i> |
| AN | <i>An. species</i> | TER | <i>Cx. territans</i> | STC | <i>Ae. sticticus</i> |
| WAK | <i>An. walkeri</i> | AUR | <i>Ae. aurifer</i> | SEF | <i>Ae. stimulans gr.</i> |
| PER | <i>Cq. perturbans</i> | CAN | <i>Ae. canadensis</i> | TRI | <i>Ae. triseriatus</i> |
| MEL | <i>Cs. melanura</i> | CTT | <i>Ae. cantator</i> | TVT | <i>Ae. trivittatus</i> |

Eastern Equine Encephalitis Mosquito Pool Positivity by Species




Fig 5. Weekly summary of eastern equine encephalitis virus positivity by mosquito species. Numbers within each bar represent the number of total pools tested.




Fig 6. Year-to-date summary of eastern equine encephalitis virus positivity by mosquito species. Numbers within each bar represent the number of total pools tested.

| Abbreviation | Species | Abbreviation | Species | Abbreviation | Species |
|--------------|----------------------------|--------------|-----------------------------|--------------|--------------------------|
| ALB | <i>Ae. albopictus</i> | MOR | <i>Cs. morsitans</i> | CGR | <i>Ae. communis gr.</i> |
| CIN | <i>Ae. cinereus</i> | ERR | <i>Cx. erraticus</i> | DOR | <i>Ae. dorsalis</i> |
| VEX | <i>Ae. vexans</i> | PIP | <i>Cx. pipiens</i> | EXC | <i>Ae. excrucians</i> |
| CRU | <i>An. crucians</i> | PRE | <i>Cx. pipiens-restuans</i> | INT | <i>Ae. intrudens</i> |
| PUN | <i>An. punctipennis</i> | RES | <i>Cx. restuans</i> | JAP | <i>Ae. japonicus</i> |
| QUA | <i>An. quadrimaculatus</i> | SAL | <i>Cx. salinarius</i> | SOL | <i>Ae. sollicitans</i> |
| AN | <i>An. species</i> | TER | <i>Cx. territans</i> | STC | <i>Ae. sticticus</i> |
| WAK | <i>An. walkeri</i> | AUR | <i>Ae. aurifer</i> | SEF | <i>Ae. stimulans gr.</i> |
| PER | <i>Cq. perturbans</i> | CAN | <i>Ae. canadensis</i> | TRI | <i>Ae. triseriatus</i> |
| MEL | <i>Cs. melanura</i> | CTT | <i>Ae. cantator</i> | TVT | <i>Ae. trivittatus</i> |

Seasonality of Human Cases




Fig 7. Seasonal patterns of human vector-borne disease cases (excluding NYC)[†]

* No cases of local mosquito-borne transmission; all cases to date are travel-related.

† Cases are assigned to MMWR Week based on a prioritized list of dates associated with their case investigation to best convey timing and risk of exposure. Not all dates are available for all cases due to a variety of factors involved in case investigation. When available, the following dates are prioritized when assigning a case to a specific MMWR Week in this order: symptom onset date, diagnosis date, report date, and investigation start date (always available).

United States Mosquito-borne Disease Surveillance and Other Information

Current and historic nationwide surveillance information on mosquito-borne illnesses in the United States can be found at: (<https://www.cdc.gov/fight-the-bite/at-risk/index.html>)

- Specific information about WNV, including statistics and maps, can be found at: (<http://www.cdc.gov/westnile/>)
- Specific information about EEEV, including statistics and maps, can be found at: (<http://www.cdc.gov/EasternEquineEncephalitis>)
- Specific information about Zika virus, including statistics and maps of areas with active mosquito-borne transmission of Zika virus can be found at: (<http://www.cdc.gov/zika/>)
- Specific information about chikungunya virus, including statistics and maps, can be found at: (<http://www.cdc.gov/chikungunya/>)
- Specific information about dengue fever, including statistics and maps, can be found at can be at: (<http://www.cdc.gov/dengue/>)
- Specific information about malaria, including statistics and maps, can be found here at: (<http://www.cdc.gov/malaria/>)