

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID should be the health plan's internal, individual member identifier. Do not report a family identifier, and do not report the identifier used in HEDIS.  For the <b>Essential Plan</b> , report the NYS-issued member ID. The NYS-issued member ID for non-Aliessa members should be an 8-digit number beginning with 7. For Aliessa members, report the assigned CIN, an 8-digit number starting with two alpha characters followed by five digits and one alpha.
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	66	67	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian/Alaskan Native 04=Asian 05=Native Hawaiian/Pacific Islander 06=Some Other Race 07=Two or more races 08=Asked But No Answer 09=Unknown
GENERAL INFO	2	68	69	Source of Race Data	Provide the source of Race data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown – Use this as the race source value when the member's race is "UNK" for Unknown Race. 29 = Other (Direct) 30 = Other (Indirect) - Use when "other" indirect method is used to determine Race.
GENERAL INFO	1	70	70	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

GENERAL INFO	2	71	72	Source of Ethnicity Data	<p>Provide the source of Ethnicity data:                  20 = Health Plan Direct (Direct)                  21 = CMS databases (Direct)                  22 = State Databases (Direct)                  23 = Surname Analysis (Indirect)                  24 = Geo-coding Analysis (Indirect)                  28 = Unknown – Use this as the ethnicity source value when the member's ethnicity is "UNK" for Unknown Ethnicity.                  29 = Other (Direct)                  30 = Other (Indirect) - Use when "other" indirect method is used to determine Ethnicity</p>
GENERAL INFO	2	73	74	Asian American Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, <b>Two or More Races</b>, Some Other Race, Asked But No Answer, or Unknown then Enter:                  00=Not Applicable                  If member's race is Asian, <b>or Two or More Races</b>, then identify the specific subgroup:                  01=Chinese                  02=Japanese                  03=Filipino                  04=Korean                  05=Vietnamese                  06=Asian Indian                  07=Laotian                  08=Cambodian                  09=Bangladeshi                  10=Hmong                  11=Indonesian                  12=Malaysian                  13=Pakistani                  14=Sri Lankan                  15=Taiwanese                  16=Nepalese                  17=Burmese                  18=Thai                  19=Two or more subgroups                  20=Unknown Asian Subgroup                  21=Declined                  22=Other Asian Subgroup</p>
GENERAL INFO	1	75	75	Native Hawaiian/Pacific Islander Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Asian, Some Other Race, Two or more races, Asked But No Answer, or Unknown then Enter:                  0=Not Applicable                  If member's race is Native Hawaiian/Pacific Islander then identify the specific subgroup:                  1=Hawaiian                  2=Guamanian/Chamorro                  3=Samoaan                  4=Fijian                  5=Tongan                  6=Two or more subgroups                  7=Unknown Native Hawaiian/Pacific Islander Subgroup                  8=Declined                  9=Other Native Hawaiian/Pacific Islander Subgroup</p>

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

GENERAL INFO	3	76	78	Language Spoken	Enter the member's spoken language: 001=English *For all other languages other than English see the Language Value Set on the <a href="#">Managed Care &gt; Information for Health Plans &gt; Quality Assurance Reporting Requirements (QARR) &gt; 2024 &gt; NYS QARR Language Value Set</a> webpage.  197=Unknown 199=Declined
GENERAL INFO	3	79	81	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
PLAN CATEGORY	1	82	82	Essential Plan category for the member. This field only applies to members enrolled in an Essential Plan product. Enter '0' for members enrolled in Commercial HMO and PPO products.	0 = Not Applicable ( <b>for Commercial LOB ONLY</b> ) 1 = Essential Plan 1: Individuals with income greater than 150 percent of the FPL and less than or equal to 200 percent of the FPL. 2 = Essential Plan 2: Individuals with income greater than 138 percent of the FPL and less than or equal to 150 percent of the FPL. 3 = Essential Plan 3: Individuals with income equal to or greater than 100 percent of the FPL and less than or equal to 138 percent of the FPL and not eligible for Medicaid due to immigration status. 4 = Essential Plan 4: Individuals with income below 100 percent of the FPL and not eligible for Medicaid due to immigration status. 5= Essential Plan 200-250: Individuals with income greater than 200 percent of the FPL and less than or equal to 250 percent of the FPL 9 = Unknown
AAB	2	83	84	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	85	86	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	87	88	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	89	90	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	91	92	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	93	94	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAP	1	95	95	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	96	96	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

AAP	1	97	97	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	98	98	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	99	99	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	100	100	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	101	101	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	102	102	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	103	103	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	104	104	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	105	105	Denominator 1 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	106	106	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 1) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	107	107	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 2) [Members 19 -65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	108	108	Denominator 2 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	109	109	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	110	110	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	111	111	Denominator 3 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	112	112	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 65 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	113	113	Denominator 4 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

AIS-E	1	114	114	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 66 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	115	115	Denominator 4 for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	116	116	Numerator for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 66 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	117	117	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	118	118	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	119	119	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	120	120	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	121	121	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	122	122	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	123	123	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	124	124	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	125	125	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	126	126	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	127	127	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	128	128	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	129	129	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	130	130	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

APM-E	1	131	131	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	132	132	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	133	133	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	134	134	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	135	135	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	136	136	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	137	137	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	138	139	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	140	141	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	142	143	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	144	145	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	146	147	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	148	149	Numerator for Antibiotic Utilization for Respiratory Conditions 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	150	150	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	151	151	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	152	152	Denominator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	153	153	Numerator for Blood Pressure Control for Patients with Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

CBP	1	154	154	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	155	155	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	156	156	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	157	157	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	158	158	Denominator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	159	159	Numerator for Cervical Cancer Screening Electronic (CCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CET	1	160	160	Denominator for Continued Engagement in Substance Use Disorder Treatment (CET)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CET	1	161	161	Numerator for Continued Engagement in Substance Use Disorder Treatment (CET)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	162	162	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	163	163	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	164	164	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	165	165	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	166	166	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	167	167	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	168	168	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	169	169	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	170	170	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

CIS	1	171	171	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	172	172	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	173	173	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	174	174	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	175	175	Numerator for Childhood Immunization Status (CIS): RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	176	176	Numerator for Childhood Immunization Status (CIS): Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	177	177	Numerator for Childhood Immunization Status (CIS): Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	178	178	Numerator for Childhood Immunization Status (CIS): Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	179	179	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	180	180	Denominator for Childhood Immunization Status Electronic (CIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	181	181	Numerator for Childhood Immunization Status Electronic (CIS-E) : DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	182	182	Numerator for Childhood Immunization Status Electronic (CIS-E): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	183	183	Numerator for Childhood Immunization Status Electronic (CIS-E): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	184	184	Numerator for Childhood Immunization Status Electronic (CIS-E) : HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	185	185	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	186	186	Numerator for Childhood Immunization Status Electronic (CIS-E) : VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	187	187	Numerator for Childhood Immunization Status Electronic (CIS-E) : PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing



**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

CIS-E	1	188	188	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	189	189	Numerator for Childhood Immunization Status Electronic (CIS-E) : RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	190	190	Numerator for Childhood Immunization Status Electronic (CIS-E) : Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	191	191	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	192	192	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	193	193	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	194	194	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	195	195	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	196	196	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	197	197	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	198	198	Denominator for Cardiac Rehabilitation Initiation 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	199	199	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	200	200	Denominator for Cardiac Rehabilitation Initiation 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	201	201	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	202	202	Denominator for Cardiac Rehabilitation Engagement 1 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	203	203	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	204	204	Denominator for Cardiac Rehabilitation Engagement 1 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

CRE	1	205	205	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	206	206	Denominator for Cardiac Rehabilitation Engagement 2 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	207	207	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	208	208	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	209	209	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	210	210	Denominator for Cardiac Rehabilitation Achievement 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	211	211	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	212	212	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	213	213	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	214	214	Denominator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	215	215	Numerator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	216	216	Denominator for COVID-19 Vaccination Status (CVS): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	217	217	Numerator for COVID-19 Vaccination Status (CVS): 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	218	218	Denominator for COVID-19 Vaccination Status (CVS): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	219	219	Numerator for COVID-19 Vaccination Status (CVS): 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	220	220	Denominator for COVID-19 Vaccination Status (CVS): 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	221	221	Numerator for COVID-19 Vaccination Status (CVS): 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

CWP	2	222	223	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	224	225	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	226	227	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	228	229	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	230	231	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	232	233	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	234	234	Denominator for Development Screening 1 (DEV-N): The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	235	235	Numerator (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	236	236	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	237	237	Numerator (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	238	238	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	239	239	Numerator (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	240	240	Denominator 1 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	241	241	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	242	242	Denominator 1 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	243	243	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

DRR-E	1	244	244	Denominator 1 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	245	245	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	246	246	Denominator 1 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	247	247	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	248	248	Denominator 2 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	249	249	Numerator Depression Remission (Population Criteria 2) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	250	250	Denominator 2 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	251	251	Numerator Depression Remission (Population Criteria 2) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	252	252	Denominator 2 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	253	253	Numerator Depression Remission (Population Criteria 2) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	254	254	Denominator 2 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	255	255	Numerator Depression Remission (Population Criteria 2) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	256	256	Denominator 3 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	257	257	Numerator Depression Response (Population Criteria 3) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	258	258	Denominator 3 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	259	259	Numerator Depression Response (Population Criteria 3) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	260	260	Denominator 3 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

DRR-E	1	261	261	Numerator Depression Response (Population Criteria 3) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	262	262	Denominator 3 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	263	263	Numerator Depression Response (Population Criteria 3) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	264	264	Denominator 1 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	265	265	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	266	266	Denominator 1 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	267	267	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	268	268	Denominator 1 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	269	269	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	270	270	Denominator 2 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	271	271	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	272	272	Denominator 2 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	273	273	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	274	274	Denominator 2 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	275	275	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	276	276	Denominator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	277	277	Numerator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

FUA	2	278	279	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	280	281	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	282	283	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	284	285	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	286	287	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	288	289	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	290	291	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	292	293	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	294	295	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	296	297	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	298	299	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	300	301	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	302	303	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

FUH	2	304	305	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	306	307	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	308	309	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	310	311	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	312	313	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	314	315	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	316	317	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	318	319	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	320	321	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	322	323	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	324	325	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	326	327	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

FUM	2	328	329	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	330	331	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	332	333	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	334	335	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	336	337	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	338	339	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	340	341	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	342	343	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
GSD	1	344	344	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
GSD	1	345	345	Numerator for Glycemic Status <8.0% (GSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
GSD	1	346	346	Numerator for Glycemic Status >9.0% (GSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	347	347	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	348	348	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	349	350	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	351	352	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	353	354	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing



**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

IET	2	355	356	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	357	358	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	359	360	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	361	362	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	363	364	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	365	366	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	367	368	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	369	370	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	371	372	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	373	374	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	375	376	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	377	378	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	379	380	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	381	382	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	383	384	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	385	386	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	387	388	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

IET	2	389	390	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	391	392	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	393	394	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	395	396	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	397	398	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	399	400	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	401	402	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA	1	403	403	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	404	404	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	405	405	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	406	406	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	407	407	Numerator for Immunizations for Adolescents (IMA): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	408	408	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	409	409	Denominator for Immunizations for Adolescents Electronic (IMA-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	410	410	Numerator for Immunizations for Adolescents Electronic (IMA-E): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	411	411	Numerator for Immunizations for Adolescents Electronic (IMA-E): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	412	412	Numerator for Immunizations for Adolescents Electronic (IMA-E): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

IMA-E	1	413	413	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	414	414	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	415	415	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	416	416	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	417	417	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	418	418	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	419	419	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	420	420	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	421	421	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	422	422	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	423	423	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	424	424	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	425	425	Denominator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	426	426	Numerator for Lead Screening in Children (LSC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	427	427	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	428	428	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	429	430	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

PCE	2	431	432	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	433	434	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	435	436	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	437	438	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	439	440	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	441	442	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	443	444	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	445	446	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	447	448	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	449	450	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	451	452	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	453	454	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	455	456	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	457	458	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	459	460	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	461	462	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	463	464	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**

Revision date:  
10/31/2024

**COMMERCIAL**

PPC	2	465	466	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	467	468	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	469	470	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	471	472	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	473	473	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	474	474	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	475	475	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	476	476	Social Need Screening and Intervention (SNS-E) Numerator 1— Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	477	477	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	478	478	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	479	479	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	480	480	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 1 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	481	481	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

SNS-E	1	482	482	Social Need Screening and Intervention (SNS-E) Numerator 4: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	483	483	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	484	484	Social Need Screening and Intervention (SNS-E) Numerator 5: <del>Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).</del>  Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	485	485	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	486	486	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	487	487	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	488	488	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	489	489	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	490	490	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	491	491	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	492	492	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	493	493	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	494	494	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

SPD	1	495	495	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	496	496	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	497	497	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	498	498	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	499	499	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	500	500	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	501	501	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	502	502	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	503	504	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	505	506	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	507	508	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	509	510	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	511	512	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	513	514	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	515	515	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	516	516	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	517	517	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

W30	1	518	518	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	519	519	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	520	520	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	521	521	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	522	522	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	523	523	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	524	524	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	525	525	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	526	526	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	527	527	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	528	528	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	529	529	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	530	530	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	531	531	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	532	532	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	533	533	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	534	534	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing



**NYS MY2024 Patient-Level Detail File Specifications**  
**COMMERCIAL**

Revision date:  
 10/31/2024

WCV	1	535	535	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	536	536	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

**NYS MY2024 Patient-Level Detail File Change Log  
COMMERCIAL**

Version	Date	Data Element	Change Summary
Specification Release MY2024	12/11/2023	Multiple	<p><b><u>Asian American Subgroups</u></b> Adding a "two or more subgroups" option</p> <p><b><u>Native Hawaiian/Pacific Islander Subgroups</u></b> Adding a "two or more subgroups" option</p> <ul style="list-style-type: none"> <li>• <b><u>Continued Engagement in Substance Use Disorder (SUD) Treatment (CET)</u></b> has been added as a new NYS measure.</li> <li>• <b><u>Depression Remission or Response for Adolescents and Adults (DRR-E)</u></b> has been added as a required ECDS measure.</li> </ul> <p>The following Measures have been removed due to retirement by the steward:</p> <ul style="list-style-type: none"> <li>• <b><u>Follow-Up Care for Children Prescribed ADHD Medication (ADD)*</u></b></li> <li>• <b><u>Ambulatory Care (AMB)</u></b></li> <li>• <b><u>Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)*</u></b></li> <li>• <b><u>Colorectal Cancer Screening (COL)*</u></b></li> <li>• <b><u>Inpatient Utilization—General Hospital/Acute Care (IPU)</u></b></li> <li>• <b><u>Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)</u></b></li> <li>• <b><u>Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)</u></b>.</li> </ul> <p><i>*Only the COL-E, ADD-E and APM-E measures will be reported.</i></p> <ul style="list-style-type: none"> <li>• <b><u>COVID-19 Immunization Status (CVS)</u></b> Specifications and reporting requirements have been updated.</li> <li>• <b><u>Hemoglobin A1c (HbA1c) Control for Patients With Diabetes (HBD)</u></b> has been replaced by <b><u>Glycemic Status Assessment for Patients With Diabetes (GSD)</u></b></li> </ul>

# NYS MY2024 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #1	5/9/2024	Multiple	<p><b><u>Source of Race Data</u></b></p> <ul style="list-style-type: none"> <li>Valid values have been updated to align with NCQA/HEDIS specifications               <ul style="list-style-type: none"> <li>28 = Unknown</li> <li>30 = Other (indirect)</li> </ul> </li> </ul> <p><b><u>Source of Ethnicity Data</u></b></p> <ul style="list-style-type: none"> <li>Valid values have been updated to align with NCQA/HEDIS specifications               <ul style="list-style-type: none"> <li>28=Unknown</li> <li>30=Other (indirect)</li> </ul> </li> </ul> <p><b><u>Asian American Subgroups</u></b></p> <ul style="list-style-type: none"> <li>Updated values               <ul style="list-style-type: none"> <li>19=Two or more subgroups</li> <li>20=Unknown</li> <li>21=Declined</li> <li>00=Not Asian</li> </ul> </li> </ul> <p><b><u>PLAN CATEGORY</u></b></p> <ul style="list-style-type: none"> <li>New tier added for expanded <b>Essential Plan 200-250</b></li> </ul> <p><b><u>Social Needs Screening &amp; Intervention (SNS-E)</u></b></p> <ul style="list-style-type: none"> <li>Updated label/definition for Numerator 5</li> </ul>

# NYS MY2024 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #2	8/6/2024	Multiple	<p><b><u>Asian American Subgroups</u></b></p> <ul style="list-style-type: none"> <li>Updated description and values: If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, Some Other Race, Asked But No Answer, or Unknown then Enter: 00= Not applicable If member's race is Asian or Two or more races, then identify the specific subgroup: 20=Unknown Asian subgroup 22=Other Asian subgroup</li> </ul> <p><b><u>Native Hawaiian/Pacific Islander Subgroups</u></b></p> <ul style="list-style-type: none"> <li>Updated description and values: If member's race is White, Black or African American, American Indian/Alaskan Native, Asian, Some Other Race, Two or more races, Asked But No Answer, or Unknown then Enter: 0=Not Applicable If member's race is Native Hawaiian/Pacific Islander then identify the specific subgroup: 7=Unknown Native Hawaiian/Pacific Islander Subgroup 9=Other Native Hawaiian/Pacific Islander Subgroup</li> </ul>
Clarification #4	9/23/2024	Member ID	Updated Member ID submission specifications for Commercial and Essential plans.
Clarification #5	10/23/2024	Plan Category	<p>Updated specification guidelines, noting that 0=Not Applicable is a valid response for <b>Commercial LOB ONLY</b>. Essential Plan LOBs should select 1-5 as a plan category.</p> <p><b>Clarification: 5= Essential Plan 200-250*</b> EP 200-250 is for individuals with income greater than 200 percent of the FPL and less than or equal to 250 percent of the FPL.</p>

# NYS MY2024 Patient-Level Detail File Change Log

## COMMERCIAL

Version	Date	Data Element	Change Summary
Clarification #6	10/31/2024	Commercial PLD - PDF version	<b>Asian American Subgroups</b> <ul style="list-style-type: none"><li>● Updated description on <b>PDF version</b>:<ul style="list-style-type: none"><li>- Added <b>or Two or more races</b> to <b>00=Not Applicable</b> description: <i>If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, <b>Two or More Races</b>, Some Other Race, Asked But No Answer, or Unknown then Enter:</i></li><li>- Removed <b>or Two or more races</b> subgroup description: <i>If member's race is Asian <del>or Two or more races</del> then identify the specific subgroup:</i></li></ul></li></ul>