

NYS MY2025 Patient-Level Detail File Specifications COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID should be the health plan's internal, individual member identifier. Do not report a family identifier, and do not report the identifier used in HEDIS. For the Essential Plan , report the NYS-issued member ID. The NYS-issued member ID for non-Aliessa members should be an 8-digit number beginning with 7. For Aliessa members, report the assigned CIN, an 8-digit number starting with two alpha characters followed by five digits and one alpha.
GENERAL INFO	9	55	63	Member Attributed Practice Tax ID#*	Enter the 9-digit Federally assigned Tax Identification Number for the Practice of the member's provider. Populate with valid TINs only. If unavailable or invalid set to '999999999'
GENERAL INFO	10	64	73	Member Attributed Physician NPI*	Populate with valid NPIs only. This is the unique 10-digit National Provider Identifier (NPI) of the provider/organization the member was serviced by during the reporting period. This should be a provider that had frequent contact with the member and, therefore, could potentially affect the need for hospitalization or not.
GENERAL INFO	8	74	81	Member Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	82	83	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	84	84	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	85	86	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian/Alaskan Native 04=Asian 05=Native Hawaiian/Pacific Islander 06=Some Other Race 07=Two or more races 08=Asked But No Answer 09=Unknown
GENERAL INFO	1	87	87	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

NYS MY2025 Patient-Level Detail File Specifications COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	2	88	89	Asian American Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 00=Not Applicable</p> <p>If member's race is Asian, then identify the specific subgroup: 01=Chinese 02=Japanese 03=Filipino 04=Korean 05=Vietnamese 06=Asian Indian 07=Laotian 08=Cambodian 09=Bangladeshi 10=Hmong 11=Indonesian 12=Malaysian 13=Pakistani 14=Sri Lankan 15=Taiwanese 16=Nepalese 17=Burmese 18=Thai 19=Two or more subgroups 20=Unknown Asian Subgroup 21=Declined</p>
GENERAL INFO	1	90	90	Native Hawaiian/Pacific Islander Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Asian, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 0=Not Applicable</p> <p>If member's race is Native Hawaiian/Pacific Islander then identify the specific subgroup: 1=Hawaiian 2=Guamanian/Chamorro 3=Samoa 4=Fijian 5=Tongan 6=Two or more subgroups 7=Unknown Native Hawaiian/Pacific Islander Subgroup 8=Declined 9=Other Native Hawaiian/Pacific Islander Subgroup</p>
GENERAL INFO	3	91	93	Language Spoken	<p>Enter the member's spoken language: 001=English *For all other languages other than English see the Language Value Set on the Managed Care > Information for Health Plans > Quality Assurance Reporting Requirements (QARR)> 2025> NYS QARR Language Value Set webpage. 197=Unknown 199=Declined</p>
GENERAL INFO	3	94	96	County of Residence	<p>Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown</p>

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PLAN CATEGORY	1	97	97	Essential Plan category for the member. This field only applies to members enrolled in an Essential Plan product. Enter '0' for members enrolled in Commercial HMO and PPO products.	0 = Not Applicable (for Commercial LOB ONLY) 1 = Essential Plan 1: Individuals with income greater than 150 percent of the FPL and less than or equal to 200 percent of the FPL. 2 = Essential Plan 2: Individuals with income greater than 138 percent of the FPL and less than or equal to 150 percent of the FPL. 3 = Essential Plan 3: Individuals with income equal to or greater than 100 percent of the FPL and less than or equal to 138 percent of the FPL and not eligible for Medicaid due to immigration status. 4 = Essential Plan 4: Individuals with income below 100 percent of the FPL and not eligible for Medicaid due to immigration status. 5= Essential Plan 200-250: Individuals with income greater than 200 percent of the FPL and less than or equal to 250 percent of the FPL. 9 = Unknown
AAB	2	98	99	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	100	101	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	102	103	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	104	105	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	106	107	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	108	109	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAP	1	110	110	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	111	111	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	112	112	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	113	113	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	114	114	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	115	115	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	116	116	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	117	117	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	118	118	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	119	119	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	120	120	Denominator 1 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 1) [Members 19 -64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	121	121	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 1) [Members 19 -64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	122	122	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 2) [Members 19 -64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	123	123	Denominator 2 for Adult Immunization Status (AIS-E): Influenza and Td/Tdap (Population Criteria 4) [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	124	124	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 4) [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	125	125	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 4) [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	126	126	Denominator 3 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	127	127	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3) [Members 50 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	128	128	Denominator 4 for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	129	129	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 4) [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	130	130	Denominator 4 for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 65 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	131	131	Numerator for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4) [Members 65 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	132	132	Denominator for Adult Immunization Status (AIS-E): Hepatitis B (Population Criteria 5) [Members 19 -30 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	133	133	Numerator for Adult Immunization Status (AIS-E): Hepatitis B (Population Criteria 5) [Members 19 -30 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	134	134	Denominator 4 for Adult Immunization Status (AIS-E): Hepatitis B (Population Criteria 5) [Members 31- 59 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	135	135	Numerator for Adult Immunization Status (AIS-E): Hepatitis B (Population Criteria 5) [Members 31- 59 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	136	136	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	137	137	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	138	138	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	139	139	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	140	140	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	141	141	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	142	142	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	143	143	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	144	144	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	145	145	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	146	146	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	147	147	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	148	148	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	149	149	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	150	150	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	151	151	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	152	152	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	153	153	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	154	155	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	156	157	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	158	159	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	160	161	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	162	163	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AXR	2	164	165	Numerator for Antibiotic Utilization for Respiratory Conditions 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	166	166	Denominator for Breast Cancer Screening (BCS-E): (50-74 years)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	167	167	Numerator for Breast Cancer Screening (BCS-E): (50-74 years)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPC-E	1	168	168	Denominator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPC-E	1	169	169	Numerator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	170	170	Denominator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	171	171	Numerator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	172	172	Denominator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	173	173	Numerator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	174	174	Denominator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	175	175	Numerator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CET	1	176	176	Denominator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CET	1	177	177	Numerator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	178	178	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	179	179	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	180	180	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	181	181	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	182	182	Denominator for Childhood Immunization Status Electronic (CIS-E): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	183	183	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	184	184	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	185	185	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	186	186	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	187	187	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	188	188	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	189	189	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	190	190	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	191	191	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	192	192	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	193	193	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	194	194	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	195	195	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	196	196	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	197	197	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	198	198	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	199	199	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	200	200	Denominator for Cardiac Rehabilitation Initiation (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	201	201	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	202	202	Denominator for Cardiac Rehabilitation Initiation (CRE): 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	203	203	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	204	204	Denominator for Cardiac Rehabilitation Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	205	205	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	206	206	Denominator for Cardiac Rehabilitation Engagement 1 (CRE): 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	207	207	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	208	208	Denominator for Cardiac Rehabilitation Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	209	209	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	210	210	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	211	211	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	212	212	Denominator for Cardiac Rehabilitation Achievement (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	213	213	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	214	214	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	215	215	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	216	216	Denominator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	217	217	Numerator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	218	218	Denominator for COVID-19 Vaccination Status (CVS): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	219	219	Numerator for COVID-19 Vaccination Status (CVS): 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	220	220	Denominator for COVID-19 Vaccination Status (CVS): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	221	221	Numerator for COVID-19 Vaccination Status (CVS): 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	222	222	Denominator for COVID-19 Vaccination Status (CVS): 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CVS	1	223	223	Numerator for COVID-19 Vaccination Status (CVS): 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	224	225	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	226	227	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	228	229	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	230	231	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	232	233	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	234	235	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DBM-E	2	236	237	Denominator for Documented Assessment After Mammogram (DBM-E): members aged 40-74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DBM-E	2	238	239	Numerator for Documented Assessment After Mammogram (DBM-E): members aged 40-74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	240	240	Denominator for Development Screening 1 (DEV-N): The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	241	241	Numerator (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	242	242	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	243	243	Numerator (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	244	244	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	245	245	Numerator (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	246	246	Denominator 1 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	247	247	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	248	248	Denominator 1 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	249	249	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	250	250	Denominator 1 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	251	251	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	252	252	Denominator 1 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	253	253	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	254	254	Denominator 2 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	255	255	Numerator Depression Remission (Population Criteria 2) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	256	256	Denominator 2 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	257	257	Numerator Depression Remission (Population Criteria 2) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	258	258	Denominator 2 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	259	259	Numerator Depression Remission (Population Criteria 2) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	260	260	Denominator 2 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	261	261	Numerator Depression Remission (Population Criteria 2) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	262	262	Denominator 3 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	263	263	Numerator Depression Response (Population Criteria 3) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	264	264	Denominator 3 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	265	265	Numerator Depression Response (Population Criteria 3) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	266	266	Denominator 3 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	267	267	Numerator Depression Response (Population Criteria 3) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	268	268	Denominator 3 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	269	269	Numerator Depression Response (Population Criteria 3) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	270	270	Denominator 1 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	271	271	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	272	272	Denominator 1 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	273	273	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	274	274	Denominator 1 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	275	275	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	276	276	Denominator 2 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	277	277	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	278	278	Denominator 2 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	279	279	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	280	280	Denominator 2 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	281	281	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	282	282	Denominator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	283	283	Numerator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FMA-E	2	284	285	Denominator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40–74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FMA-E	2	286	287	Numerator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40–74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	288	289	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUA	2	290	291	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	292	293	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	294	295	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	296	297	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	298	299	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	300	301	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	302	303	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	304	305	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	306	307	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	308	309	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	310	311	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	312	313	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	314	315	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	316	317	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	318	319	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	320	321	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	322	323	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	324	325	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	326	327	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	328	329	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	330	331	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	332	333	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	334	335	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	336	337	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	338	339	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	340	341	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	342	343	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	344	345	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	346	347	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	348	349	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	350	351	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	352	353	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
GSD	1	354	354	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
GSD	1	355	355	Numerator for Glycemic Status <8.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
GSD	1	356	356	Numerator for Glycemic Status >9.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	357	357	Denominator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	358	358	Numerator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	359	360	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	361	362	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	363	364	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	365	366	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	367	368	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	369	370	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	371	372	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	373	374	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	375	376	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	377	378	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	379	380	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	381	382	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	383	384	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	385	386	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	387	388	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	389	390	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	391	392	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	393	394	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	395	396	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	397	398	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	399	400	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	401	402	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	403	404	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	405	406	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	407	408	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	409	410	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	411	412	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA-E	1	413	413	Denominator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	414	414	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	415	415	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	416	416	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	417	417	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	418	418	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	419	419	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	420	420	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	421	421	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	422	422	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	423	423	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	424	424	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	425	425	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	426	426	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	427	427	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	428	428	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC	1	429	429	Denominator for Lead Screening in Children (LSC): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC	1	430	430	Numerator for Lead Screening in Children (LSC): completed by age 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PBH	1	431	431	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	432	432	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	433	434	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	435	436	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	437	438	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	439	440	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	441	442	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	443	444	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	445	446	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	447	448	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	449	450	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	451	452	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	453	454	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	455	456	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	457	458	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	459	460	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	461	462	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	463	464	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	465	466	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PPC	2	467	468	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	469	470	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	471	472	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	473	474	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	475	476	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	477	477	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	478	478	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	479	479	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	480	480	Social Need Screening and Intervention (SNS-E) Numerator 1— Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	481	481	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	482	482	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	483	483	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	484	484	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 1 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	485	485	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	486	486	Social Need Screening and Intervention (SNS-E) Numerator 4: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	487	487	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	488	488	Social Need Screening and Intervention (SNS-E) Numerator 5: Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	489	489	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	490	490	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	491	491	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	492	492	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	493	493	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	494	494	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	495	495	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	496	496	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC	1	497	497	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC	1	498	498	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	499	499	Denominator for Statin Therapy for Patients With Diabetes (SPD): 40-75 years - Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	500	500	Numerator for Statin Therapy for Patients With Diabetes (SPD): 40-75 years - Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD	1	501	501	Denominator for Statin Therapy for Patients With Diabetes (SPD): 40-75 years - Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD	1	502	502	Numerator for Statin Therapy for Patients With Diabetes (SPD): 40-75 years - Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	503	503	Denominator for Use of Opioids from Multiple Providers (UOP): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	504	504	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	505	505	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
UOP	1	506	506	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	507	508	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	509	510	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	511	512	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	513	514	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	515	516	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	517	518	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	519	519	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	520	520	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	521	521	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	522	522	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	523	523	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	524	524	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	525	525	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	526	526	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	527	527	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	528	528	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	529	529	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	530	530	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	531	531	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2025 Patient-Level Detail File Specifications

COMMERCIAL

Revision date:
12/13/2024

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	532	532	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	533	533	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	534	534	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	535	535	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	536	536	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	537	537	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	538	538	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	539	539	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	540	540	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

*Optional reporting requirement for MY2025

NYS MY2025 Patient-Level Detail File Change Log

COMMERCIAL

Version	Date	Data Element	Change Summary
MY2025	12/13/2024	Multiple	<p><u>Member Attributed Practice Tax ID#</u> Field added for MY2025 as OPTIONAL reporting requirement, will become REQUIRED for MY2026.</p> <p><u>Member Attributed Physician NPI*</u> Field added for MY2025 as OPTIONAL reporting requirement, will become REQUIRED for MY2026.</p> <p><u>Source of Race Data</u> Removed the data source reporting requirement from the race stratification.</p> <p><u>Source of Ethnicity Data</u> Removed the data source reporting requirement from the ethnicity stratification.</p> <p><u>Language Spoken</u> Updated NYS QARR Language Value Set webpage link</p> <p><u>Plan Category</u> Updated specification guidelines, noting that 0=Not Applicable is a valid response for Commercial LOB ONLY. Essential Plan LOBs should select 1-5 as a plan category. Clarification: 5= Essential Plan 200-250: Individuals with income greater than 200 percent of the FPL and less than or equal to 250 percent of the FPL.</p> <p><u>The following measures have been removed due to retirement by the steward:</u></p> <ul style="list-style-type: none"> • Antidepressant Medication Management (AMM). • Cervical Cancer Screening (CCS)*. • Childhood Immunization Status (CIS)*. • Immunizations for Adolescents (IMA)*. <p>*Only the CIS-E, IMA-E and CCS-E measures will be reported. *Column Start and Column End numbering has been updated</p> <p><u>Adult Immunization Status (AIS-E)</u></p> <ul style="list-style-type: none"> • Updated age stratifications for the Influenza, Td/Tdap, Zoster, and Pneumococcal immunization indicators. (per HEDIS MY2025 Specifications) • Added a hepatitis B immunization indicator <p><u>Blood Pressure Control for Patients With Hypertension (BPC-E)</u> Is a new HEDIS measure for MY 2025 and has been added as a required ECDS measure.</p> <p><u>Documented Assessment After Mammogram (DAM-E)</u></p>

NYS MY2025 Patient-Level Detail File Change Log

COMMERCIAL

Version	Date	Data Element	Change Summary
			<u>Documented Assessment After Mammogram (DBM-E)</u> Is a new HEDIS measure for MY 2025 and has been added as a required ECDS measure.
			<u>Follow-Up After Abnormal Mammogram Assessment (FMA-E)</u> Is a new HEDIS measure for MY 2025 and has been added as a required ECDS measure.
			<u>Age specifications added to the following measures:</u> ADD-E BCS-E BPD CBP CCS-E CET CIS-E EED GSD HDO IMA-E LSC PBH PCE SAA SPD UOP