NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	CPPO, CEPO, CHMO, EP
GENERAL INFO	30	25	54	Member ID	Member ID should be the health plan's internal, individual member identifier. Do not report a family identifier, and do not report the identifier used in HEDIS. For the **Essential Plan**, report the NYS-issued member ID. The NYS-issued member ID for non-Aliessa members should be an 8-digit number beginning with 7. For Aliessa members, report the assigned CIN, an 8-digit number starting with two alpha characters followed by five digits and one alpha.
GENERAL INFO	9	55	63	Member Attributed Practice Tax ID#	Enter the 9-digit Federally assigned Tax Identification Number for the Practice of the member's provider. Populate with valid TINs only. If unavailable or invalid set to '999999999'
GENERAL INFO	10	64	73	Member Attributed Physician NPI	Populate with valid NPIs only. This is the unique 10-digit National Provider Identifier (NPI) of the provider/organization the member was serviced by during the reporting period. This should be a provider that had frequent contact with the member and, therefore, could potentially affect the need for hospitalization or not. For more details regarding NPI reporting, refer to the **2026 NYS Patient-Level Detail (PLD) File Specifications** section of the MY2026 QARR Technical Specifications Manual.
GENERAL INFO	8	74	81	Member Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	82	83	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	84	84	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	85	86	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian or Alaskan Native 04=Asian 05=Native Hawaiian or Pacific Islander 06=Middle Eastern or North African 07=Some Other Race 08=Two or More Races 09=Asked But No Answer 10=Unknown
GENERAL INFO	1	87	87	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	2	88	89	Asian American Subgroups	If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 00=Not Applicable If member's race is **Asian**, then identify the specific subgroup: 01=Chinese 02=Japanese 03=Filipino 04=Korean 05=Vietnamese 06=Asian Indian 07=Laotian 08=Cambodian 09=Bangladeshi 10=Hmong 11=Indonesian 12=Malaysian 13=Pakistani 14=Sri Lankan 15=Taiwanese 16=Nepalese 17=Burmese 18=Thai 19=Two or more subgroups 20=Unknown Asian Subgroup 21=Declined 22=Other Asian Subgroup
GENERAL INFO	1	90	90	Native Hawaiian/Pacific Islander Subgroups	If member's race is White, Black or African American, American Indian/Alaskan Native, Asian, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 0=Not Applicable If member's race is Native Hawaiian/Pacific Islander then identify the specific subgroup: 1=Hawaiian 2=Guamanian/Chamorro 3=Samoan 4=Fijian 5=Tongan 6=Two or more subgroups 7=Unknown Native Hawaiian/Pacific Islander Subgroup 8=Declined 9=Other Native Hawaiian/Pacific Islander Subgroup
GENERAL INFO	3	91	93	Language Spoken	Enter the member's spoken language: 001=English *For all other languages other than English see the Language Value Set on the: Managed Care > Information for Health Plans > Quality Assurance Reporting Requirements (QARR)> 2026> NYS QARR Language Value Set webpage. 197=Unknown 199=Declined
GENERAL INFO	3	94	96	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. For more details regarding FIPS Codes, refer to the FIPS County Codes section of the MY2026 QARR Technical Specifications Manual. ### = FIPS Code 000= Outside of NYS 999 = Unknown

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PLAN CATEGORY	1	97	97	Essential Plan category for the member. This field only applies to members enrolled in an Essential Plan product. Enter '0' for members enrolled in Commercial HMO and PPO products.	0 = Not Applicable (**for Commercial LOB ONLY not a valid category for Essential Plan**) 1 = Essential Plan 1: Individuals with income greater than 150 percent of the FPL and less than or equal to 200 percent of the FPL. 2 = Essential Plan 2: Individuals with income greater than 138 percent of the FPL and less than or equal to 150 percent of the FPL. 3 = Essential Plan 3: Individuals with income equal to or greater than 100 percent of the FPL and less than or equal to 138 percent of the FPL and not eligible for Medicaid due to immigration status. 4 = Essential Plan 4: Individuals with income below 100 percent of the FPL and not eligible for Medicaid due to immigration status. **5= Essential Plan 200-250: Individuals with income greater than 200 percent of the FPL and less than or equal to 250 percent of the FPL.** 9 = Unknown
AAB	2	98	99	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	100	101	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	102	103	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	104	105	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	106	107	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	108	109	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	110	111	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 5-11 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	112	113	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 5-11 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	114	115	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 12-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	116	117	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 12-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	118	119	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 18-50 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	120	121	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 18-50 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	122	123	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 51-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	124	125	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 51-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	126	127	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 5-11 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAF-E	2	128	129	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 5-11 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	130	131	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 12-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	132	133	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 12-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	134	135	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 18-50 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	136	137	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 18-50 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	138	139	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 51-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	140	141	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 51-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAP	1	142	142	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	143	143	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	144	144	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	145	145	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	146	146	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	147	147	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	148	148	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	149	149	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	150	150	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	151	151	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	152	152	Denominator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 19 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	153	153	Numerator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 19 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	154	154	Denominator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	155	155	Numerator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	156	156	Denominator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 19 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	157	157	Numerator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 19 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	158	158	Denominator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	159	159	Numerator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	160	160	Denominator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 50 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	161	161	Numerator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 50 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	162	162	Denominator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	163	163	Numerator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	164	164	Denominator 4: Adult Immunization Status (AIS-E):Immunization status—Pneumococcal [Members 65 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	165	165	Numerator 4: Adult Immunization Status (AIS-E): Immunization status—Pneumococcal [Members 65 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	166	166	Denominator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 19 - 30 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	167	167	Numerator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 19 - 30 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	168	168	Denominator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 31 - 59 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	169	169	Numerator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 31 - 59 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	170	170	Denominator 6: Adult Immunization Status (AIS-E): Immunization status—COVID-19 [Members 65 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	171	171	Numerator 6: Adult Immunization Status (AIS-E): Immunization status—COVID-19 [Members 65 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	172	172	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	173	173	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	174	174	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
APM-E	1	175	175	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	176	176	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	177	177	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	178	178	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	179	179	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	180	180	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	181	181	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	182	182	Denominator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	183	183	Numerator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	184	184	Denominator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	185	185	Numerator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	186	186	Denominator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	187	187	Numerator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	188	188	Denominator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	189	189	Numerator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	190	190	Denominator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	191	191	Numerator 1: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	192	192	Denominator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	193	193	Numerator 2: Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	194	195	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AXR	2	196	197	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	198	199	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	200	201	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	202	203	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	204	205	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	206	206	Denominator for Breast Cancer Screening (BCS-E): (42-51 years)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	207	207	Numerator for Breast Cancer Screening (BCS-E): (42-51 years)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS-E	1	208	208	Denominator for Breast Cancer Screening (BCS-E): (51-74 years)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	209	209	Numerator for Breast Cancer Screening (BCS-E): (51-74 years)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPC-E	1	210	210	Denominator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18–85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPC-E	1	211	211	Numerator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18–85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	212	212	Denominator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	213	213	Numerator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD-E	1	214	214	Denominator for Blood Pressure Control for Patients with Diabetes (BPD-E): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD-E	1	215	215	Numerator for Blood Pressure Control for Patients with Diabetes (BPD-E): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	216	216	Denominator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	217	217	Numerator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	218	218	Denominator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	219	219	Numerator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CET	1	220	220	Denominator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CET	1	221	221	Numerator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	222	222	Denominator for Chlamydia Screening (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	223	223	Numerator for Chlamydia Screening (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	224	224	Denominator for Chlamydia Screening (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	225	225	Numerator for Chlamydia Screening (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	226	226	Denominator for Childhood Immunization Status Electronic (CIS-E): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	227	227	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	228	228	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	229	229	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	230	230	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	231	231	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	232	232	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	233	233	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	234	234	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	235	235	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	236	236	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	237	237	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	238	238	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	239	239	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	240	240	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
COL-E	1	241	241	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	242	242	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	243	243	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	244	244	Denominator for Risk of Continued Opioid Use (COU):18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COU	1	245	245	Numerator 1: for Risk of Continued Opioid Use (COU): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	246	246	Numerator 2: for Risk of Continued Opioid Use (COU):18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	247	247	Denominator for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COU	1	248	248	Numerator 1: for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	249	249	Numerator 2: for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	250	250	Denominator for Cardiac Rehabilitation Initiation (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	251	251	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	252	252	Denominator for Cardiac Rehabilitation Initiation (CRE): 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	253	253	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	254	254	Denominator for Cardiac Rehabilitation Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	255	255	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	256	256	Denominator for Cardiac Rehabilitation Engagement 1 (CRE): 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	257	257	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	258	258	Denominator for Cardiac Rehabilitation Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	259	259	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	260	260	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CRE	1	261	261	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	262	262	Denominator for Cardiac Rehabilitation Achievement (CRE): 18-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	263	263	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	264	264	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	265	265	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	266	266	Denominator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	267	267	Numerator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	268	268	Denominator for COVID-19 Vaccination Status (CVS): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	269	269	Numerator for COVID-19 Vaccination Status (CVS): 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	270	270	Denominator for COVID-19 Vaccination Status (CVS): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	271	271	Numerator for COVID-19 Vaccination Status (CVS): 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	272	272	Denominator for COVID-19 Vaccination Status (CVS): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	273	273	Numerator for COVID-19 Vaccination Status (CVS): 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	274	275	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	276	277	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	278	279	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	280	281	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	282	283	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	284	285	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DBM-E	2	286	287	Denominator for Documented Assessment After Mammogram (DBM-E): members aged 40–74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DBM-E	2	288	289	Numerator for Documented Assessment After Mammogram (DBM-E): members aged 40–74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	290	290	Denominator for Development Screening 1 (DEV-N): The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	291	291	Numerator for Development Screening 3 (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	292	292	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	293	293	Numerator for Development Screening 3 (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	294	294	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	295	295	Numerator for Development Screening 3 (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMH	1	296	296	Denominator for Diagnosed Mental Health Disorders (DMH): 1-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	297	297	Numerator for Diagnosed Mental Health Disorders (DMH): 1-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMH	1	298	298	Denominator for Diagnosed Mental Health Disorders (DMH): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	299	299	Numerator for Diagnosed Mental Health Disorders (DMH):18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMH	1	300	300	Denominator for Diagnosed Mental Health Disorders (DMH): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	301	301	Numerator for Diagnosed Mental Health Disorders (DMH): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMS-E	2	302	303	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	304	305	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	306	307	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	308	309	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	310	311	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	312	313	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	314	315	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DMS-E	2	316	317	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	318	319	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	320	321	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	322	323	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	324	325	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	326	327	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	328	329	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	330	331	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	332	333	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	334	335	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	336	337	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	338	339	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	340	341	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	342	343	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	344	345	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	346	347	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	348	349	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DRR-E	1	350	350	Denominator 1 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	351	351	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	352	352	Denominator 1 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	353	353	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	354	354	Denominator 1 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	355	355	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	356	356	Denominator 1 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	357	357	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	358	358	Denominator 2 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	359	359	Numerator Depression Remission (Population Criteria 2) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	360	360	Denominator 2 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	361	361	Numerator Depression Remission (Population Criteria 2) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	362	362	Denominator 2 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	363	363	Numerator Depression Remission (Population Criteria 2) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	364	364	Denominator 2 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	365	365	Numerator Depression Remission (Population Criteria 2) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	366	366	Denominator 3 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	367	367	Numerator Depression Response (Population Criteria 3) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	368	368	Denominator 3 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	369	369	Numerator Depression Response (Population Criteria 3) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	370	370	Denominator 3 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	371	371	Numerator Depression Response (Population Criteria 3) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	372	372	Denominator 3 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	373	373	Numerator Depression Response (Population Criteria 3) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	374	374	Denominator 1 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	375	375	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	376	376	Denominator 1 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	377	377	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	378	378	Denominator 1 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	379	379	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	380	380	Denominator 2 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	381	381	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	382	382	Denominator 2 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	383	383	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	384	384	Denominator 2 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	385	385	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	386	386	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 13-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	387	387	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	388	388	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	389	389	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	390	390	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	391	391	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	392	392	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSU	1	393	393	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	394	394	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	395	395	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	396	396	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	397	397	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	398	398	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	399	399	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	400	400	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	401	401	Denominator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	402	402	Numerator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FMA-E	2	403	404	Denominator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40–74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FMA-E	2	405	406	Numerator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40–74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	407	408	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	409	410	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	411	412	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	413	414	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	415	416	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	417	418	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	419	420	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	421	422	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in numerator '0' if the member is not in the numerator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	423	424	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	425	426	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	427	428	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	429	430	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	431	432	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	433	434	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	435	436	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	437	438	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	439	440	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	441	442	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	443	444	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	445	446	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	447	448	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	449	450	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	451	452	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	453	454	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	455	456	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	457	458	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	459	460	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	461	462	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUM	2	463	464	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	465	466	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	467	468	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	469	470	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	471	472	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
GSD	1	473	473	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
GSD	1	474	474	Numerator for Glycemic Status <8.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
GSD	1	475	475	Numerator for Glycemic Status >9.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
HDO	1	476	476	Denominator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	477	477	Numerator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	478	479	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	480	481	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	482	483	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	484	485	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	486	487	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	488	489	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	490	491	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	492	493	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	494	495	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	496	497	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	498	499	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	500	501	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	502	503	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	504	505	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	506	507	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	508	509	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	510	511	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	512	513	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	514	515	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	516	517	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	518	519	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	520	521	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	522	523	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	524	525	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	526	527	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	528	529	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	530	531	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA-E	1	532	532	Denominator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	533	533	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	534	534	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IMA-E	1	535	535	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	536	536	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	537	537	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	538	538	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	539	539	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	540	540	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	541	541	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	542	542	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 76-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	543	543	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 76-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	544	544	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	545	545	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	546	546	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	547	547	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC-E	1	548	548	Denominator for Lead Screening in Children (LSC-E): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC-E	1	549	549	Numerator for Lead Screening in Children (LSC-E): completed by age 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	550	550	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	551	551	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	552	553	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	554	555	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	556	557	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDS-E	2	558	559	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	560	561	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	562	563	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	564	565	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	566	567	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	568	569	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	570	571	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	572	573	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	574	575	Denominator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	576	577	Numerator for Pharmacotherapy for Opioid Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	578	579	Denominator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	580	581	Numerator for Pharmacotherapy for Opioid Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	582	583	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	584	585	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	586	587	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	588	589	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	590	591	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	592	593	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	594	595	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	596	596	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SAA	1	597	597	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	598	598	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	599	599	Social Need Screening and Intervention (SNS-E) Numerator 1—Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	600	600	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	601	601	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	602	602	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	603	603	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 3 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	604	604	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	605	605	Social Need Screening and Intervention (SNS-E) Numerator 4: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	606	606	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	607	607	Social Need Screening and Intervention (SNS-E) Numerator 5: Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	608	608	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	609	609	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC-E	1	610	610	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC-E	1	611	611	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC-E	1	612	612	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SPC-E	1	613	613	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD-E	1	614	614	Denominator for Statin Therapy for Patients With Diabetes (SPD-E) - Received Statin Therapy: Ages 40-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD-E	1	615	615	Numerator for Statin Therapy for Patients With Diabetes (SPD-E) - Received Statin Therapy: Ages 40-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD-E	1	616	616	Denominator for Statin Therapy for Patients With Diabetes (SPD-E) - Statin Adherence 80%: Ages 40-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD-E	1	617	617	Numerator for Statin Therapy for Patients With Diabetes (SPD-E) - Statin Adherence 80%: Ages 40-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	618	618	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	619	619	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	620	620	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	621	621	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	622	622	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	623	623	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	624	624	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	625	625	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	626	626	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	627	627	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	628	628	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	629	629	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	630	630	Denominator for Use of Opioids from Multiple Providers (UOP): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	631	631	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	632	632	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date: 3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
UOP	1	633	633	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	634	635	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	636	637	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	638	639	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	640	641	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	642	643	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	644	645	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	646	646	Denominator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	647	647	Numerator for Well-Child Visits in the First 15 Months. Children who turned 15 months old during MY (W30): Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	648	648	Denominator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	649	649	Numerator for Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during the MY (W30): Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	650	650	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	651	651	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	652	652	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	653	653	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	654	654	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	655	655	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	656	656	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	657	657	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	658	658	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2026 Patient-Level Detail File Specifications
COMMERCIAL

Revision date:
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	659	659	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	660	660	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	661	661	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	662	662	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	663	663	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	664	664	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	665	665	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	666	666	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	667	667	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2026 Patient-Level Detail File Change Log
COMMERCIAL

Version	Date	Data Element	Change Summary
MY2026	3/10/2026	Multiple	**Member Attributed Practice Tax ID# -** REQUIRED for MY2026. **Member Attributed Physician NPI -** REQUIRED for MY2026. **Race** - HEDIS race reporting was updated to include ten race stratifications, as defined by the Office of Management and Budget (OMB) Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity. To align with HEDIS updated categories, **Middle Eastern or North African (MENA)** has been added as a Race category. **Language Spoken**: Updated Value Set and link to webpage. **County of Residence**: Updated reference material information and link. **Plan Category**: Updated 0=Not Applicable definition **Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E)**: Is a new HEDIS measure for MY2026 and has been added as a required ECDS measure.Column numbering has been updated accordingly. **Adult Immunization Status (AIS-E)**: Updated specifications to align with HEDIS specifications for MY2026. **Asthma Medication Ratio (AMR)**: Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly. **Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)**: Added, Reporting REQUIRED for MY2026.Column numbering has been updated accordingly. **Blood Pressure Control for Patients with Diabetes (BPD-E):** Is a new HEDIS EDCS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly **Risk of Continued Opioid Use (COU)**: Added, Reporting REQUIRED for MY2026.Column numbering has been updated accordingly. **Diagnosed Mental Health Disorders (DMH)**: Added, Reporting REQUIRED for MY2026.Column numbering has been updated accordingly. **Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E):** Added, Reporting REQUIRED for MY2026.Column numbering has been updated accordingly.

NYS MY2026 Patient-Level Detail File Change Log
COMMERCIAL

Version	Date	Data Element	Change Summary
			Diagnosed Substance Use Disorder (DSU): Added, Reporting REQUIRED for MY2026.Column numbering has been updated accordingly **Lead Screening in Children (LSC):** Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly. **Lead Screening in Children (LSC-E)**: Is a new HEDIS EDCS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly. **Social Need Screening and Intervention (SNS-E):** Updated specifications for Denominators 2, 4, & 6 and Numerators 1, 3 & 5 to align with HEDIS specifications for MY2026. **Statin Therapy for Patients With Cardiovascular Disease (SPC):** Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly. **Statin Therapy for Patients With Cardiovascular Disease (SPC-E):** Is a new HEDIS EDCS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly. **Statin Therapy for Patients With Diabetes (SPD):** Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly. **Statin Therapy for Patients With Diabetes (SPD-E):** Is a new HEDIS EDCS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly. **Tobacco Use Screening and Cessation Intervention (TSC-E):** Is a new HEDIS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly.