

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	MEDICAID, HIVSNP, HARP
GENERAL INFO	30	25	54	Member ID	Member ID should be Medicaid Client ID Number (CIN). For Medicaid: AA#####A For CHP: 0##### or 5#####
GENERAL INFO	9	55	63	Member Attributed Practice Tax ID#	Enter the 9-digit Federally assigned Tax Identification Number for the Practice of the member's provider. Populate with valid TINs only. If unavailable or invalid set to '99999999'
GENERAL INFO	10	64	73	Member Attributed Physician NPI	Populate with valid NPIs only. This is the unique 10-digit National Provider Identifier (NPI) of the provider/organization the member was serviced by during the reporting period. This should be a provider that had frequent contact with the member and, therefore, could potentially affect the need for hospitalization or not. For more details regarding NPI reporting, refer to the <b>2026 NYS Patient-Level Detail (PLD) File Specifications</b> section of the <a href="#">MY2026 QARR Technical Specifications Manual</a> .
GENERAL INFO	8	74	81	Member Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	82	83	Member Months	The member month contribution this member adds according to the Enrollment by Product Line measure. Valid values are between 0 - 12.
GENERAL INFO	1	84	84	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed
GENERAL INFO	2	85	86	Race	Enter the member's race: 01=White 02=Black or African American 03=American Indian or Alaskan Native 04=Asian 05=Native Hawaiian or Pacific Islander 06=Middle Eastern or North African 07=Some Other Race 08=Two or More Races 09=Asked But No Answer 10=Unknown
GENERAL INFO	1	87	87	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	2	88	89	Asian American Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Native Hawaiian/Pacific Islander, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 00=Not Applicable</p> <p>If member's race is <b>Asian</b>, then identify the specific subgroup: 01=Chinese 02=Japanese 03=Filipino 04=Korean 05=Vietnamese 06=Asian Indian 07=Laotian 08=Cambodian 09=Bangladeshi 10=Hmong 11=Indonesian 12=Malaysian 13=Pakistani 14=Sri Lankan 15=Taiwanese 16=Nepalese 17=Burmese 18=Thai 19=Two or more subgroups 20=Unknown Asian Subgroup 21=Declined 22=Other Asian Subgroup</p>
GENERAL INFO	1	90	90	Native Hawaiian/Pacific Islander Subgroups	<p>If member's race is White, Black or African American, American Indian/Alaskan Native, Asian, Two Or More Races, Some Other Race, Asked But No Answer, or Unknown then Enter: 0=Not Applicable</p> <p>If member's race is Native Hawaiian/Pacific Islander then identify the specific subgroup: 1=Hawaiian 2=Guamanian/Chamorro 3=Samoaan 4=Fijian 5=Tongan 6=Two or more subgroups 7=Unknown Native Hawaiian/Pacific Islander Subgroup 8=Declined 9=Other Native Hawaiian/Pacific Islander Subgroup</p>
GENERAL INFO	3	91	93	Language Spoken	<p><u>Enter the member's spoken language:</u> 001=English</p> <p>*For all other languages other than English see the Language Value Set on the: <a href="#">Managed Care &gt; Information for Health Plans &gt; Quality Assurance Reporting Requirements (QARR) &gt; 2026 &gt; NYS QARR Language Value Set</a> webpage. 197=Unknown 199=Declined</p>
GENERAL INFO	3	94	96	County of Residence	<p>Enter the 3-digit county FIPS code for each member's residence of county. For more details regarding FIPS Codes, refer to the FIPS County Codes section of the <a href="#">MY2026 QARR Technical Specifications Manual</a>. ### = FIPS Code 000= Outside of NYS 999 = Unknown</p>
AAB	2	97	98	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	<p>Enter: The number of times this member is in the denominator '0' if the member is not in the denominator</p>
AAB	2	99	100	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	<p>Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing</p>
AAB	2	101	102	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	<p>Enter: The number of times this member is in the denominator '0' if the member is not in the denominator</p>

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	103	104	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	105	106	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	107	108	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	109	110	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 5-11 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	111	112	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 5-11 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	113	114	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 12-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	115	116	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 12-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	117	118	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 18-50 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	119	120	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 18-50 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	121	122	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 51-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	123	124	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Diagnosed: 51-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	125	126	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 5-11 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	127	128	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 5-11 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	129	130	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 12-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	131	132	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 12-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	133	134	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 18-50 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	135	136	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 18-50 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAF-E	2	137	138	Denominator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 51-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAF-E	2	139	140	Numerator for Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E) COPD Not Diagnosed: 51-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAP	1	141	141	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAP	1	142	142	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 20-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	143	143	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	144	144	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AAP	1	145	145	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AAP	1	146	146	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): 65 years and older	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	147	147	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	148	148	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Initiation Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ADD-E	1	149	149	Denominator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ADD-E	1	150	150	Numerator for Follow-Up Care for Children Prescribed ADHD Medication Electronic (ADD-E): (6-12 years) Continuation and Maintenance (C&M) Phase	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	151	151	Denominator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 19 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	152	152	Numerator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 19 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	153	153	Denominator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	154	154	Numerator 1: Adult Immunization Status (AIS-E): Immunization status—Influenza [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	155	155	Denominator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 19 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	156	156	Numerator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 19 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	157	157	Denominator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	158	158	Numerator 2: Adult Immunization Status (AIS-E): Immunization status—Td/Tdap [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	159	159	Denominator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 50 - 64 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	160	160	Numerator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 50 - 64 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	161	161	Denominator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 65 and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AIS-E	1	162	162	Numerator 3: Adult Immunization Status (AIS-E): Immunization status—Zoster [Members 65 and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	163	163	Denominator 4: Adult Immunization Status (AIS-E): Immunization status—Pneumococcal [Members 65 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	164	164	Numerator 4: Adult Immunization Status (AIS-E): Immunization status—Pneumococcal [Members 65 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	165	165	Denominator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 19 - 30 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	166	166	Numerator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 19 - 30 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	167	167	Denominator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 31 - 59 years]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	168	168	Numerator 5: Adult Immunization Status (AIS-E): Immunization status—Hepatitis B [Members 31 - 59 years]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	169	169	Denominator 6: Adult Immunization Status (AIS-E): Immunization status—COVID-19 [Members 65 years and older]	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	170	170	Numerator 6: Adult Immunization Status (AIS-E): Immunization status—COVID-19 [Members 65 years and older]	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	171	171	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	172	172	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	173	173	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	174	174	Denominator for Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APM-E	1	175	175	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received blood glucose testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APM-E	1	176	176	Numerator for Metabolic Monitoring for Children and Adolescents on Antipsychotics who received cholesterol testing (APM-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	177	177	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	178	178	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 1-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
APP	1	179	179	Denominator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
APP	1	180	180	Numerator for Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	181	181	Denominator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
ASF-E	1	182	182	Numerator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	183	183	Denominator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	184	184	Numerator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	185	185	Denominator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	186	186	Numerator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	187	187	Denominator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	188	188	Numerator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	189	189	Denominator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	190	190	Numerator 1: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
ASF-E	1	191	191	Denominator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
ASF-E	1	192	192	Numerator 2: for Unhealthy Alcohol Use Screening and Follow-Up (ASF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AXR	2	193	194	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	195	196	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 3m-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	197	198	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	199	200	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AXR	2	201	202	Denominator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AXR	2	203	204	Numerator for Antibiotic Utilization for Respiratory Conditions (AXR) 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
BCS-E	1	205	205	Denominator for Breast Cancer Screening (BCS-E): (42-51 years)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	206	206	Numerator for Breast Cancer Screening (BCS-E): (42-51 years)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS-E	1	207	207	Denominator for Breast Cancer Screening (BCS-E): (51-74 years)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
BCS-E	1	208	208	Numerator for Breast Cancer Screening (BCS-E): (51-74 years)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPC-E	1	209	209	Denominator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18–85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPC-E	1	210	210	Numerator for Blood Pressure Control for Patients With Hypertension (BPC-E): 18–85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD-E	1	211	211	Denominator for Blood Pressure Control for Patients with Diabetes (BPD-E): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD-E	1	212	212	Numerator for Blood Pressure Control for Patients with Diabetes (BPD-E): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BPD	1	213	213	Denominator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BPD	1	214	214	Numerator for Blood Pressure Control for Patients with Diabetes (BPD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	215	215	Denominator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	216	216	Numerator for Controlling High Blood Pressure (CBP): 18-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	217	217	Denominator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	218	218	Numerator for Cervical Cancer Screening Electronic (CCS-E): 21-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CET	1	219	219	Denominator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CET	1	220	220	Numerator for Continued Engagement in Substance Use Disorder Treatment (CET): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	221	221	Denominator for Chlamydia Screening (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	222	222	Numerator for Chlamydia Screening (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	223	223	Denominator for Chlamydia Screening (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	224	224	Numerator for Chlamydia Screening (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	225	225	Denominator for Childhood Immunization Status Electronic (CIS-E): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	226	226	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	227	227	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	228	228	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	229	229	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	230	230	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	231	231	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	232	232	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	233	233	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	234	234	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	235	235	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	236	236	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	237	237	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 7	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	238	238	Numerator for Childhood Immunization Status Electronic (CIS-E): completed by age 2 - Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	239	239	Denominator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	240	240	Numerator for Colorectal Cancer Screening Electronic (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	241	241	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	242	242	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	243	243	Denominator for Risk of Continued Opioid Use (COU):18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COU	1	244	244	Numerator 1: for Risk of Continued Opioid Use (COU): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	245	245	Numerator 2: for Risk of Continued Opioid Use (COU):18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COU	1	246	246	Denominator for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COU	1	247	247	Numerator 1: for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
COU	1	248	248	Numerator 2: for Risk of Continued Opioid Use (COU): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	249	249	Denominator for Cardiac Rehabilitation Initiation 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	250	250	Numerator Initiation (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	251	251	Denominator for Cardiac Rehabilitation Initiation 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	252	252	Numerator Initiation (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	253	253	Denominator for Cardiac Rehabilitation Engagement 1 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	254	254	Numerator Engagement 1 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	255	255	Denominator for Cardiac Rehabilitation Engagement 1 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	256	256	Numerator Engagement 1 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	257	257	Denominator for Cardiac Rehabilitation Engagement 2 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	258	258	Numerator Engagement 2 (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	259	259	Denominator for Cardiac Rehabilitation Engagement 2 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	260	260	Numerator Engagement 2 (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	261	261	Denominator for Cardiac Rehabilitation Achievement 18-64 (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	262	262	Numerator Achievement (CRE): 18-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CRE	1	263	263	Denominator for Cardiac Rehabilitation Achievement 65+ (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CRE	1	264	264	Numerator Achievement (CRE): 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	265	265	Denominator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	266	266	Numerator for COVID-19 Vaccination Status (CVS): 6 months - 4 years old	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	267	267	Denominator for COVID-19 Vaccination Status (CVS): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CVS	1	268	268	Numerator for COVID-19 Vaccination Status (CVS): 5-11 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	269	269	Denominator for COVID-19 Vaccination Status (CVS): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	270	270	Numerator for COVID-19 Vaccination Status (CVS): 12-17 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CVS	1	271	271	Denominator for COVID-19 Vaccination Status (CVS): 18- 64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CVS	1	272	272	Numerator for COVID-19 Vaccination Status (CVS): 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	273	274	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	275	276	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	277	278	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	279	280	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	281	282	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	283	284	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DBM-E	2	285	286	Denominator for Documented Assessment After Mammogram (DBM-E): members aged 40–74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DBM-E	2	287	288	Numerator for Documented Assessment After Mammogram (DBM-E): members aged 40–74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	289	289	Denominator for Development Screening 1 (DEV-N) : The children in the eligible population who turned 1 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	290	290	Denominator for Diagnosed Mental Health Disorders (DMH): 1-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	291	291	Numerator for Diagnosed Mental Health Disorders (DMH): 1-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMH	1	292	292	Denominator for Diagnosed Mental Health Disorders (DMH): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	293	293	Numerator for Diagnosed Mental Health Disorders (DMH):18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DMH	1	294	294	Denominator for Diagnosed Mental Health Disorders (DMH): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DMH	1	295	295	Numerator for Diagnosed Mental Health Disorders (DMH): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DMS-E	2	296	297	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	298	299	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	300	301	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 12-17 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	302	303	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	304	305	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	306	307	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 12-17 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	308	309	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	310	311	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	312	313	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 18-44 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	314	315	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	316	317	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	318	319	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 18-44 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	320	321	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	322	323	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	324	325	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 45-64 years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	326	327	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	328	329	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	330	331	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 45-64 years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	332	333	Denominator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 1: January 1–April 30: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	334	335	Denominator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 2: May 1–August 31: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DMS-E	2	336	337	Denominator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Assessment period 3: September 1–December 31: 65+ years.	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
DMS-E	2	338	339	Numerator 1: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 1: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	340	341	Numerator 2: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 2: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DMS-E	2	342	343	Numerator 3: Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E); Period 3: 65+ years.	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DEV-N	1	344	344	Numerator (DEV-N): First Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	345	345	Denominator for Development Screening 2 (DEV-N): The children in the eligible population who turned 2 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	346	346	Numerator (DEV-N): Second Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DEV-N	1	347	347	Denominator for Development Screening 3 (DEV-N): The children in the eligible population who turned 3 during the measurement year.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DEV-N	1	348	348	Numerator (DEV-N): Third Year	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	349	349	Denominator 1 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	350	350	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	351	351	Denominator 1 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	352	352	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	353	353	Denominator 1 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	354	354	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	355	355	Denominator 1 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	356	356	Numerator Depression Follow-Up (Population Criteria 1) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	357	357	Denominator 2 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	358	358	Numerator Depression Remission (Population Criteria 2) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	359	359	Denominator 2 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DRR-E	1	360	360	Numerator Depression Remission (Population Criteria 2) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	361	361	Denominator 2 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	362	362	Numerator Depression Remission (Population Criteria 2) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	363	363	Denominator 2 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	364	364	Numerator Depression Remission (Population Criteria 2) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	365	365	Denominator 3 for Depression Remission or Response (DRR-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	366	366	Numerator Depression Response (Population Criteria 3) (DRR-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	367	367	Denominator 3 for Depression Remission or Response (DRR-E): 18-44 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	368	368	Numerator Depression Response (Population Criteria 3) (DRR-E): 18-44 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	369	369	Denominator 3 for Depression Remission or Response (DRR-E): 45-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	370	370	Numerator Depression Response (Population Criteria 3) (DRR-E): 45-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DRR-E	1	371	371	Denominator 3 for Depression Remission or Response (DRR-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DRR-E	1	372	372	Numerator Depression Response (Population Criteria 3) (DRR-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	373	373	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	374	374	Numerator Depression Screening (Population Criteria 1) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	375	375	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	376	376	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	377	377	Denominator 1 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	378	378	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	379	379	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	380	380	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	381	381	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	382	382	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	383	383	Denominator 2 for Depression Screening and Follow-up for Adolescents and Adults (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	384	384	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	385	385	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 13-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	386	386	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	387	387	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	388	388	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	389	389	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 13-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	390	390	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	391	391	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	392	392	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	393	393	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	394	394	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	395	395	Denominator for Diagnosed Substance Use Disorder (DSU): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSU	1	396	396	Numerator 1 for Diagnosed Substance Use Disorder (DSU): Alcohol use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	397	397	Numerator 2 for Diagnosed Substance Use Disorder (DSU): Opioid use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	398	398	Numerator 3 for Diagnosed Substance Use Disorder (DSU): Other substance use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSU	1	399	399	Numerator 4 for Diagnosed Substance Use Disorder (DSU): Any substance use disorder - 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
EED	1	400	400	Denominator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	401	401	Numerator for Eye Exam for Patients with Diabetes (EED): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FMA-E	2	402	403	Denominator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40-74	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FMA-E	2	404	405	Numerator for Follow-Up After Abnormal Mammogram Assessment (FMA-E): members aged 40-74	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	406	407	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	408	409	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	410	411	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	412	413	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUA	2	414	415	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUA	2	416	417	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	418	419	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	420	421	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	422	423	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	424	425	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	426	427	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	428	429	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	430	431	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	432	433	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	434	435	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	436	437	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUI	2	438	439	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	440	441	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	442	443	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	444	445	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	446	447	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	448	449	Denominator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
FUI	2	450	451	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUI	2	452	453	Numerator for Follow-Up After High-Intensity Care for Substance Use Disorder (FUI): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	454	455	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	456	457	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	458	459	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	460	461	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	462	463	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	464	465	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	466	467	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUM	2	468	469	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUM	2	470	471	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
GSD	1	472	472	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD): 18-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
GSD	1	473	473	Numerator for Glycemic Status <8.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
GSD	1	474	474	Numerator for Glycemic Status >9.0% (GSD): 18-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
HDO	1	475	475	Denominator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HDO	1	476	476	Numerator for Use of Opioids at High Dosage (HDO): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	477	478	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	479	480	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment 13-17 year olds Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	481	482	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	483	484	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	485	486	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	487	488	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	489	490	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	491	492	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	493	494	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	495	496	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	497	498	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	499	500	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	501	502	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	503	504	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	505	506	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	507	508	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	509	510	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	511	512	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	513	514	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	515	516	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	517	518	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	519	520	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	521	522	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	523	524	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	525	526	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	527	528	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	529	530	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of other substance use disorder 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA-E	1	531	531	Denominator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA-E	1	532	532	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	533	533	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	534	534	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	535	535	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	536	536	Numerator for Immunizations for Adolescents Electronic (IMA-E): completed by age 13 - Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	537	537	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	538	538	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	539	539	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	540	540	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	541	541	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 76-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
KED	1	542	542	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 76-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	543	543	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	544	544	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	545	545	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	546	546	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LSC-E	1	547	547	Denominator for Lead Screening in Children (LSC-E): completed by age 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LSC-E	1	548	548	Numerator for Lead Screening in Children (LSC-E): completed by age 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	549	549	Denominator: Oral Evaluation, Dental Services (OED) - 0-2 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	550	550	Numerator: Oral Evaluation, Dental Services (OED) - 0-2 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	551	551	Denominator: Oral Evaluation, Dental Services (OED) -3-5 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	552	552	Numerator: Oral Evaluation, Dental Services (OED) -3-5 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	553	553	Denominator: Oral Evaluation, Dental Services (OED) - 6-14 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	554	554	Numerator: Oral Evaluation, Dental Services (OED) - 6-14 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
OED	1	555	555	Denominator: Oral Evaluation, Dental Services (OED) - 15-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
OED	1	556	556	Numerator: Oral Evaluation, Dental Services (OED) - 15-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PBH	1	557	557	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PBH	1	558	558	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PCE	2	559	560	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
PCE	2	561	562	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PCE	2	563	564	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): 40+ years - Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDS-E	2	565	566	Denominator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	567	568	Numerator 1 for Postpartum Depression Screening (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PDS-E	2	569	570	Denominator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PDS-E	2	571	572	Numerator 2 for Postpartum Depression Follow-up (PDS-E)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	573	574	Denominator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Denominator 1 Initial Population	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	575	576	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 1 Depression Screening	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PND-E	2	577	578	Denominator for Prenatal Depression Screening and Follow Up Electronic (PND-E): Denominator 2 All deliveries from Numerator 1 with a positive finding for depression during pregnancy	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PND-E	2	579	580	Numerator for Prenatal Depression Screening and Follow-Up-Electronic (PND-E): Numerator 2—Follow-Up on Positive Screen	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POA	1	581	581	Denominator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POA	1	582	582	Numerator for Use of Pharmacotherapy for Alcohol Use or Dependence (POA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
POD	2	583	584	Denominator for Pharmacotherapy for Opioid Use Disorder (POD): 16-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	585	586	Numerator for Pharmacotherapy for Opioid Use Disorder (POD): 16-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD	2	587	588	Denominator for Pharmacotherapy for Opioid Use Disorder (POD): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
POD	2	589	590	Numerator for Pharmacotherapy for Opioid Use Disorder (POD): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
POD-N	1	591	591	Denominator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD-N)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
POD-N	1	592	592	Numerator for Initiation of Pharmacotherapy upon New Episode of Opioid Dependence (POD-N)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	593	594	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	595	596	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	597	598	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	599	600	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PRS-E	2	601	602	Denominator for Prenatal Immunization Status (PRS-E)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PRS-E	2	603	604	Numerator for Prenatal Immunization Status (PRS-E): Influenza (Population Criteria 1)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PRS-E	2	605	606	Numerator for Prenatal Immunization Status (PRS-E): Td/Tdap (Population Criteria 2)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SAA	1	607	607	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SAA	1	608	608	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMC	1	609	609	Denominator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMC	1	610	610	Numerator for Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SMD	1	611	611	Denominator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SMD	1	612	612	Numerator for Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	613	613	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	614	614	Social Need Screening and Intervention (SNS-E) Numerator 1— Total Number of Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	615	615	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	616	616	Social Need Screening and Intervention (SNS-E) Numerator 2: Total Number of Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	617	617	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	618	618	Social Need Screening and Intervention (SNS-E) Numerator 3: Total Number of Members in denominator 3 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	619	619	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	620	620	Social Need Screening and Intervention (SNS-E) Numerator 4: Total Number of Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	621	621	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	622	622	Social Need Screening and Intervention (SNS-E) Numerator 5: Total Number of Members in denominator 5 with a documented result for transportation insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	623	623	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	624	624	Social Need Screening and Intervention (SNS-E) Numerator 6: Total Number of Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC-E	1	625	625	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC-E	1	626	626	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPC-E	1	627	627	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPC-E	1	628	628	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC-E): Age 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD-E	1	629	629	Denominator for Statin Therapy for Patients With Diabetes (SPD-E) - Received Statin Therapy: Ages 40-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD-E	1	630	630	Numerator for Statin Therapy for Patients With Diabetes (SPD-E) - Received Statin Therapy: Ages 40-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SPD-E	1	631	631	Denominator for Statin Therapy for Patients With Diabetes (SPD-E) - Statin Adherence 80%: Ages 40-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SPD-E	1	632	632	Numerator for Statin Therapy for Patients With Diabetes (SPD-E) - Statin Adherence 80%: Ages 40-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SSD	1	633	633	Denominator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SSD	1	634	634	Numerator for Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TFC	1	635	635	Denominator: Topical Fluoride for Children (TFC) - 1-2 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TFC	1	636	636	Numerator: Topical Fluoride for Children (TFC) - 1-2 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TFC	1	637	637	Denominator: Topical Fluoride for Children (TFC) - 3-4 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TFC	1	638	638	Numerator: Topical Fluoride for Children (TFC) - 3- 4 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	639	639	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
TSC-E	1	640	640	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	641	641	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	642	642	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	643	643	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	644	644	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	645	645	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	646	646	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	647	647	Denominator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	648	648	Numerator 1 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Tobacco Use Screening: Ages 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
TSC-E	1	649	649	Denominator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E): Ages 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
TSC-E	1	650	650	Numerator 2 for Tobacco Use Screening and Cessation Intervention (TSC-E) - Cessation Intervention: Ages 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	651	651	Denominator for Use of Opioids from Multiple Providers (UOP): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
UOP	1	652	652	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	653	653	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
UOP	1	654	654	Numerator for Use of Opioids from Multiple Providers (UOP): 18+ years - Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
URI	2	655	656	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	657	658	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	659	660	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	661	662	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	663	664	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
URI	2	665	666	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	667	667	Denominator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	668	668	Numerator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	669	669	Denominator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	670	670	Numerator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	671	671	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	672	672	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	673	673	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	674	674	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	675	675	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	676	676	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	677	677	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	678	678	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	679	679	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	680	680	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	681	681	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	682	682	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	683	683	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	684	684	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	685	685	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

# NYS MY2026 Patient-Level Detail File Specifications

## MEDICAID

Revision Date:  
3/10/2026

MEASURE	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCV	1	686	686	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	687	687	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	688	688	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

# NYS MY2026 Patient-Level Detail File Change Log

## Medicaid

Version	Date	Data Element	Change Summary
MY2026	3/10/2026	Multiple	<p><b><u>Member Attributed Practice Tax ID#</u></b> - REQUIRED for MY2026.</p> <p><b><u>Member Attributed Physician NPI</u></b> - REQUIRED for MY2026.</p> <p><b><u>Race</u></b> - HEDIS race reporting was updated to include ten race stratifications, as defined by the Office of Management and Budget (OMB) Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity. To align with HEDIS updated categories, <b>Middle Eastern or North African (MENA)</b> has been added as a Race category.</p> <p><b><u>Language Spoken</u></b>: Updated Value Set and link to webpage.</p> <p><b><u>County of Residence</u></b>: Updated reference material information and link.</p> <p><b><u>Follow-Up After Acute and Urgent Care Visits for Asthma (AAF-E)</u></b>: Is a new HEDIS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly.</p> <p><b><u>Adult Immunization Status (AIS-E)</u></b>: Updated specifications to align with HEDIS specifications for MY2026.</p> <p><b><u>Asthma Medication Ratio (AMR)</u></b>: Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly.</p> <p><b><u>Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)</u></b>: Added, Reporting REQUIRED for MY2026. Column numbering has been updated accordingly.</p> <p><b><u>Blood Pressure Control for Patients with Diabetes (BPD-E)</u></b>: Is a new HEDIS ECDS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly.</p> <p><b><u>Risk of Continued Opioid Use (COU)</u></b>: Added, Reporting REQUIRED for MY2026. Column numbering has been updated accordingly.</p> <p><b><u>Diagnosed Mental Health Disorders (DMH)</u></b>: Added, Reporting REQUIRED for MY2026. Column numbering has been updated accordingly.</p> <p><b><u>Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)</u></b>: Added, Reporting REQUIRED for MY2026. Column numbering has been updated accordingly.</p> <p><b><u>Diagnosed Substance Use Disorder (DSU)</u></b>: Added, Reporting REQUIRED for MY2026. Column numbering has been updated accordingly.</p>

# NYS MY2026 Patient-Level Detail File Change Log

## Medicaid

Version	Date	Data Element	Change Summary
			<p>MY2026. Column numbering has been updated accordingly</p> <p><b><u>Lead Screening in Children (LSC):</u></b> Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly.</p> <p><b><u>Lead Screening in Children (LSC-E):</u></b> Is a new HEDIS ECDS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly</p> <p><b><u>Social Need Screening and Intervention (SNS-E):</u></b> Updated specifications for Denominators 2, 4, &amp; 6 and Numerators 1, 3 &amp; 5 to align with HEDIS specifications for MY2026.</p> <p><b><u>Statin Therapy for Patients With Cardiovascular Disease (SPC):</u></b> Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly.</p> <p><b><u>Statin Therapy for Patients With Cardiovascular Disease (SPC-E):</u></b> Is a new HEDIS ECDS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly</p> <p><b><u>Statin Therapy for Patients With Diabetes (SPD):</u></b> Has been retired by HEDIS for MY2026 and removed as a required measure. Column numbering has been updated accordingly.</p> <p><b><u>Statin Therapy for Patients With Diabetes (SPD-E):</u></b> Is a new HEDIS ECDS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly.</p> <p><b><u>Tobacco Use Screening and Cessation Intervention (TSC-E):</u></b> Is a new HEDIS measure for MY2026 and has been added as a required ECDS measure. Column numbering has been updated accordingly.</p>