## Clinical Criteria Worksheet: Spravato® (esketamine) Nasal Spray

Enrollee Information		
Enrollee Last Name:	Enrollee First Name:	
Date of Birth (MM/DD/YYYY):	Enrollee Medicaid ID (2 letters, 5 numbers, 1 letter):	
Address:		
City, Town or Post Office:	State: ZIP Code:	
Prescriber Information		
Prescriber Last Name:	Prescriber First Name:	
National Provider Identifier (NPI) Number:		
Preferred Contact (Telephone Number): Clinical Criteria – Drug Information		
Drug Administration:		
Provide the date of drug administration (MM/DD/YY	YY):	
Drug Name and Strength:		
Spravato 56 mg Dose Kit: Two 28 mg nasal spray	devices	
Spravato 84 mg Dose Kit: Three 28 mg nasal spray	/ devices	
Initiation of Therapy: Yes No		
Date therapy initiated:		

**Continuation of Therapy:** Yes No

## **Clinical Criteria – Diagnosis**

1. Treatment-resistant depression (TRD)

OR

] Depressive symptoms associated with acute suicidal ideation or behavior

## **Clinical Criteria – Initiation of Therapy**

1. Before initiating esketamine nasal therapy, was a baseline score on a depression assessment tool (e.g., 17item Hamilton Rating Scale for Depression [HAMD17], 16-item Quick Inventory of Depressive Symptomatology [QIDS-C16], 10-item Montgomery-Asberg Depression Rating Scale [MADRS]) obtained?

Yes 🗌 No

2. Has the healthcare outpatient site and the patient been enrolled in the Spravato Risk Evaluation and Mitigation Strategy (REMS)?

Yes	Nc
-----	----

3. Before prescribing esketamine nasal spray was the New York State Prescription Monitoring Program reviewed?

Yes No

4. For the initial request for patients with a diagnosis of <u>TRD</u>, has the patient had a trial of at least two oral antidepressants prior to initiating esketamine intranasal therapy?

Yes No

Please provide the names of the most recent antidepressant therapies and dates of the trials:

Antidepressant and strength:	 
Date of use:	
Antidepressant and strength: _	
Date of use:	

5. Confirm patient observation by a healthcare practitioner for 2 hours during and after esketamine administration.

Yes 🗌 No

6.	Is the patient on an oral antidepressant in conjunction with esketamine nasal spray?
	Yes No
	Antidepressant and Strength:
	Directions for Use:
Cli	nical Criteria – Continuation of Therapy
1.	Utilizing the same baseline depression assessment tool, was there an improvement in the patient's score
	while receiving esketamine treatment?
	Yes No
2.	Before prescribing esketamine nasal spray was the New York State Prescription Monitoring Program
	reviewed?
	Yes No
3.	Confirm patient observation by a healthcare practitioner for 2 hours during and after esketamine administration.
	Yes No
4.	Is the patient on an antidepressant in conjunction with esketamine intranasal therapy?
	Yes No
	Please provide the patient's current antidepressant therapy and directions for use:
	Antidepressant and Strength:
	Directions for use:
At	testation

I attest that this drug is medically necessary for this patient and that all of the information on this form is accurate to the best of my knowledge. I attest that documentation of the above diagnosis and medical necessity is available for review if requested by the New York State Medicaid Program.

Prescriber Signature (Required)