



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	181	Chenango	<30
Tompkins	39	Delaware	<30
Tioga	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia, ages 19 to 64 years, during the measurement year who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Adherence to Antipsychotic
Medications for People Living
With Schizophrenia



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	82	Delaware	<30
Tompkins	39	Tioga	<30
Chenango	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients who remained on antidepressant
medication during the entire 12-week acute treatment phase.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Antidepressant Medication
Management - Effective
Treatment for Acute Phase



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	33	Tompkins	<30
Tioga	<30	Delaware	<30
Chenango	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia and diabetes, ages 18 to 64 years, who had both an LDL-C test and an HbA1c test during the measurement year.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Southern Tier
Diabetes Monitoring for
People Living With Diabetes
and Schizophrenia



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	152	Tioga	<30
Tompkins	33	Delaware	<30
Chenango	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia or bipolar disorder, ages 18 to 64 years, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Diabetes Screening for People
Living With Schizophrenia or
Bipolar Disorder Who Are



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	418	Chenango	76
Tompkins	172	Delaware	63
Tioga	80		


Southern Tier

Follow-up After Hospitalization for Mental Illness within 30 Days



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who were seen on an ambulatory basis or who were in intermediate treatment with a mental health provider within 30 days of discharge following a mental health related admission.




Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	224	Chenango	42
Tompkins	93	Delaware	<30
Tioga	66		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of children with a new prescription for ADHD medication and who had one follow-up visit with a practitioner within the 30 days after starting the medication.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Follow-Up Care for Children
Prescribed ADHD Medication-
Initiation Phase



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	1,323	Chenango	213
Tompkins	421	Tioga	145
Delaware	224		


Southern Tier

Initiation of Alcohol and Other Drug Dependence Treatment



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients who initiated treatment within 14
days of the diagnosis after the first new episode of alcohol or
drug dependence, .




Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	1,467	Tioga	255
Chenango	361	Delaware	188
Tompkins	328		

Southern Tier


Comprehensive Diabetes Care

HbA1c Testing



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics C. Diabetes

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

*The percentage of recipients living with diabetes who received
at least one Hemoglobin A1c (HbA1c) test within the past year.*




Percent of Patients with recommended care




*ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH*

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data


Broome	7,723	Tioga	1,474
Tompkins	2,189	Delaware	1,107
Chenango	1,733		

Southern Tier Cervical Cancer Screening



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of women, ages 24 to 64 years, who had had cervical cytology performed every 3 years or women, ages 30 to 64 years, who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.




Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	1,894	Tioga	383
Tompkins	530	Delaware	289
Chenango	469		


Southern Tier

Chlamydia Screening Among Young Women



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of sexually active young women, ages 16 to 24 years, who had at least one test for chlamydia during the measurement year.




Percent of Patients with recommended care



ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	85	Delaware	<30
Tompkins	<30	Tioga	<30
Chenango	<30		


Southern Tier

Comprehensive Care for People Living with HIV or AIDS - Engagement in Care



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 2 years and older, who had two visits for primary care or HIV related care with at least one visit during each half of the past year.




Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent





Number of recipients included in these data

Broome	82	Delaware	<30
Tompkins	<30	Tioga	<30
Chenango	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
E. HIV/AIDS


Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 19 years
and older, who were screened for syphilis in the past year.




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Southern Tier
Comprehensive Care for
People Living with HIV or
AIDS - Syphilis Screening



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	85	Delaware	<30
Tompkins	<30	Tioga	<30
Chenango	<30		

Delivery System Reform Incentive Payment
Domain 3: Clinical Improvement Metrics
E. HIV/AIDS

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with HIV/AIDS, ages 2 years
and older, who had two viral load tests performed with at least
one test during each half of the past year.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Comprehensive Care for
People Living with HIV or
AIDS - Viral Load Monitoring



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data

Broome	975	Tioga	210
Tompkins	255	Delaware	150
Chenango	241		


Southern Tier

Well-Child Visits in the First 15 Months of Life



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics F. Perinatal Care

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012

The percentage of children who had five or more well-child visits
with a primary care provider in their first 15 months of life.




Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH

Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data



Broome	2,500	Tioga	468
Tompkins	669	Delaware	406
Chenango	654		

Delivery System Reform Incentive Payment
Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set
(HEDIS), Medicaid Recipients, 2012


The percentage of women, ages 50 to 74 years, who had a mammogram anytime on or between October 1 two years prior to the measurement year and December 31 of the measurement year.

Percent of Patients with recommended care




ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH


Southern Tier
Breast Cancer Screening
Among Women



Percent of Patients with recommended care
Counties by Quintile



Countywide Percent



Number of recipients included in these data


Broome	2,200	Delaware	383
Tompkins	589	Tioga	362
Chenango	569		

Southern Tier Colorectal Cancer Screening



Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of adults, ages 50 to 75 years, who had appropriate screening for colorectal cancer.



Percent of Patients with recommended care



ZIP Codes combined so at least 30 recipients are included in areas.
Data Source Office of Quality and Patient Safety, 2014
Created by Office of Health Systems Management, NYSDOH