

Dutchess and Putnam Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days ..... 1  
Core 2: Health Care Access ..... 4  
Core 3: Exercise ..... 8  
Core 4: Diabetes ..... 9  
Core 5: Asthma ..... 10  
Core 6: Arthritis ..... 12  
Core 7: Tobacco Use ..... 14  
Core 8: Tobacco ETS ..... 17  
Core 9: Alcohol Consumption ..... 19  
Core 10: Weight Status ..... 21  
Core 11: Mammography ..... 23  
Core 12: Sexual Behavior ..... 25  
Core 13: Family Planning ..... 28  
Core 14: Cardiovascular Disease ..... 29  
Core 15: Prostate Cancer Screening ..... 31  
Core 16: Colorectal Cancer Screening ..... 37

Expanded BRFSS, 2003 - New York State Department of Health

## Self-rated Health Status

### *Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Fair or Poor % <sup>2</sup>	n	Good to Excellent %	C.I. <sup>3</sup>
Total	71	12.0	554	88.0	3.1
Gender					
Male	31	12.9	209	87.1	5.2
Female	40	11.1	345	88.9	3.6
Age					
18-34	9	9.5	122	90.5	6.9
35-54	17	6.0	261	94.0	3.0
≥55	45	23.9	164	76.1	6.9
Education					
≤High School	37	16.7	170	83.3	5.7
>High School	34	9.4	384	90.6	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Physical Distress Days in the Past Month

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	50	8.5	563	91.5	2.6
Gender					
Male	20	8.3	217	91.7	4.1
Female	30	8.7	346	91.3	3.3
Age					
18-34	7	6.1	123	93.9	5.1
35-54	18	6.5	255	93.5	3.2
≥55	25	14.3	179	85.7	5.9
Education					
≤High School	27	11.7	176	88.3	4.7
>High School	23	6.8	387	93.2	3.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Mental Distress Days in the Past Month

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	66	11.6	558	88.4	3.1
Gender					
Male	25	11.4	215	88.6	4.9
Female	41	11.8	343	88.2	3.7
Age					
18-34	16	14.6	116	85.4	7.4
35-54	24	9.0	253	91.0	3.9
≥55	26	12.9	182	87.1	5.2
Education					
≤High School	30	12.7	177	87.3	4.8
>High School	36	11.0	381	89.0	4.0

<sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup> Weighted Percent

<sup>3</sup> 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, 18-64 Years of Age

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	459	89.0	50	11.0	3.4
Gender					
Male	183	87.3	20	12.7	5.7
Female	276	90.8	30	9.2	3.4
Age					
18-34	105	79.0	27	21.0	8.2
35-54	259	94.1	19	5.9	2.8
55-64	95	94.7	4	5.3	5.9
Education					
≤High School	132	84.7	24	15.3	6.4
>High School	327	91.2	26	8.8	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, Aged 18 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	576	90.5	52	9.5	2.9
Gender					
Male	222	88.6	21	11.4	5.0
Female	354	92.3	31	7.7	2.8
Age					
18-34	105	79.0	27	21.0	8.2
35-54	259	94.1	19	5.9	2.8
≥55	205	96.4	6	3.6	3.3
Education					
≤High School	185	87.4	25	12.6	5.2
>High School	391	92.2	27	7.8	3.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Having a Routine Physical Exam in Past Two Years

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	551	89.2	70	10.8	2.7
Gender					
Male	210	89.3	29	10.7	4.1
Female	341	89.0	41	11.0	3.6
Age					
18-34	114	90.3	16	9.7	5.0
35-54	235	85.0	39	15.0	5.0
≥55	195	93.8	15	6.2	3.3
Education					
≤High School	186	91.2	21	8.8	4.0
>High School	365	88.1	49	11.9	3.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Time in Past 12 Months when Needed Medical Care but Could Not Get It

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	31	4.1	596	95.9	1.6
Gender					
Male	7	1.9	236	98.1	1.5
Female	24	6.3	360	93.7	2.7
Age					
18-34	16	7.8	116	92.2	4.1
35-54	9	2.4	268	97.6	1.8
≥55	6	2.9	205	97.1	2.6
Education					
≤High School	10	3.6	200	96.4	2.5
>High School	21	4.4	396	95.6	2.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	496	78.8	131	21.2	3.8
Gender					
Male	202	81.8	41	18.2	6.1
Female	294	75.9	90	24.1	4.7
Age					
18-34	101	74.5	31	25.5	9.1
35-54	235	84.6	43	15.4	4.8
≥55	156	74.9	54	25.1	6.5
Education					
≤High School	149	72.1	60	27.9	7.3
>High School	347	82.5	71	17.5	4.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Diabetes

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	46	7.5	581	92.5	2.3
Gender					
Male	26	9.3	217	90.7	3.8
Female	20	5.8	364	94.2	2.7
Age					
18-34	1	0.5	131	99.5	1.0
35-54	12	5.4	265	94.6	3.1
≥55	33	18.0	178	82.0	6.1
Education					
≤High School	23	10.6	186	89.4	4.6
>High School	23	5.8	395	94.2	2.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Lifetime Asthma Diagnosed by a Medical Professional

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	78	13.2	549	86.8	3.0
Gender					
Male	29	12.9	214	87.1	4.7
Female	49	13.5	335	86.5	3.8
Age					
18-34	20	13.6	112	86.4	6.2
35-54	32	12.6	246	87.4	4.4
≥55	25	13.8	185	86.2	5.6
Education					
≤High School	31	14.4	178	85.6	5.3
>High School	47	12.5	371	87.5	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Asthma Diagnosed by a Medical Professional

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	57	9.3	570	90.7	2.5
Gender					
Male	18	7.8	225	92.2	3.7
Female	39	10.7	345	89.3	3.4
Age					
18-34	13	7.2	119	92.8	4.0
35-54	25	10.0	253	90.0	4.0
≥55	18	10.2	192	89.8	5.0
Education					
≤High School	24	10.6	185	89.4	4.6
>High School	33	8.5	385	91.5	3.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Arthritis Diagnosed by a Medical Professional

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	161	23.3	465	76.7	3.7
Gender					
Male	56	19.4	187	80.6	5.3
Female	105	27.2	278	72.8	4.9
Age					
18-34	12	6.4	119	93.6	4.1
35-54	56	20.9	222	79.1	5.3
≥55	91	44.2	119	55.8	7.6
Education					
≤High School	68	30.2	141	69.8	7.0
>High School	93	19.5	324	80.5	4.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Doctor Diagnosed % <sup>2</sup>	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	161	23.4	3.7	106	15.7	3.2	356	60.9	4.4
Gender									
Male	56	19.5	5.3	50	18.3	5.3	136	62.2	6.8
Female	105	27.3	4.9	56	13.2	3.5	220	59.5	5.4
Age									
18-34	12	6.4	4.1	12	9.4	6.0	107	84.2	7.0
35-54	56	20.9	5.4	59	20.7	5.2	162	58.4	6.5
≥55	91	44.3	7.6	35	15.2	5.1	83	40.5	7.5
Education									
≤High School	68	30.2	7.0	31	14.2	5.5	110	55.5	7.9
>High School	93	19.6	4.1	75	16.6	3.9	246	63.8	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Smoked 100 Cigarettes in Lifetime

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	350	53.6	278	46.4	4.6
Gender					
Male	150	58.7	93	41.3	7.2
Female	200	48.7	185	51.3	5.5
Age					
18-34	61	47.0	71	53.0	10.1
35-54	149	50.1	129	49.9	6.6
≥55	134	64.5	77	35.5	7.1
Education					
≤High School	133	63.0	77	37.0	7.8
>High School	217	48.5	201	51.5	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Smoker

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	145	23.4	482	76.6	4.1
Gender					
Male	55	24.3	187	75.7	6.7
Female	90	22.4	295	77.6	4.5
Age					
18-34	35	28.8	97	71.2	9.6
35-54	67	21.6	210	78.4	5.4
≥55	40	20.4	171	79.6	6.5
Education					
≤High School	68	33.3	142	66.7	7.7
>High School	77	17.9	340	82.1	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Status of Cigarette Smoking*****Dutchess, Putnam***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Everyday Smoker %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Someday Smoker %</b>	<b>C.I.</b>	<b>n</b>	<b>Former or Never Smoked %</b>	<b>C.I.</b>
Total	109	17.9	3.7	36	5.5	2.1	482	76.6	4.1
Gender									
Male	40	18.0	6.2	15	6.3	3.7	187	75.7	6.7
Female	69	17.8	4.2	21	4.7	2.2	295	77.6	4.5
Age									
18-34	29	24.0	9.2	6	4.8	4.6	97	71.2	9.6
35-54	52	16.1	4.7	15	5.4	3.1	210	78.4	5.4
≥55	26	14.2	5.8	14	6.1	3.7	171	79.6	6.5
Education									
≤High School	52	25.7	7.3	16	7.6	4.0	142	66.7	7.7
>High School	57	13.6	4.1	20	4.3	2.4	340	82.1	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Home Smoking Policies***Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Not Allowed %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Allowed Some Places %</b>	<b>C.I.</b>	<b>n</b>	<b>Allowed Anywhere %</b>	<b>C.I.</b>
Total	426	70.4	4.1	87	13.5	3.1	115	16.1	3.2
Gender									
Male	162	70.6	6.4	31	12.6	4.8	50	16.8	5.1
Female	264	70.1	5.0	56	14.4	4.0	65	15.5	3.8
Age									
18-34	97	76.7	8.1	17	11.9	6.3	18	11.4	5.9
35-54	189	69.4	6.1	46	16.0	4.9	43	14.5	4.7
≥55	135	65.2	7.2	22	11.0	5.0	54	23.8	6.3
Education									
≤High School	130	65.1	7.5	34	16.1	5.9	46	18.8	5.8
>High School	296	73.3	4.8	53	12.1	3.5	69	14.7	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Home Smoking**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	144	22.1	482	77.9	3.8
Gender					
Male	56	22.1	186	77.9	6.1
Female	88	22.1	296	77.9	4.6
Age					
18-34	29	23.0	103	77.0	8.6
35-54	73	24.1	204	75.9	5.7
≥55	42	18.9	168	81.1	5.9
Education					
≤High School	68	32.0	142	68.0	7.4
>High School	76	16.6	340	83.4	4.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	74	15.2	548	84.8	3.7
Gender					
Male	49	22.9	190	77.1	6.6
Female	25	7.7	358	92.3	3.1
Age					
18-34	36	31.3	95	68.7	9.9
35-54	27	10.5	247	89.5	4.1
≥55	11	6.6	199	93.4	4.2
Education					
≤High School	32	20.3	176	79.7	7.0
>High School	42	12.5	372	87.5	4.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	30	4.4	591	95.6	1.8
Gender					
Male	11	4.2	227	95.8	2.9
Female	19	4.6	364	95.4	2.3
Age					
18-34	6	4.9	125	95.1	4.5
35-54	15	4.5	259	95.5	2.4
≥55	9	4.0	200	96.0	3.0
Education					
≤High School	9	4.5	200	95.5	3.3
>High School	21	4.4	391	95.6	2.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Overweight or Obese, BMI(Body Mass Index) 25 or More**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	344	57.1	256	42.9	4.7
Gender					
Male	172	66.5	69	33.5	7.3
Female	172	47.0	187	53.0	5.7
Age					
18-34	52	39.1	70	60.9	10.1
35-54	160	62.2	111	37.8	6.4
≥55	131	67.0	74	33.0	7.1
Education					
≤High School	129	63.3	71	36.7	8.1
>High School	215	53.6	185	46.4	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Underweight\ Normal % <sup>2</sup>	C.I. <sup>3</sup>	n	Overweight %	C.I.	n	Obese %	C.I.
Total	256	42.9	4.7	206	33.9	4.4	138	23.1	3.9
Gender									
Male	69	33.5	7.3	105	40.8	7.1	67	25.6	6.1
Female	187	53.0	5.7	101	26.6	4.9	71	20.4	4.7
Age									
18-34	70	60.9	10.1	27	23.1	9.1	25	16.0	6.6
35-54	111	37.8	6.4	97	37.1	6.5	63	25.1	5.9
≥55	74	33.0	7.1	81	39.6	7.5	50	27.4	7.3
Education									
≤High School	71	36.7	8.1	75	37.2	7.9	54	26.1	7.1
>High School	185	46.4	5.7	131	32.1	5.3	84	21.5	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had Mammography Screening, Women Aged 40 Years and Older**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	225	90.4	19	9.6	4.8
Age					
40-64	159	90.8	12	9.2	5.9
≥65	66	89.5	7	10.5	8.3
Education					
≤High School	73	87.9	9	12.1	8.1
>High School	152	91.7	10	8.3	6.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	174	71.2	67	28.8	6.5
Age					
40-64	129	72.5	41	27.5	7.9
≥65	45	67.7	26	32.3	11.6
Education					
≤High School	55	71.2	25	28.8	10.5
>High School	119	71.1	42	28.9	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger**

***Dutchess, Putnam***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	61	13.1	434	86.9	3.7
Gender					
Male	16	11.1	179	88.9	5.8
Female	45	15.2	255	84.8	4.6
Age					
18-34	39	26.9	91	73.1	8.9
35-54	21	7.6	246	92.4	3.6
55-64	1	0.4	97	99.6	0.8
Education					
≤High School	26	18.6	126	81.4	7.8
>High School	35	10.4	308	89.6	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Sexually Active, Age 18-64 Years Old**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	388	83.1	77	16.9	4.4
Gender					
Male	144	78.6	40	21.4	7.3
Female	244	87.9	37	12.1	4.5
Age					
18-34	106	82.1	15	17.9	9.5
35-54	223	90.3	27	9.7	4.3
55-64	59	63.9	35	36.1	11.3
Education					
≤High School	118	79.6	25	20.4	9.2
>High School	270	84.9	52	15.1	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	77	22.5	312	77.5	5.2
Gender					
Male	39	29.4	108	70.6	8.8
Female	38	15.5	204	84.5	5.0
Age					
18-34	40	36.4	70	63.6	10.8
35-54	35	17.4	186	82.6	5.8
55-64	2	4.2	56	95.8	5.9
Education					
≤High School	28	27.1	92	72.9	9.8
>High School	49	20.3	220	79.7	6.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

*Dutchess, Putnam*

Demographic Groups	Use BC			No BC at risk			No BC		
	n <sup>1</sup>	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	211	62.6	6.1	53	15.8	4.4	76	21.6	5.4
Gender									
Male	101	62.5	8.6	21	12.2	5.5	47	25.3	7.9
Female	110	62.7	8.1	32	21.2	7.1	29	16.1	5.9
Age									
18-34	78	59.0	10.3	23	17.3	7.3	25	23.7	9.7
35-59	133	65.5	7.1	30	14.5	5.5	51	20.0	5.6
Education									
≤High School	66	64.1	11.1	14	13.4	7.1	22	22.5	10.3
>High School	145	61.8	7.3	39	16.9	5.6	54	21.2	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Physician Diagnosed Heart Attack, Angina or Stroke**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	40	5.7	573	94.3	2.0
Gender					
Male	20	6.3	216	93.7	3.0
Female	20	5.1	357	94.9	2.6
Age					
18-64	21	3.8	474	96.2	1.8
≥65	19	16.2	93	83.8	7.8
Education					
≤High School	19	7.6	184	92.4	3.7
>High School	21	4.6	389	95.4	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)**

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	33	4.6	580	95.4	1.7
Gender					
Male	18	5.4	218	94.6	2.7
Female	15	3.8	362	96.2	2.2
Age					
18-64	19	3.4	476	96.6	1.6
≥65	14	11.3	98	88.7	6.5
Education					
≤High School	15	5.7	188	94.3	3.0
>High School	18	4.0	392	96.0	2.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	104	63.1	53	36.9	8.6
Age					
40-64	72	56.5	46	43.5	10.2
≥65	32	84.9	7	15.1	11.1
Education					
≤High School	32	55.7	23	44.3	14.7
>High School	72	67.8	30	32.2	10.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	95	58.2	62	41.8	8.7
Age					
40-64	65	51.5	53	48.5	10.2
≥65	30	80.0	9	20.0	12.7
Education					
≤High School	29	51.1	26	48.9	14.7
>High School	66	62.7	36	37.3	10.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Digital Rectal Exam, Men Aged 40 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	137	85.3	24	14.7	6.1
Age					
40-64	101	83.2	21	16.8	7.4
≥65	36	92.7	3	7.3	8.2
Education					
≤High School	40	72.2	17	27.8	12.7
>High School	97	94.0	7	6.0	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Used a Blood Stool Test at Home, Aged 50 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	117	43.5	152	56.5	6.7
Gender					
Male	47	41.9	60	58.1	10.4
Female	70	45.1	92	54.9	8.5
Age					
50-64	66	40.7	91	59.3	8.7
≥65	51	47.7	61	52.3	10.3
Education					
≤High School	41	39.5	63	60.5	10.7
>High School	76	46.5	89	53.5	8.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	45	16.9	222	83.1	5.1
Gender					
Male	19	18.0	88	82.0	8.1
Female	26	15.8	134	84.2	6.2
Age					
50-64	24	14.9	132	85.1	6.2
≥65	21	19.9	90	80.1	8.7
Education					
≤High School	18	16.6	85	83.4	7.9
>High School	27	17.1	137	82.9	6.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

*Dutchess, Putnam*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	66	26.5	201	73.5	6.1
Gender					
Male	31	29.1	76	70.9	9.5
Female	35	23.9	125	76.1	7.7
Age					
50-64	34	22.6	122	77.4	7.4
≥65	32	32.3	79	67.7	10.1
Education					
≤High School	25	25.3	78	74.7	9.5
>High School	41	27.4	123	72.6	7.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	148	56.2	121	43.8	6.8
Gender					
Male	64	57.2	43	42.8	10.7
Female	84	55.2	78	44.8	8.4
Age					
50-64	82	51.4	75	48.6	9.0
≥65	66	63.4	46	36.6	9.7
Education					
≤High School	52	50.0	51	50.0	11.1
>High School	96	60.8	70	39.2	8.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

*Dutchess, Putnam*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	134	51.3	131	48.7	6.9
Gender					
Male	58	52.7	48	47.3	10.8
Female	76	49.8	83	50.2	8.6
Age					
50-64	76	48.0	80	52.0	9.0
≥65	58	56.3	51	43.7	10.3
Education					
≤High School	46	44.5	54	55.5	11.2
>High School	88	56.1	77	43.9	8.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older**

***Dutchess, Putnam***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	150	54.9	120	45.1	6.8
Gender					
Male	62	55.0	45	45.0	10.8
Female	88	54.7	75	45.3	8.4
Age					
50-64	85	52.4	73	47.6	9.0
≥65	65	58.5	47	41.5	10.2
Education					
≤High School	53	47.6	51	52.4	11.0
>High School	97	60.2	69	39.8	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval