

**Expanded BRFSS, 2003**

**Onondaga Locality**

Table of Contents:

Optional Module 5: Diabetes.....3  
Optional Module 7: Disability/Quality of Life..... 7  
Optional Module 10: Health Care Coverage..... 9  
Optional Module 13: Injury Control - Falls..... 11  
Optional Module 14: Immunization..... 14  
Optional Module 15: Oral Health..... 16  
Optional Module 17: Skin Cancer..... 18  
Optional Module 18: Social Context..... 20  
Optional Module 19: Tobacco Consumption..... 24  
Optional Module 23: Seat Belts..... 25  
Optional Module 24: Weight Control..... 27  
Optional Module 25: Cervical Cancer..... 31

**New York State Department of Health**

This page left blank intentionally

Expanded BRFSS, 2003 - New York State Department of Health

## Check Blood for Glucose or Sugar at Least Once per Day

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	32	70.6	13	29.4	14.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Check Feet for Sores or Irritations at Least Once per Day

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	29	66.3	13	33.7	15.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Feet Checked by a Medical Professional in Past Twelve Months, among Those with Diabetes

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	34	78.1	9	21.9	13.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Dilated Eye Exam in Past 12 Months, among Those with Diabetes

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	32	73.9	13	26.1	13.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with a Disability

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	106	15.2	518	84.8	3.1
Gender					
Male	33	13.1	198	86.9	4.9
Female	73	16.9	320	83.1	4.0
Age					
18-34	17	10.6	121	89.4	5.9
35-54	40	14.5	206	85.5	4.8
≥55	48	20.8	180	79.2	5.7
Education					
≤High School	45	17.0	178	83.0	5.2
>High School	61	14.4	337	85.6	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with Disabilities, by Need for Help with Personal Care and/or Routine Needs

### *Onondaga*

Demographic Groups	Disability need help			Disability need no help			No Disability		
	n <sup>1</sup>	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	37	4.9	1.7	69	10.3	2.7	518	84.8	3.1
Gender									
Male	9	2.8	2.0	24	10.3	4.6	198	86.9	4.9
Female	28	6.7	2.6	45	10.3	3.3	320	83.1	4.0
Age									
18-64	24	4.1	1.8	50	9.5	3.0	402	86.4	3.4
≥65	13	8.7	4.9	18	13.8	6.6	105	77.5	7.7
Education									
≤High School	21	8.1	3.7	24	8.9	3.9	178	83.0	5.2
>High School	16	3.3	1.7	45	11.1	3.6	337	85.6	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Main Reason for Not Having Health Care Coverage

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Changed or lost job % <sup>2</sup>	C.I. <sup>3</sup>	n	Could not afford %	C.I.	n	Other %	C.I.
Total	13	14.5	8.8	20	34.7	14.5	22	50.8	15.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## No Health Care Coverage for Past Two Years Among Uninsured

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	26	45.5	28	54.5	15.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Fall in Past Three Months

### *Onondaga*

Demographic Groups	n <sup>1</sup>	No fall % <sup>2</sup>	C.I. <sup>3</sup>	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	298	84.4	4.1	22	5.9	2.7	36	9.7	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	108	79.8	25	20.2	7.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flushtot in the Past 12 Months

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	243	34.6	370	65.4	4.2
Gender					
Male	85	31.1	141	68.9	6.6
Female	158	37.5	229	62.5	5.2
Age					
18-64	129	23.6	339	76.4	4.2
≥65	108	79.8	25	20.2	7.9
Education					
≤High School	97	40.2	118	59.8	7.3
>High School	146	32.1	249	67.9	5.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	102	75.4	29	24.6	8.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	187	31.1	382	68.9	4.5
Gender					
Male	71	35.0	125	65.0	8.3
Female	116	28.1	257	71.9	4.8
Age					
18-64	79	19.3	347	80.7	5.0
≥65	102	75.4	29	24.6	8.6
Education					
≤High School	86	37.4	118	62.6	7.3
>High School	101	28.1	262	71.9	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	314	48.2	293	51.8	4.6
Gender					
Male	117	48.1	105	51.9	7.7
Female	197	48.2	188	51.8	5.5
Age					
18-34	35	26.6	100	73.4	8.8
35-54	111	46.2	131	53.8	6.9
≥55	161	71.9	57	28.1	6.8
Education					
≤High School	147	64.3	67	35.7	7.6
>High School	167	40.3	224	59.7	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	462	78.8	112	21.2	4.2
Gender					
Male	164	76.1	46	23.9	7.2
Female	298	81.0	66	19.0	4.6
Age					
18-34	89	65.8	44	34.2	9.8
35-54	197	82.7	37	17.3	5.5
≥55	170	88.4	27	11.6	4.5
Education					
≤High School	153	81.4	36	18.6	6.6
>High School	307	77.7	75	22.3	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Severe Sunburn Lasting 12 Hours in Past 12 Months

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	209	38.8	401	61.2	4.6
Gender					
Male	97	48.2	126	51.8	7.7
Female	112	30.9	275	69.1	5.2
Age					
18-34	69	54.6	65	45.4	10.0
35-54	98	42.1	143	57.9	6.9
≥55	40	20.2	183	79.8	6.2
Education					
≤High School	63	34.4	153	65.6	7.5
>High School	144	40.6	248	59.4	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Number of Severe Sunburns Lasting 12 or More Hours in Past 12 Months*****Onondaga***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>3 or more %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>1-2 %</b>	<b>C.I.</b>	<b>n</b>	<b>None %</b>	<b>C.I.</b>
Total	78	14.6	3.4	128	23.8	4.2	401	61.6	4.6
Gender									
Male	38	19.5	6.2	56	27.9	7.2	126	52.5	7.8
Female	40	10.5	3.4	72	20.4	4.7	275	69.1	5.2
Age									
18-64	73	17.5	4.2	122	28.8	5.0	266	53.7	5.4
≥65	3	2.1	2.5	6	4.5	3.8	125	93.4	4.5
Education									
≤High School	28	16.4	6.2	33	17.5	6.0	153	66.1	7.5
>High School	49	13.4	4.0	94	26.8	5.5	248	59.8	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Neighborhood Safety

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Extremely or quite safe % <sup>2</sup>	n	Slightly or not safe %	C.I. <sup>3</sup>
Total	511	81.7	100	18.3	4.0
Gender					
Male	193	81.3	32	18.7	7.0
Female	318	82.0	68	18.0	4.3
Age					
18-64	380	79.4	86	20.6	4.7
≥65	121	91.2	12	8.8	5.2
Education					
≤High School	165	78.6	50	21.4	6.1
>High School	343	83.1	50	16.9	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Living Arrangements

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Own %<sup>2</sup></b>	<b>n</b>	<b>Rent %</b>	<b>C.I.<sup>3</sup></b>
Total	416	70.3	193	29.7	4.3
Gender					
Male	152	68.2	71	31.8	7.5
Female	264	72.0	122	28.0	4.9
Age					
18-64	303	66.6	160	33.4	5.2
≥65	103	84.1	31	15.9	5.7
Education					
≤High School	129	63.0	87	37.0	7.5
>High School	284	73.7	106	26.3	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Lived at Current Address 2 or More Years

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	489	79.0	122	21.0	4.0
Gender					
Male	178	77.6	46	22.4	7.0
Female	311	80.2	76	19.8	4.6
Age					
18-64	348	74.3	117	25.7	4.9
≥65	130	97.5	4	2.5	2.5
Education					
≤High School	179	83.3	38	16.7	5.8
>High School	308	76.7	84	23.3	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health  
**Concerned about Having Enough Food for You or Your Family in Past 30 Days**

***Onondaga***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	35	4.9	577	95.1	1.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Number of Cigarettes Smoked per day among Everyday Smokers

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>1-10 cigarettes %<sup>2</sup></b>	<b>n</b>	<b>≥11 cigarettes %</b>	<b>C.I.<sup>3</sup></b>
Total	41	37.5	71	62.5	10.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Use Seatbelt when Ride or Drive in a Car (Always, Nearly Always or Never Ride in a Car)**

***Onondaga***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	581	94.6	32	5.4	2.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Use Seatbelt when Ride or Drive in a Car (Always or Never ride in a Car)

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	529	85.2	84	14.8	3.4
Gender					
Male	181	79.1	45	20.9	6.4
Female	348	90.5	39	9.5	3.1
Age					
18-64	391	82.6	75	17.4	4.2
≥65	126	95.0	9	5.0	3.6
Education					
≤High School	190	87.1	27	12.9	5.2
>High School	336	84.2	57	15.8	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Lose Weight

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	302	48.3	311	51.7	4.6
Gender					
Male	95	40.9	131	59.1	7.4
Female	207	54.5	180	45.5	5.5
Age					
18-34	59	40.6	75	59.4	9.7
35-54	125	52.5	117	47.5	6.9
≥55	111	50.0	114	50.0	7.2
Education					
≤High School	97	41.2	120	58.8	7.3
>High School	204	52.1	189	47.9	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Maintain Current Weight of Those not Trying to Lose Weight

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	181	55.4	127	44.6	6.7
Gender					
Male	68	48.4	63	51.6	10.2
Female	113	63.2	64	36.8	7.9
Age					
18-34	42	53.9	33	46.1	13.8
35-54	65	49.5	51	50.5	10.1
≥55	70	63.2	42	36.8	10.0
Education					
≤High School	63	50.5	55	49.5	10.6
>High School	116	57.7	72	42.3	8.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	367	75.5	105	24.5	4.5
Gender					
Male	110	69.5	47	30.5	8.2
Female	257	79.6	58	20.4	5.1
Age					
18-34	67	64.1	32	35.9	11.0
35-54	145	76.6	43	23.4	6.6
≥55	144	82.8	30	17.2	6.1
Education					
≤High School	117	73.9	38	26.1	8.0
>High School	249	76.5	66	23.5	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

### *Onondaga*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	359	76.2	122	23.8	4.3
Gender					
Male	124	77.0	38	23.0	7.2
Female	235	75.7	84	24.3	5.2
Age					
18-34	78	76.5	23	23.5	9.5
35-54	154	84.7	35	15.3	5.2
≥55	119	66.8	61	33.2	7.5
Education					
≤High School	99	64.8	60	35.2	8.2
>High School	257	81.0	62	19.0	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	309	97.2	8	2.8	2.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

### *Onondaga*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	291	92.4	24	7.6	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval