

**Expanded BRFSS, 2003**

**Fulton and Montgomery Locality**

Table of Contents:

Optional Module 4: Cholesterol Awareness..... 1  
Optional Module 5: Diabetes..... 3  
  
Optional Module 9: Fruits and Vegetables..... 9  
Optional Module 10: Health Care Coverage..... 10  
Optional Module 15: Oral Health..... 12  
Optional Module 18: Social Context..... 14  
Optional Module 24: Weight Control..... 18

**New York State Department of Health**

Expanded BRFSS, 2003 - New York State Department of Health

## Ever had Blood Cholesterol Checked

*Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	493	80.2	115	19.8	3.8
Gender					
Male	187	76.7	51	23.3	6.4
Female	306	83.4	64	16.6	4.2
Age					
18-34	77	55.6	55	44.4	9.7
35-54	195	83.2	47	16.8	5.0
≥55	216	94.9	13	5.1	3.1
Education					
≤High School	253	76.7	74	23.3	5.5
>High School	239	83.8	41	16.2	5.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Blood Cholesterol Checked in the Past Five Years

*Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	448	74.3	149	25.7	4.1
Gender					
Male	170	70.6	65	29.4	6.8
Female	278	77.7	84	22.3	4.7
Age					
18-34	71	53.0	58	47.0	9.8
35-54	168	72.4	72	27.6	6.3
≥55	204	92.1	19	7.9	3.7
Education					
≤High School	235	73.1	85	26.9	5.8
>High School	212	75.5	64	24.5	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Check Blood for Glucose or Sugar at Least Once per Day among Those with Diabetes

### *Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	28	54.0	25	46.0	15.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Check Feet for Sores or Irritations at Least Once per Day among Those with Diabetes

### *Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	35	65.9	16	34.1	15.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Feet Checked by a Medical Professional in Past Twelve Months, among Those with Diabetes

*Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	37	77.0	11	23.0	13.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Dilated Eye Exam in Past 12 Months, among Those with Diabetes

### *Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	30	61.2	21	38.8	15.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

This page left intentionally blank



This page left intentionally blank

Expanded BRFSS, 2003 - New York State Department of Health

## Eat Five Fruits or Vegetable Servings per Day

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	153	24.5	467	75.5	3.8
Gender					
Male	45	19.4	196	80.6	5.6
Female	108	29.0	271	71.0	5.1
Age					
18-34	32	23.6	105	76.4	7.9
35-54	36	16.0	207	84.0	5.4
≥55	83	34.5	152	65.5	6.6
Education					
≤High School	76	22.5	261	77.5	4.9
>High School	77	26.8	204	73.2	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Main Reason for Not Having Health Care Coverage**

*Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Changed or lost job %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Could not afford %</b>	<b>C.I.</b>	<b>n</b>	<b>Other %</b>	<b>C.I.</b>
Total	15	24.9	12.7	21	35.7	13.7	25	39.5	13.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## No Health Care Coverage for Past Two Years Among Uninsured

### *Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	28	47.1	32	52.9	14.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	377	58.9	228	41.1	4.5
Gender					
Male	143	56.6	93	43.4	7.2
Female	234	60.9	135	39.1	5.6
Age					
18-34	41	25.5	94	74.5	7.7
35-54	135	56.4	104	43.6	7.2
≥55	197	87.3	29	12.7	4.6
Education					
≤High School	228	65.9	100	34.1	6.1
>High School	147	51.1	128	48.9	6.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	385	71.6	151	28.4	4.3
Gender					
Male	136	66.2	74	33.8	7.1
Female	249	76.6	77	23.4	5.1
Age					
18-34	91	69.4	40	30.6	8.8
35-54	166	73.2	60	26.8	6.6
≥55	123	70.6	51	29.4	7.5
Education					
≤High School	173	61.7	101	38.3	6.6
>High School	211	80.9	50	19.1	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Neighborhood Safety

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Extremely or quite safe %<sup>2</sup></b>	<b>n</b>	<b>Slightly or not safe %</b>	<b>C.I.<sup>3</sup></b>
Total	551	90.9	59	9.1	2.5
Gender					
Male	214	90.1	24	9.9	4.1
Female	337	91.6	35	8.4	3.0
Age					
18-64	410	90.0	48	10.0	3.0
≥65	136	93.5	11	6.5	4.0
Education					
≤High School	299	90.2	33	9.8	3.7
>High School	251	91.8	25	8.2	3.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Living Arrangements

### *Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Own % <sup>2</sup>	n	Rent %	C.I. <sup>3</sup>
Total	436	75.4	170	24.6	3.8
Gender					
Male	179	76.6	58	23.4	6.2
Female	257	74.3	112	25.7	4.7
Age					
18-64	323	75.0	131	25.0	4.5
≥65	109	76.4	38	23.6	7.4
Education					
≤High School	224	71.5	109	28.5	5.5
>High School	210	79.6	61	20.4	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

**Lived at Current Address 2 or More Years**

*Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	496	82.0	120	18.0	3.3
Gender					
Male	196	82.2	44	17.8	5.3
Female	300	81.8	76	18.2	4.2
Age					
18-64	355	78.9	107	21.1	4.1
≥65	137	92.3	12	7.7	4.7
Education					
≤High School	269	80.7	67	19.3	4.7
>High School	226	83.8	52	16.2	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Concerned about Having Enough Food for You or Your Family in Past 30 Days**

***Fulton and Montgomery***

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	41	5.9	573	94.1	2.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Lose Weight

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	291	46.3	324	53.7	4.5
Gender					
Male	88	38.6	151	61.4	7.0
Female	203	53.1	173	46.9	5.6
Age					
18-34	62	44.3	72	55.7	9.4
35-54	129	52.2	113	47.8	7.2
≥55	96	39.9	138	60.1	6.9
Education					
≤High School	148	42.5	187	57.5	5.9
>High School	142	50.2	136	49.8	6.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Maintain Current Weight of Those not Trying to Lose Weight

*Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	190	60.1	132	39.9	6.1
Gender					
Male	82	57.6	69	42.4	8.9
Female	108	63.2	63	36.8	8.2
Age					
18-34	37	51.7	34	48.3	13.3
35-54	69	64.0	44	36.0	10.0
≥55	84	62.7	53	37.3	9.0
Education					
≤High School	104	57.7	82	42.3	8.1
>High School	85	63.1	50	36.9	9.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

*Fulton and Montgomery*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	373	79.6	98	20.4	4.1
Gender					
Male	119	74.4	46	25.6	7.3
Female	254	83.7	52	16.3	4.5
Age					
18-34	74	79.4	24	20.6	8.3
35-54	155	78.2	42	21.8	6.7
≥55	140	80.8	32	19.2	6.9
Education					
≤High School	192	79.7	54	20.3	5.5
>High School	179	79.3	44	20.7	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

### *Fulton and Montgomery*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	316	67.2	165	32.8	4.7
Gender					
Male	116	69.5	54	30.5	7.7
Female	200	65.3	111	34.7	5.8
Age					
18-34	81	86.9	18	13.1	6.4
35-54	146	73.2	52	26.8	7.1
≥55	87	47.2	93	52.8	8.1
Education					
≤High School	143	58.6	109	41.4	6.8
>High School	173	76.5	54	23.5	6.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval