

Expanded BRFSS, 2003

Delaware, Otsego and Schoharie Locality

Table of Contents:

Optional Module 9: Fruits and Vegetables..... 3
Optional Module 10: Health Care Coverage 4
Optional Module 12: Hypertension Awareness..... 6
Optional Module 13: Injury Control - Falls..... 7
Optional Module 15: Oral Health 8
Optional Module 19: Tobacco Consumption 10
Optional Module 20: Tobacco - Media 11
Optional Module 23: Seat Belts..... 19

New York State Department of Health

This page left intentionally blank

This page left intentionally blank

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	199	30.5	420	69.5	4.2
Gender					
Male	57	23.0	184	77.0	6.1
Female	142	37.6	236	62.4	5.5
Age					
18-34	28	27.0	74	73.0	9.5
35-54	84	31.0	175	69.0	6.3
≥55	86	33.0	170	67.0	6.2
Education					
≤High School	66	22.7	217	77.3	5.9
>High School	133	37.2	202	62.8	5.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Main Reason for Not Having Health Care Coverage

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Changed or lost job % ²	C.I. ³	n	Could not afford %	C.I.	n	Other %	C.I.
Total	8	7.0	5.7	36	49.8	15.2	25	43.3	15.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

No Health Care Coverage for Past Two Years Among Uninsured

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	31	50.9	38	49.1	15.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	177	23.8	438	76.2	3.6
Gender					
Male	69	22.3	170	77.7	5.4
Female	108	25.2	268	74.8	4.7
Age					
18-34	7	5.0	94	95.0	4.2
35-54	48	17.9	209	82.1	5.1
≥55	121	46.5	134	53.5	6.6
Education					
≤High School	98	27.9	183	72.1	5.7
>High School	79	20.4	254	79.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	320	80.8	4.1	23	5.6	2.4	55	13.6	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	348	52.8	255	47.2	4.8
Gender					
Male	149	57.6	83	42.4	7.8
Female	199	48.3	172	51.7	5.7
Age					
18-34	28	29.7	72	70.3	10.4
35-54	127	49.6	126	50.4	7.0
≥55	192	76.7	57	23.3	5.7
Education					
≤High School	192	65.3	81	34.7	7.0
>High School	155	42.4	174	57.6	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	409	74.2	139	25.8	4.4
Gender					
Male	155	72.4	56	27.6	7.3
Female	254	75.9	83	24.1	5.1
Age					
18-34	63	67.6	33	32.4	10.4
35-54	184	73.7	64	26.3	6.3
≥55	161	81.5	42	18.5	5.6
Education					
≤High School	153	68.5	71	31.5	7.3
>High School	256	78.6	67	21.4	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Number of Cigarettes Smoked per day among Everyday Smokers

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	1-10 cigarettes % ²	n	≥11 cigarettes %	C.I. ³
Total	35	31.7	75	68.3	10.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Television

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	385	67.6	213	32.4	4.3
Gender					
Male	151	68.0	83	32.0	6.9
Female	234	67.1	130	32.9	5.2
Age					
18-34	77	79.6	22	20.4	8.8
35-54	161	64.7	91	35.3	6.6
≥55	147	59.9	99	40.1	6.6
Education					
≤High School	189	74.0	85	26.0	5.7
>High School	196	62.2	127	37.8	6.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Radio

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	212	37.1	387	62.9	4.7
Gender					
Male	81	35.8	151	64.2	7.4
Female	131	38.3	236	61.7	5.7
Age					
18-34	42	42.2	58	57.8	11.0
35-54	103	44.5	148	55.5	7.0
≥55	67	24.7	180	75.3	5.6
Education					
≤High School	105	38.2	170	61.8	6.9
>High School	107	36.1	217	63.9	6.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Billboards

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	189	33.4	418	66.6	4.6
Gender					
Male	70	32.3	166	67.7	7.4
Female	119	34.4	252	65.6	5.5
Age					
18-34	44	42.8	58	57.2	10.9
35-54	89	34.8	168	65.2	6.6
≥55	55	23.1	192	76.9	5.7
Education					
≤High School	79	33.6	199	66.4	7.0
>High School	110	33.2	218	66.8	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Buses

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	24	4.6	581	95.4	2.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Magazines

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	343	57.1	260	42.9	4.7
Gender					
Male	125	53.7	109	46.3	7.7
Female	218	60.4	151	39.6	5.5
Age					
18-34	57	56.6	45	43.4	10.9
35-54	137	54.1	118	45.9	6.9
≥55	149	60.9	96	39.1	6.6
Education					
≤High School	163	59.9	112	40.1	6.9
>High School	180	54.9	147	45.1	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from a Website

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	49	9.2	561	90.8	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard, Read or Seen Information about the Effects of Tobacco from Movie Theater

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	37	7.4	570	92.6	2.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Heard or Seen Anti-Tobacco Advertisement that Refers to the NYS Quitline in Past 30 Days

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	215	40.3	359	59.7	4.8
Gender					
Male	82	41.4	142	58.6	7.8
Female	133	39.2	217	60.8	5.7
Age					
18-34	45	49.9	47	50.1	11.5
35-54	103	41.8	142	58.2	6.9
≥55	66	30.0	170	70.0	6.4
Education					
≤High School	94	39.8	166	60.2	7.2
>High School	121	40.7	192	59.3	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Use Seatbelt when Ride or Drive in a Car (Always, Nearly Always or Never Ride in a Car)

Delaware, Otsego and Schoharie

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	570	92.3	43	7.7	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Use Seatbelt when Ride or Drive in a Car (Always or Never ride in a Car)

Delaware, Otsego and Schoharie

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	494	78.8	119	21.2	4.0
Gender					
Male	164	69.5	72	30.5	7.0
Female	330	87.5	47	12.5	3.9
Age					
18-64	363	76.0	102	24.0	4.8
≥65	130	89.7	17	10.3	4.9
Education					
≤High School	219	77.8	59	22.2	6.0
>High School	274	79.5	60	20.5	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval