

Expanded BRFSS, 2003

Schenectady

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	516	81.7	92	18.3	3.8
Gender					
Male	188	80.2	40	19.8	5.9
Female	328	83.0	52	17.0	4.9
Age					
18-34	69	57.6	46	42.4	10.3
35-54	211	86.3	33	13.7	4.9
≥55	229	94.7	12	5.3	3.4
Education					
≤High School	178	74.0	47	26.0	7.1
>High School	337	86.1	45	13.9	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had Blood Cholesterol Checked in the Past Five Years

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	492	78.4	112	21.6	4.0
Gender					
Male	180	78.1	46	21.9	6.1
Female	312	78.6	66	21.4	5.2
Age					
18-34	67	55.9	48	44.1	10.3
35-54	195	80.2	49	19.8	5.6
≥55	223	93.5	14	6.5	3.7
Education					
≤High School	171	70.7	53	29.3	7.3
>High School	320	82.7	59	17.3	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	140	19.0	484	81.0	3.3
Gender					
Male	56	19.7	178	80.3	5.3
Female	84	18.4	306	81.6	4.0
Age					
18-34	8	6.1	112	93.9	4.5
35-54	53	18.9	195	81.1	5.3
≥55	74	28.4	174	71.6	6.1
Education					
≤High School	58	21.8	174	78.2	5.6
>High School	82	17.5	309	82.5	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	191	28.5	432	71.5	4.1
Gender					
Male	50	21.5	183	78.5	6.0
Female	141	34.7	249	65.3	5.4
Age					
18-34	30	26.1	90	73.9	9.3
35-54	64	24.6	184	75.4	6.1
≥55	92	34.1	155	65.9	6.4
Education					
≤High School	54	22.3	177	77.7	6.3
>High School	137	32.1	254	67.9	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	189	28.5	433	71.5	3.9
Gender					
Male	72	28.8	160	71.2	6.3
Female	117	28.2	273	71.8	4.8
Age					
18-34	6	4.9	113	95.1	4.2
35-54	51	23.4	197	76.6	6.2
≥55	127	52.5	120	47.5	6.8
Education					
≤High School	87	33.2	145	66.8	6.6
>High School	101	25.5	288	74.5	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Schenectady

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	301	82.4	4.3	20	4.9	2.3	50	12.7	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	118	70.4	50	29.6	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	254	36.9	369	63.1	4.2
Gender					
Male	81	30.8	152	69.2	6.4
Female	173	42.4	217	57.6	5.5
Age					
18-64	134	27.9	313	72.1	4.6
≥65	118	70.4	50	29.6	7.5
Education					
≤High School	97	37.2	135	62.8	6.9
>High School	156	36.6	234	63.4	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	123	75.0	41	25.0	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	192	29.3	393	70.7	4.0
Gender					
Male	67	27.1	139	72.9	6.4
Female	125	31.0	254	69.0	5.0
Age					
18-64	67	15.5	347	84.5	3.9
≥65	123	75.0	41	25.0	7.3
Education					
≤High School	85	35.4	131	64.6	7.0
>High School	106	25.6	262	74.4	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	339	50.6	270	49.4	4.5
Gender					
Male	128	50.2	98	49.8	7.3
Female	211	51.0	172	49.0	5.7
Age					
18-34	28	22.2	91	77.8	8.6
35-54	113	46.5	134	53.5	7.1
≥55	195	79.7	41	20.3	6.1
Education					
≤High School	164	68.0	61	32.0	7.1
>High School	175	40.7	209	59.3	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	453	77.3	119	22.7	4.0
Gender					
Male	163	72.0	58	28.0	6.7
Female	290	82.2	61	17.8	4.5
Age					
18-34	80	64.5	39	35.5	9.8
35-54	197	80.4	46	19.6	5.6
≥55	171	84.6	33	15.4	5.3
Education					
≤High School	146	72.2	48	27.8	7.3
>High School	306	79.9	71	20.1	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	294	47.2	330	52.8	4.5
Gender					
Male	94	42.2	140	57.8	7.1
Female	200	51.6	190	48.4	5.6
Age					
18-34	50	39.7	70	60.3	9.9
35-54	127	50.6	121	49.4	7.1
≥55	113	48.9	135	51.1	6.8
Education					
≤High School	106	46.2	126	53.8	7.3
>High School	187	47.6	204	52.4	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	203	60.9	125	39.1	6.0
Gender					
Male	81	56.4	57	43.6	9.2
Female	122	65.7	68	34.3	7.6
Age					
18-34	43	59.5	27	40.5	12.7
35-54	81	64.5	40	35.5	9.7
≥55	78	59.0	55	41.0	9.2
Education					
≤High School	65	51.1	60	48.9	9.8
>High School	138	66.8	65	33.2	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	378	76.7	110	23.3	4.4
Gender					
Male	129	76.3	42	23.7	7.1
Female	249	77.0	68	23.0	5.6
Age					
18-34	61	62.7	30	37.3	11.7
35-54	159	79.5	47	20.5	5.8
≥55	154	83.5	32	16.5	5.7
Education					
≤High School	133	78.8	35	21.2	7.5
>High School	244	75.5	75	24.5	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	361	75.2	136	24.8	4.1
Gender					
Male	133	79.0	42	21.0	6.3
Female	228	72.1	94	27.9	5.3
Age					
18-34	75	82.1	18	17.9	8.1
35-54	164	79.7	44	20.3	6.0
≥55	119	64.5	72	35.5	7.3
Education					
≤High School	116	69.3	55	30.7	7.6
>High School	244	78.1	81	21.9	4.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	293	96.0	10	4.0	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	268	87.6	34	12.4	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval