

New York State Expanded Behavioral Risk Factor Surveillance System

Onondaga County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Onondaga County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Onondaga County and New York State	14
Table 2b. Fair or poor general health among adults in Onondaga County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Onondaga County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Onondaga County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Onondaga County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Onondaga County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Onondaga County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Onondaga County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Onondaga County and New York State	22
Table 6b. Health insurance among adults in Onondaga County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Onondaga County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Onondaga County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Onondaga County and New York State	26
Table 8b. No health insurance among adults in Onondaga County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Onondaga County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Onondaga County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Onondaga County and New York State	30
Table 10b. Adults with regular health care provider in Onondaga County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Onondaga County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Onondaga County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Onondaga County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Onondaga County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Onondaga County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Onondaga County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Onondaga County and New York State	38
Table 14b. Dentist visit within the past year among adults in Onondaga County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Onondaga County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Onondaga County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Onondaga County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Onondaga County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Onondaga County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Onondaga County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Onondaga County and New York State	46
Table 18b. Flu shot within the past 12 months in Onondaga County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Onondaga County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Onondaga County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Onondaga County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Onondaga County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Onondaga County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Onondaga County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Onondaga County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Onondaga County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Onondaga County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Onondaga County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Onondaga County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Onondaga County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Onondaga County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Onondaga County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Onondaga County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Onondaga County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Onondaga County and New York State	64
Table 27b. Ever had a Pap test among women in Onondaga County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Onondaga County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Onondaga County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Onondaga County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Onondaga County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Onondaga County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Onondaga County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Onondaga County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Onondaga County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Onondaga County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Onondaga County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Onondaga County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Onondaga County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Onondaga County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Onondaga County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Onondaga County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Onondaga County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Onondaga County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Onondaga County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Onondaga County and New York State - Age-adjusted	89

Chronic Diseases

Table 40a. High blood pressure among adults in Onondaga County and New York State	90
Table 40b. High blood pressure among adults in Onondaga County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Onondaga County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Onondaga County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Onondaga County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Onondaga County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Onondaga County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Onondaga County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Onondaga County and New York State	98
Table 44b. Cardiovascular disease among adults in Onondaga County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Onondaga County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Onondaga County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Onondaga County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Onondaga County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Onondaga County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Onondaga County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Onondaga County and New York State	106
Table 48b. Current asthma among adults in Onondaga County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Onondaga County and New York State	108
Table 49b. Chronic joint symptoms among adults in Onondaga County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Onondaga County and New York State	110
Table 50b. Arthritis among adults in Onondaga County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Onondaga County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Onondaga County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Onondaga County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Onondaga County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Onondaga County and New York State	116
Table 53b. Disability among adults in Onondaga County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Onondaga County and New York State	118
Table 54b. Current smoking among adults in Onondaga County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Onondaga County and New York State	120
Table 55b. Everyday smoking among adults in Onondaga County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Onondaga County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Onondaga County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Onondaga County and New York State	124
Table 57b. Binge drinking within the past month among adults in Onondaga County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Onondaga County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Onondaga County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Onondaga County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Onondaga County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Onondaga County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Onondaga County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Onondaga County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Onondaga County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Onondaga County and New York State	134
Table 62b. Overweight among adults in Onondaga County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Onondaga County and New York State	136
Table 63b. Obesity among adults in Onondaga County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Onondaga County and New York State	138
Table 64b. Overweight or obesity among adults in Onondaga County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Onondaga County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Onondaga County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Onondaga County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Onondaga County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Onondaga County and New York State	144
Table 67b. No leisure-time physical activity among adults in Onondaga County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Onondaga County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Onondaga County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Onondaga County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Onondaga County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Onondaga County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Onondaga County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 1. Onondaga County and New York State adult US Census Bureau population estimates,¹ 2007

	Onondaga County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	348,822	100	14,884,315	100
Gender				
Male	164,829	47.3	7,103,791	47.7
Female	183,993	52.7	7,780,524	52.3
Age (years)				
18-34	105,880	30.4	4,497,479	30.2
35-44	61,138	17.5	2,844,115	19.1
45-54	69,494	19.9	2,854,316	19.2
55-64	50,379	14.4	2,142,000	14.4
≥ 65	61,931	17.8	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	297,944	85.4	9,343,884	62.8
Black Non-Hispanic	30,296	8.7	2,156,941	14.5
Hispanic	8,143	2.3	2,258,717	15.2
Other Non-Hispanic	12,439	3.6	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 2a. Fair or poor general health among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	41,500	11.9	(9.1 - 14.7)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	258	18,600	11.3	(7.4 - 15.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	413	22,900	12.5	(8.5 - 16.4)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	136	6,100	8.7	(4.1 - 13.4)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	140	8,100	16.1	(9.9 - 22.4)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	242	15,500	25.1	(19.0 - 31.2)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	611	36,100	12.1	(9.1 - 15.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	215	22,600	21.0	(14.0 - 28.0)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	183	9,700	11.0	(6.3 - 15.7)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	273	9,300	6.0	(3.3 - 8.8)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	158	15,900	24.6	(15.3 - 33.9)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	139	11,200	17.2	(9.9 - 24.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	96	6,300	11.9	(3.4 - 20.5)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	189	4,300	3.2	(0.8 - 5.6)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 2b. Fair or poor general health among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	11.6	(8.8 - 14.5)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	258	11.4	(7.4 - 15.4)	14,599	15.3	(12.6 - 18.0)
Female	413	11.8	(7.8 - 15.8)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	611	11.8	(8.7 - 14.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	215	21.1	(13.7 - 28.6)	15,682	25.8	(22.1 - 29.5)
Some College	183	10.5	(5.8 - 15.3)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	273	5.7	(3.1 - 8.4)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	158	24.5	(14.8 - 34.3)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	139	16.9	(9.4 - 24.5)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	96	12.0	(3.2 - 20.7)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	189	3.1	(0.7 - 5.5)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	39,800	11.6	(8.0 - 15.2)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	248	20,000	12.4	(6.3 - 18.5)	14,325	604,200	8.7	(7.0 - 10.5)
Female	407	19,800	10.8	(6.8 - 14.9)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	136	7,100	10.3	(4.7 - 15.8)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	137	7,600	15.5	(8.9 - 22.1)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	231	11,200	18.7	(12.9 - 24.4)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	596	32,300	11.0	(7.3 - 14.7)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	205	23,900	22.7	(13.0 - 32.3)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	179	6,400	7.5	(4.2 - 10.7)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	271	9,500	6.2	(3.1 - 9.4)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	*	*	*	*	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	136	7,100	11.1	(5.5 - 16.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	188	8,200	6.2	(2.4 - 10.1)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	11.1	(7.5 - 14.7)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	248	12.3	(6.2 - 18.4)	14,325	8.7	(6.9 - 10.5)
Female	407	10.0	(6.0 - 14.1)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	596	10.4	(6.8 - 14.1)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	205	22.1	(12.3 - 31.9)	15,178	12.7	(10.2 - 15.1)
Some College	179	6.7	(3.7 - 9.7)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	271	6.2	(2.9 - 9.5)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	136	10.5	(5.2 - 15.9)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	188	6.1	(2.2 - 9.9)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	40,300	11.7	(7.7 - 15.7)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	252	20,300	12.6	(5.7 - 19.4)	14,407	555,200	7.9	(6.3 - 9.6)
Female	408	20,100	11.0	(6.5 - 15.5)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	85	8,500	14.1	(5.5 - 22.6)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	135	5,200	7.6	(3.3 - 11.8)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	137	4,800	9.8	(4.2 - 15.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	238	3,300	5.4	(2.4 - 8.4)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	601	32,200	11.0	(6.9 - 15.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	*	*	*	*	15,335	665,000	12.2	(10.0 - 14.5)
Some College	180	8,600	10.0	(4.4 - 15.5)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	269	9,600	6.3	(3.3 - 9.3)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	137	9,500	15.0	(5.5 - 24.5)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	189	9,000	6.7	(3.2 - 10.3)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	12.0	(7.9 - 16.2)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	252	12.9	(5.9 - 20.0)	14,407	7.9	(6.3 - 9.6)
Female	408	11.2	(6.5 - 15.9)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	601	11.4	(7.2 - 15.7)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	*	*	*	15,335	12.3	(10.0 - 14.6)
Some College	180	10.3	(4.3 - 16.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	269	6.4	(3.2 - 9.5)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	*	*	*	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	189	6.8	(3.1 - 10.4)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	62,100	18.3	(14.0 - 22.6)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	246	30,900	19.5	(12.3 - 26.8)	14,231	937,700	13.6	(11.4 - 15.8)
Female	403	31,100	17.2	(12.2 - 22.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	84	9,700	16.4	(7.1 - 25.6)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	135	11,100	16.2	(9.6 - 22.8)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	135	9,000	18.8	(11.8 - 25.9)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	230	12,800	21.6	(15.6 - 27.6)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	591	49,900	17.3	(12.9 - 21.6)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	*	*	*	*	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	178	13,200	15.7	(9.4 - 21.9)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	268	14,500	9.6	(5.9 - 13.3)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	*	*	*	*	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	188	13,400	10.1	(5.7 - 14.6)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	18.1	(13.7 - 22.5)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	246	19.8	(12.4 - 27.2)	14,231	13.6	(11.4 - 15.8)
Female	403	16.7	(11.6 - 21.7)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	591	17.2	(12.7 - 21.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	*	*	*	15,018	20.1	(17.1 - 23.1)
Some College	178	15.4	(8.8 - 21.9)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	268	9.6	(5.8 - 13.5)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	*	*	*	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	188	10.0	(5.5 - 14.6)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 6a. Health insurance among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	316,200	91.0	(87.7 - 94.3)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	256	149,000	90.7	(85.6 - 95.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	412	167,300	91.2	(86.9 - 95.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	66	88,000	83.1	(73.6 - 92.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	86	57,800	95.5	(90.5 - 100)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	136	62,000	89.2	(83.5 - 94.9)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	139	47,400	95.0	(91.4 - 98.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	241	61,000	98.7	(97.6 - 99.9)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	608	275,700	92.9	(89.9 - 95.9)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	92,600	86.4	(79.1 - 93.7)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	183	77,800	88.5	(81.8 - 95.3)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	272	145,800	95.5	(91.8 - 99.3)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	157	53,200	82.6	(72.8 - 92.4)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	96	47,800	91.0	(83.1 - 98.8)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	189	130,500	97.8	(94.2 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 6b. Health insurance among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	91.0	(87.7 - 94.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	256	90.9	(85.8 - 96.0)	14,597	83.6	(79.7 - 87.5)
Female	412	91.2	(86.8 - 95.6)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	608	92.9	(89.8 - 95.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	86.0	(78.4 - 93.7)	15,673	80.1	(75.4 - 84.7)
Some College	183	89.1	(82.4 - 95.7)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	272	95.5	(91.8 - 99.3)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	96	91.2	(83.4 - 99.0)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	189	97.7	(94.2 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 7a. Health insurance among adults aged 18-64¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	421	253,200	89.3	(85.3 - 93.3)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	168	123,700	89.1	(83.1 - 95.2)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	253	129,600	89.4	(84.1 - 94.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	66	88,000	83.1	(73.6 - 92.6)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	86	57,800	95.5	(90.5 - 100)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	136	62,000	89.2	(83.5 - 94.9)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	133	45,400	95.2	(91.6 - 98.9)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	375	216,000	91.5	(87.8 - 95.2)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	104	65,100	82.5	(72.7 - 92.3)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	115	60,300	86.1	(77.7 - 94.5)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	202	127,800	94.9	(90.7 - 99.2)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	75	41,600	89.8	(80.9 - 98.7)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	162	121,300	97.6	(93.8 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 7b. Health insurance among adults aged 18-64¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	421	89.4	(85.4 - 93.5)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	168	89.1	(83.0 - 95.2)	10,078	80.5	(75.9 - 85.1)
Female	253	89.7	(84.4 - 95.1)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	375	91.5	(87.7 - 95.3)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	115	86.8	(78.7 - 95.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	202	95.0	(90.7 - 99.2)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	75	90.1	(81.3 - 98.9)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	162	97.6	(93.7 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 8a. No health insurance among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	31,400	9.0	(5.7 - 12.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	256	15,300	9.3	(4.2 - 14.4)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	412	16,200	8.8	(4.5 - 13.1)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	66	17,900	16.9	(7.4 - 26.4)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	136	7,500	10.8	(5.1 - 16.5)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	608	21,100	7.1	(4.1 - 10.1)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	14,500	13.6	(6.3 - 20.9)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	183	10,100	11.5	(4.7 - 18.2)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	157	11,200	17.4	(7.6 - 27.2)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 8b. No health insurance among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	9.0	(5.6 - 12.3)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	256	9.1	(4.0 - 14.2)	14,597	16.4	(12.5 - 20.3)
Female	412	8.8	(4.4 - 13.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	608	7.1	(4.1 - 10.2)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	14.0	(6.3 - 21.6)	15,673	19.9	(15.3 - 24.6)
Some College	183	10.9	(4.3 - 17.6)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 9a. No health insurance among adults aged 18-64¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	421	30,400	10.7	(6.7 - 14.7)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	168	15,100	10.9	(4.8 - 16.9)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	253	15,300	10.6	(5.2 - 15.9)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	66	17,900	16.9	(7.4 - 26.4)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	136	7,500	10.8	(5.1 - 16.5)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	375	20,200	8.5	(4.8 - 12.2)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	104	13,800	17.5	(7.7 - 27.3)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	115	9,800	13.9	(5.5 - 22.3)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 9b. No health insurance among adults aged 18-64¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	421	10.6	(6.5 - 14.6)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	168	10.9	(4.8 - 17.0)	10,078	19.5	(14.9 - 24.1)
Female	253	10.3	(4.9 - 15.6)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	375	8.5	(4.7 - 12.3)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	115	13.2	(5.0 - 21.3)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 10a. Adults with regular health care provider¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	299,500	85.9	(80.9 - 90.9)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	257	127,000	77.1	(68.1 - 86.2)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	412	172,500	93.8	(90.1 - 97.5)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	87	56,200	91.9	(85.6 - 98.2)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	136	65,300	94.0	(90.0 - 98.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	140	47,500	94.2	(90.4 - 98.1)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	240	58,800	95.5	(92.6 - 98.4)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	609	261,000	87.7	(82.7 - 92.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	182	76,600	87.4	(80.0 - 94.8)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	273	136,600	89.2	(82.1 - 96.3)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	96	46,500	88.5	(79.2 - 97.7)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	189	120,100	90.0	(82.3 - 97.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 10b. Adults with regular health care provider¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	85.9	(80.9 - 90.9)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	257	77.5	(68.6 - 86.5)	14,593	78.1	(73.9 - 82.3)
Female	412	93.4	(89.4 - 97.4)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	609	87.6	(82.5 - 92.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,692	75.8	(71.0 - 80.6)
Some College	182	87.8	(80.4 - 95.2)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	273	89.0	(82.0 - 96.1)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	96	88.0	(78.1 - 97.8)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	189	89.9	(82.4 - 97.4)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	50,400	14.5	(10.1 - 18.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	258	21,900	13.3	(6.4 - 20.2)	14,607	903,300	12.7	(9.5 - 16.0)
Female	412	28,500	15.5	(9.9 - 21.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	136	10,500	15.1	(8.1 - 22.2)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	139	3,300	6.6	(2.2 - 11.0)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	610	40,000	13.4	(8.9 - 18.0)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	*	*	*	*	15,696	996,600	17.8	(13.8 - 21.9)
Some College	182	16,900	19.3	(10.7 - 27.9)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	273	11,700	7.6	(3.5 - 11.7)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	139	9,000	13.8	(5.5 - 22.1)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	14.5	(10.0 - 19.0)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	258	12.9	(6.0 - 19.8)	14,607	12.5	(9.4 - 15.6)
Female	412	15.9	(10.0 - 21.8)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	610	13.6	(8.9 - 18.2)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	*	*	*	15,696	17.8	(13.8 - 21.7)
Some College	182	19.6	(10.8 - 28.5)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	273	7.4	(3.2 - 11.6)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	139	14.0	(5.4 - 22.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	238,100	68.4	(63.3 - 73.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	257	104,700	63.7	(55.2 - 72.1)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	411	133,400	72.6	(66.8 - 78.5)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	136	46,400	66.8	(58.2 - 75.4)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	139	37,400	74.5	(66.7 - 82.4)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	240	53,700	87.5	(82.3 - 92.6)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	608	203,900	68.6	(63.3 - 73.9)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	212	83,000	77.4	(69.3 - 85.5)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	183	52,200	59.4	(49.8 - 69.1)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	273	102,900	67.2	(59.2 - 75.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	189	88,600	66.4	(57.6 - 75.2)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	67.8	(62.5 - 73.0)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	257	63.3	(54.8 - 71.9)	14,592	67.1	(63.3 - 70.9)
Female	411	71.8	(65.5 - 78.0)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	608	67.8	(62.3 - 73.3)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	212	76.7	(68.1 - 85.3)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	273	66.8	(58.6 - 75.0)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	189	65.9	(57.0 - 74.8)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	286,800	82.4	(78.1 - 86.7)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	257	132,800	80.7	(73.7 - 87.7)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	411	154,000	83.9	(78.7 - 89.0)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	136	58,900	84.7	(78.6 - 90.9)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	139	42,600	84.8	(78.3 - 91.2)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	240	57,500	93.6	(89.6 - 97.6)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	608	249,700	84.0	(79.9 - 88.1)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	212	96,500	90.0	(84.3 - 95.8)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	183	64,900	73.9	(65.0 - 82.7)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	273	125,400	81.9	(74.9 - 88.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	138	52,600	81.2	(71.4 - 91.0)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	189	116,500	87.3	(81.6 - 93.0)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	82.0	(77.5 - 86.4)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	257	80.5	(73.4 - 87.6)	14,592	81.9	(78.4 - 85.3)
Female	411	83.3	(77.8 - 88.8)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	608	83.5	(79.1 - 87.9)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	212	89.7	(83.4 - 95.9)	15,640	84.6	(81.1 - 88.1)
Some College	183	73.7	(64.4 - 83.0)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	273	81.5	(74.5 - 88.6)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	138	81.4	(71.5 - 91.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	189	86.4	(80.2 - 92.5)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 14a. Dentist visit within the past year among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	257,400	73.8	(68.7 - 79.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	258	109,300	66.3	(57.5 - 75.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	412	148,100	80.6	(75.5 - 85.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	136	55,200	79.4	(72.0 - 86.8)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	140	41,400	82.2	(75.1 - 89.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	241	44,700	72.5	(66.2 - 78.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	610	224,800	75.5	(70.3 - 80.7)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	183	64,600	73.5	(64.8 - 82.1)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	273	128,800	84.1	(76.6 - 91.7)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	189	115,200	86.3	(79.0 - 93.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 14b. Dentist visit within the past year among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	73.9	(68.6 - 79.1)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	258	65.9	(57.0 - 74.7)	14,573	68.3	(64.6 - 72.1)
Female	412	81.0	(75.7 - 86.4)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	610	75.5	(70.2 - 80.9)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,613	65.3	(60.9 - 69.6)
Some College	183	73.1	(64.0 - 82.2)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	273	84.3	(76.8 - 91.8)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	189	86.1	(78.8 - 93.5)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 15a. Had teeth cleaned within the past year among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	251,000	78.4	(73.4 - 83.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	227	103,600	69.9	(61.1 - 78.6)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	377	147,400	85.7	(81.3 - 90.1)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	132	53,900	79.3	(71.6 - 87.1)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	129	40,400	87.4	(81.0 - 93.7)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	195	41,800	83.4	(77.8 - 88.9)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	547	219,600	80.6	(75.8 - 85.5)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	172	59,900	69.1	(59.4 - 78.7)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	166	64,000	77.9	(69.4 - 86.5)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	266	127,100	83.9	(76.3 - 91.5)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	186	117,000	88.3	(81.4 - 95.1)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 15b. Had teeth cleaned within the past year among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	78.3	(73.3 - 83.3)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	227	69.2	(60.3 - 78.1)	13,173	69.2	(65.3 - 73.1)
Female	377	86.1	(81.6 - 90.6)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	547	80.4	(75.4 - 85.5)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	166	77.5	(68.5 - 86.6)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	266	84.0	(76.4 - 91.6)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	186	88.2	(81.3 - 95.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 16a. Permanent teeth extracted due to decay or gum disease¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	136,600	40.2	(35.4 - 45.1)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	253	64,300	40.8	(33.2 - 48.5)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	404	72,200	39.7	(33.6 - 45.8)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	65	14,900	14.7	(5.9 - 23.5)	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	136	30,100	43.4	(34.0 - 52.7)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	136	28,700	59.3	(50.0 - 68.5)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	234	47,500	78.8	(73.1 - 84.4)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	598	117,600	40.7	(35.8 - 45.7)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	182	42,400	49.0	(39.6 - 58.4)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	269	33,500	22.0	(16.4 - 27.7)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	96	13,400	25.4	(16.4 - 34.5)	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	188	34,400	26.0	(18.8 - 33.2)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	38.5	(33.6 - 43.4)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	253	40.8	(33.0 - 48.6)	14,457	47.9	(44.1 - 51.7)
Female	404	36.5	(30.3 - 42.7)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	598	38.8	(33.7 - 43.8)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	182	46.8	(37.1 - 56.5)	9,798	47.9	(43.0 - 52.9)
≥ College Degree	269	20.5	(15.0 - 26.0)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	96	22.6	(14.1 - 31.0)	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	188	24.9	(17.7 - 32.2)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	234	11,200	18.6	(12.8 - 24.3)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	88	5,500	21.8	(12.2 - 31.3)	4,352	167,200	16.4	(11.8 - 20.9)
Female	146	5,700	16.3	(9.2 - 23.3)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	234	11,200	18.6	(12.8 - 24.3)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	221	10,700	18.7	(12.8 - 24.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	101	6,600	25.6	(15.6 - 35.5)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	234	18.9	(13.0 - 24.8)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	88	21.7	(12.2 - 31.3)	4,352	16.5	(11.5 - 21.4)
Female	146	16.3	(9.2 - 23.3)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	221	18.9	(12.9 - 25.0)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	101	25.3	(15.4 - 35.2)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 18a. Flu shot within the past 12 months¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	161,900	46.4	(41.2 - 51.6)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	258	66,700	40.5	(32.6 - 48.3)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	413	95,200	51.7	(45.2 - 58.3)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	224	69,000	33.7	(26.1 - 41.2)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	205	42,000	51.2	(43.6 - 58.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	242	50,900	82.1	(77.0 - 87.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	611	141,100	47.4	(42.0 - 52.7)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	51,100	47.4	(37.4 - 57.3)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	183	42,100	47.9	(38.5 - 57.2)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	273	68,700	44.9	(37.1 - 52.6)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	189	60,200	45.1	(36.3 - 54.0)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 18b. Flu shot within the past 12 months¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	45.4	(40.1 - 50.6)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	258	40.6	(32.7 - 48.6)	14,579	40.0	(36.2 - 43.8)
Female	413	49.6	(42.8 - 56.4)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	611	45.9	(40.5 - 51.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	183	45.6	(36.0 - 55.3)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	273	44.3	(36.4 - 52.2)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	189	43.7	(34.8 - 52.7)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	164,900	47.9	(42.8 - 53.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	257	68,900	42.9	(35.1 - 50.8)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	413	96,100	52.2	(45.7 - 58.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	223	72,100	36.0	(28.3 - 43.6)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	205	42,000	51.2	(43.6 - 58.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	242	50,900	82.1	(77.0 - 87.3)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	610	144,200	49.1	(43.8 - 54.4)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	51,100	49.4	(39.8 - 59.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	183	42,100	47.9	(38.5 - 57.2)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	273	71,800	46.9	(39.0 - 54.7)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	189	63,300	47.4	(38.5 - 56.3)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	46.9	(41.6 - 52.1)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	257	43.2	(35.2 - 51.2)	14,568	40.4	(36.6 - 44.2)
Female	413	50.1	(43.2 - 56.9)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	610	47.7	(42.3 - 53.2)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	48.7	(38.8 - 58.6)	15,651	44.1	(39.6 - 48.6)
Some College	183	45.6	(36.0 - 55.3)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	273	46.4	(38.4 - 54.4)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	189	46.1	(37.1 - 55.1)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 21a. Flu shot among adults aged 65 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	242	50,900	82.1	(77.0 - 87.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	88	21,100	83.8	(75.9 - 91.8)	4,417	772,900	74.6	(69.3 - 79.8)
Female	154	29,700	81.0	(74.2 - 87.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	242	50,900	82.1	(77.0 - 87.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	228	49,200	84.0	(78.9 - 89.1)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	107	21,500	79.6	(71.3 - 87.9)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	66	15,100	88.6	(80.8 - 96.5)	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	58	13,700	83.4	(73.7 - 93.1)	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 21b. Flu shot among adults aged 65 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	242	82.4	(77.2 - 87.6)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	88	83.9	(76.0 - 91.9)	4,417	74.4	(68.7 - 80.1)
Female	154	81.1	(74.3 - 87.8)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	228	84.2	(79.1 - 89.3)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	107	80.6	(72.5 - 88.6)	6,518	73.3	(67.5 - 79.1)
Some College	66	88.6	(80.6 - 96.5)	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	89	75.5	(65.7 - 85.4)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	624	107,600	34.3	(29.2 - 39.4)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	232	50,100	34.8	(26.2 - 43.4)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	392	57,400	33.9	(27.9 - 39.9)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	200	41,000	23.0	(15.0 - 31.0)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	192	17,600	23.1	(16.6 - 29.6)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	232	49,000	82.9	(77.4 - 88.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	573	90,800	33.5	(28.4 - 38.5)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	*	*	*	*	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	172	31,100	38.7	(29.5 - 47.9)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	243	28,500	22.2	(15.3 - 29.1)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	81	9,000	22.3	(12.5 - 32.1)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	176	26,900	22.2	(14.5 - 29.8)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	624	33.4	(28.3 - 38.6)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	232	35.5	(26.9 - 44.1)	13,052	25.8	(22.3 - 29.4)
Female	392	31.7	(25.5 - 37.8)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	573	32.6	(27.4 - 37.8)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	*	*	*	14,700	29.5	(25.6 - 33.5)
Some College	172	37.4	(27.9 - 46.9)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	243	21.5	(14.7 - 28.3)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	81	21.2	(11.3 - 31.0)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	176	22.2	(14.4 - 30.0)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	232	49,000	82.9	(77.4 - 88.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	83	19,800	83.2	(74.3 - 92.2)	4,180	606,400	62.1	(55.5 - 68.7)
Female	149	29,200	82.8	(75.7 - 89.9)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	232	49,000	82.9	(77.4 - 88.5)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	219	46,700	83.5	(77.8 - 89.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	105	20,700	78.7	(69.7 - 87.7)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	62	14,600	90.8	(82.5 - 99.1)	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	232	83.0	(77.4 - 88.6)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	83	83.2	(74.3 - 92.2)	4,180	61.5	(54.3 - 68.6)
Female	149	82.8	(75.7 - 89.9)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	219	83.5	(77.7 - 89.2)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	105	78.7	(69.6 - 87.7)	6,345	64.2	(57.4 - 71.0)
Some College	62	91.0	(82.9 - 99.2)	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	346	113,700	97.2	(94.8 - 99.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	346	113,700	97.2	(94.8 - 99.5)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	77	38,800	93.7	(87.5 - 99.9)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	117	38,700	98.6	(96.7 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	152	36,200	99.6	(98.7 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	324	105,500	97.0	(94.5 - 99.5)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	115	35,800	98.7	(96.8 - 100)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	93	28,400	95.4	(89.1 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	138	49,600	97.1	(93.5 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	93	21,700	96.9	(93.2 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	69	20,400	95.5	(89.4 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	78	36,700	97.8	(93.6 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	346	96.5	(93.5 - 99.5)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	346	96.5	(93.5 - 99.5)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	324	96.3	(93.1 - 99.5)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	115	98.8	(97.1 - 100)	8,266	90.2	(86.1 - 94.2)
Some College	93	93.9	(85.7 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	138	96.4	(91.9 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	93	97.0	(93.6 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	69	93.8	(85.5 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	78	97.3	(92.0 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	343	101,900	87.7	(83.6 - 91.8)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	343	101,900	87.7	(83.6 - 91.8)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	77	35,800	86.5	(78.1 - 94.9)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	117	33,700	85.8	(78.7 - 92.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	149	32,500	91.2	(86.8 - 95.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	321	94,200	87.2	(82.9 - 91.5)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	115	31,200	86.0	(78.3 - 93.8)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	92	24,400	82.8	(73.9 - 91.8)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	136	46,400	91.7	(86.4 - 97.1)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	77	35,100	94.4	(88.7 - 100)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	343	87.5	(83.0 - 91.9)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	343	87.5	(83.0 - 91.9)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	321	87.0	(82.3 - 91.7)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	115	86.2	(78.3 - 94.1)	8,204	80.1	(75.6 - 84.7)
Some College	92	82.6	(72.7 - 92.5)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	136	91.2	(85.0 - 97.3)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	77	93.9	(87.3 - 100)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	266	66,100	88.4	(84.1 - 92.7)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	266	66,100	88.4	(84.1 - 92.7)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	117	33,700	85.8	(78.7 - 92.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	149	32,500	91.2	(86.8 - 95.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	251	62,200	88.3	(83.8 - 92.8)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	96	21,900	86.2	(77.9 - 94.5)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	74	17,300	83.3	(74.0 - 92.6)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	96	26,900	94.0	(89.2 - 98.7)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	266	88.4	(83.9 - 92.8)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	266	88.4	(83.9 - 92.8)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	251	88.3	(83.7 - 92.9)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	96	85.8	(77.0 - 94.6)	7,026	83.6	(80.1 - 87.0)
Some College	74	83.5	(74.0 - 92.9)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	96	94.2	(89.6 - 98.8)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 27a. Ever had a Pap test among women¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	410	180,000	98.2	(97.1 - 99.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	410	180,000	98.2	(97.1 - 99.3)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	57	31,800	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	75	34,900	99.4	(98.1 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	88	26,100	99.0	(96.9 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	152	33,600	92.3	(87.2 - 97.4)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	373	150,300	98.0	(96.7 - 99.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	128	50,000	96.1	(93.1 - 99.2)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	111	45,700	99.3	(97.9 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	171	84,400	98.9	(97.5 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	100	29,700	94.6	(90.3 - 98.9)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	83	31,500	97.5	(94.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	53	27,400	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	103	66,800	99.5	(98.6 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 27b. Ever had a Pap test among women¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	410	98.5	(97.5 - 99.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	410	98.5	(97.5 - 99.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	373	98.3	(97.2 - 99.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	128	96.5	(93.7 - 99.3)	9,526	87.8	(83.2 - 92.4)
Some College	111	99.4	(98.3 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	171	99.1	(97.9 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	100	95.0	(91.0 - 99.0)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	83	97.8	(94.8 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	53	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	103	99.6	(98.8 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 28a. Had a Pap test within the past 3 years among women¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	161,700	88.7	(85.2 - 92.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	407	161,700	88.7	(85.2 - 92.2)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	57	29,100	91.4	(83.2 - 99.6)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	74	30,900	89.8	(82.3 - 97.4)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	88	23,600	89.5	(83.2 - 95.9)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	150	26,100	72.5	(64.2 - 80.8)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	370	134,000	88.0	(84.4 - 91.5)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	43,200	84.4	(77.5 - 91.4)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	111	40,400	87.8	(81.4 - 94.2)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	170	78,100	91.6	(86.4 - 96.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	99	25,100	80.4	(71.2 - 89.6)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	82	26,400	82.1	(72.2 - 91.9)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	52	25,100	94.0	(87.1 - 100)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	103	62,800	93.6	(87.6 - 99.6)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 28b. Had a Pap test within the past 3 years among women¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	89.4	(85.9 - 92.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	407	89.4	(85.9 - 92.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	370	88.8	(85.3 - 92.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	126	85.9	(79.2 - 92.5)	9,384	76.4	(71.3 - 81.5)
Some College	111	88.4	(81.7 - 95.1)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	170	91.9	(86.5 - 97.3)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	99	81.7	(72.6 - 90.8)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	82	83.3	(73.7 - 92.8)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	52	93.8	(86.0 - 100)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	103	93.5	(87.4 - 99.6)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	76,000	79.4	(72.2 - 86.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	208	76,000	79.4	(72.2 - 86.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	52	21,300	88.8	(80.6 - 96.9)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	84	21,500	89.4	(82.8 - 96.0)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	194	73,200	82.8	(75.9 - 89.6)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	80	34,200	90.4	(83.8 - 97.0)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	77.8	(69.8 - 85.8)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	208	77.8	(69.8 - 85.8)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	194	81.2	(73.3 - 89.0)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	80	90.2	(83.4 - 97.1)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	58,000	60.6	(52.5 - 68.7)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	208	58,000	60.6	(52.5 - 68.7)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	84	18,700	78.1	(68.6 - 87.6)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	194	56,800	64.3	(56.1 - 72.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	59.6	(51.1 - 68.1)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	208	59.6	(51.1 - 68.1)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	194	63.4	(54.8 - 72.1)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	198	60,500	65.8	(57.6 - 73.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	198	60,500	65.8	(57.6 - 73.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	82	21,000	87.3	(79.9 - 94.7)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	185	59,300	69.9	(61.9 - 77.9)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	198	64.8	(56.2 - 73.4)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	198	64.8	(56.2 - 73.4)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	69.1	(60.5 - 77.6)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	198	54,300	59.0	(50.7 - 67.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	198	54,300	59.0	(50.7 - 67.2)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	82	19,500	81.2	(72.7 - 89.8)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	185	53,800	63.4	(55.1 - 71.7)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	198	57.9	(49.3 - 66.6)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	198	57.9	(49.3 - 66.6)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	62.6	(53.8 - 71.4)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 33a. Prostate cancer among men aged 40 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	*	*	*	*	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 33b. Prostate cancer among men aged 40 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,133	4.5	(3.2 - 5.7)
Gender						
Male	*	*	*	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	75,700	53.5	(48.1 - 58.8)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	167	33,800	52.3	(43.9 - 60.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	272	41,900	54.4	(47.7 - 61.1)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	202	37,900	46.9	(39.2 - 54.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	237	37,800	62.2	(55.4 - 69.0)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	415	73,200	54.3	(48.9 - 59.8)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	155	22,900	49.5	(40.4 - 58.5)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	122	22,900	58.4	(48.7 - 68.2)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	162	29,900	53.3	(44.5 - 62.0)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	122	13,300	46.0	(36.2 - 55.9)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	53.9	(48.6 - 59.2)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	167	53.4	(45.2 - 61.7)	9,571	39.4	(35.3 - 43.5)
Female	272	54.3	(47.5 - 61.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	415	54.8	(49.3 - 60.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	155	50.0	(40.9 - 59.0)	11,146	35.1	(30.3 - 39.9)
Some College	122	59.3	(49.6 - 69.0)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	162	53.4	(44.7 - 62.1)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	122	46.4	(36.4 - 56.4)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	432	22,200	15.9	(12.3 - 19.6)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	167	8,900	13.7	(8.5 - 19.0)	9,508	444,400	16.0	(13.2 - 18.9)
Female	265	13,300	17.8	(12.8 - 22.9)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	200	7,700	9.6	(5.2 - 14.1)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	232	14,500	24.4	(18.5 - 30.3)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	408	20,900	15.8	(12.1 - 19.5)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	7,600	16.8	(10.7 - 22.8)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	122	7,100	18.1	(11.0 - 25.2)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	158	7,600	13.7	(7.8 - 19.7)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	121	4,800	16.7	(9.9 - 23.4)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	95	4,500	15.6	(8.3 - 23.0)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	91	4,100	9.9	(3.8 - 16.0)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	432	16.3	(12.6 - 20.0)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	167	14.6	(9.2 - 20.1)	9,508	16.4	(13.2 - 19.6)
Female	265	17.8	(12.8 - 22.9)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	408	16.2	(12.4 - 20.1)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	17.5	(11.1 - 23.9)	11,026	12.7	(9.2 - 16.1)
Some College	122	18.4	(11.2 - 25.7)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	158	13.8	(7.8 - 19.7)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	121	16.8	(9.9 - 23.7)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	95	15.5	(8.1 - 22.9)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	91	10.1	(4.1 - 16.2)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	432	34,000	24.4	(20.0 - 28.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	167	15,900	24.6	(17.5 - 31.8)	9,508	593,100	21.4	(18.3 - 24.5)
Female	265	18,100	24.3	(18.7 - 29.8)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	200	14,400	17.9	(12.0 - 23.9)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	232	19,700	33.2	(26.6 - 39.7)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	408	31,900	24.1	(19.5 - 28.7)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	11,600	25.7	(18.3 - 33.1)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	122	9,100	23.3	(15.5 - 31.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	158	13,300	24.2	(16.4 - 31.9)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	121	7,100	24.7	(16.8 - 32.5)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	95	6,800	23.5	(14.5 - 32.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	91	9,000	22.0	(12.7 - 31.3)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	432	24.8	(20.3 - 29.3)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	167	25.5	(18.4 - 32.6)	9,508	21.7	(18.3 - 25.1)
Female	265	24.1	(18.5 - 29.7)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	408	24.5	(19.9 - 29.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	26.6	(18.9 - 34.2)	11,026	19.5	(15.4 - 23.7)
Some College	122	24.0	(16.0 - 31.9)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	158	23.9	(16.2 - 31.5)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	121	25.0	(16.9 - 33.0)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	95	23.9	(14.6 - 33.2)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	91	22.0	(12.8 - 31.2)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	103,800	73.0	(68.4 - 77.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	167	50,300	77.3	(70.6 - 84.0)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	272	53,500	69.3	(63.1 - 75.4)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	139	35,700	71.1	(63.0 - 79.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	236	45,100	74.3	(68.3 - 80.2)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	415	99,000	73.1	(68.5 - 77.8)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	156	32,400	69.1	(61.4 - 76.9)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	122	28,800	73.7	(64.9 - 82.5)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	161	42,500	75.6	(68.3 - 83.0)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	121	17,400	60.5	(50.7 - 70.3)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	93	35,600	85.4	(78.0 - 92.8)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	73.2	(68.7 - 77.8)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	167	77.5	(70.9 - 84.0)	9,582	68.5	(64.5 - 72.5)
Female	272	69.3	(63.1 - 75.5)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	415	73.5	(68.8 - 78.1)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	156	69.6	(62.0 - 77.3)	11,121	61.3	(56.4 - 66.2)
Some College	122	73.9	(65.1 - 82.7)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	161	75.8	(68.5 - 83.1)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	121	60.7	(50.9 - 70.5)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	93	85.9	(78.7 - 93.0)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	98,500	69.5	(64.7 - 74.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	167	49,000	75.4	(68.5 - 82.3)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	270	49,400	64.4	(57.9 - 70.9)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	139	35,300	70.4	(62.2 - 78.6)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	234	41,700	69.1	(62.6 - 75.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	413	94,200	69.8	(64.9 - 74.8)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	156	30,700	65.4	(57.1 - 73.7)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	120	26,600	68.7	(59.5 - 78.0)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	161	41,300	73.4	(65.8 - 81.0)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	121	16,600	57.5	(47.6 - 67.3)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	93	34,400	82.5	(74.6 - 90.5)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	69.9	(65.1 - 74.6)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	167	75.7	(69.0 - 82.4)	9,521	66.9	(62.9 - 70.9)
Female	270	64.5	(57.9 - 71.0)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	413	70.3	(65.4 - 75.2)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	156	66.1	(57.9 - 74.3)	11,017	59.0	(54.1 - 63.9)
Some College	120	69.1	(59.9 - 78.4)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	161	73.6	(66.0 - 81.1)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	121	57.8	(47.9 - 67.8)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	93	83.0	(75.2 - 90.7)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	429	103,200	74.4	(69.8 - 79.0)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	167	50,300	78.0	(71.3 - 84.6)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	262	52,800	71.3	(65.0 - 77.6)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	133	35,300	74.0	(66.0 - 82.0)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	232	45,500	76.3	(70.2 - 82.4)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	405	98,900	75.1	(70.4 - 79.8)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	150	32,200	72.0	(63.9 - 80.0)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	118	27,700	73.0	(64.1 - 81.9)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	161	43,300	77.4	(70.2 - 84.5)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	119	18,600	65.5	(55.9 - 75.1)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	91	33,500	83.0	(75.0 - 91.0)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	429	74.8	(70.2 - 79.3)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	167	78.3	(71.8 - 84.7)	9,418	71.5	(67.6 - 75.4)
Female	262	71.4	(65.1 - 77.7)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	405	75.4	(70.8 - 80.1)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	150	72.8	(64.9 - 80.7)	10,872	64.5	(59.8 - 69.3)
Some College	118	73.1	(64.2 - 82.1)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	161	77.5	(70.4 - 84.6)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	119	66.0	(56.4 - 75.6)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	91	83.4	(75.6 - 91.2)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 40a. High blood pressure among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	94,700	27.3	(23.1 - 31.5)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	256	41,200	25.3	(19.2 - 31.3)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	412	53,500	29.1	(23.4 - 34.8)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	86	10,500	17.7	(8.3 - 27.1)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	135	15,200	22.0	(14.0 - 29.9)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	140	22,200	44.1	(35.0 - 53.2)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	241	36,100	58.3	(51.5 - 65.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	609	82,200	27.6	(23.4 - 31.8)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	42,600	39.4	(30.2 - 48.6)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	181	20,300	23.2	(16.0 - 30.3)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	272	31,900	21.0	(15.5 - 26.6)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	139	21,100	32.5	(23.0 - 42.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	189	27,900	20.9	(14.4 - 27.5)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 40b. High blood pressure among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	26.1	(21.8 - 30.3)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	256	25.5	(19.3 - 31.8)	14,611	27.7	(24.7 - 30.7)
Female	412	26.5	(20.8 - 32.3)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	609	26.3	(22.0 - 30.6)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	215	38.7	(29.3 - 48.2)	15,688	32.1	(28.4 - 35.8)
Some College	181	21.0	(14.0 - 28.0)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	272	20.2	(14.6 - 25.9)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	139	31.6	(21.8 - 41.4)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	189	19.9	(13.4 - 26.5)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	251	72,100	76.1	(67.2 - 85.0)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	62	18,900	85.1	(75.1 - 95.0)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	140	33,500	92.9	(88.4 - 97.5)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	228	66,200	80.5	(72.7 - 88.2)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	251	74.2	(64.6 - 83.9)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	228	78.9	(70.2 - 87.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 42a. Ever had blood cholesterol checked among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	284,900	85.1	(80.0 - 90.3)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	250	126,100	81.1	(72.3 - 89.8)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	406	158,800	88.7	(83.1 - 94.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	85	57,100	96.8	(92.0 - 100)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	134	66,700	96.8	(93.7 - 100)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	140	48,200	95.6	(92.3 - 98.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	236	59,000	97.7	(95.7 - 99.6)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	599	250,300	87.6	(82.4 - 92.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	180	72,400	84.9	(75.7 - 94.1)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	266	136,300	95.0	(90.6 - 99.4)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	93	45,900	90.8	(82.3 - 99.3)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	185	115,100	91.7	(84.4 - 99.1)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 42b. Ever had blood cholesterol checked among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	85.0	(79.8 - 90.2)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	250	81.3	(72.5 - 90.0)	14,389	78.0	(73.9 - 82.1)
Female	406	88.2	(82.3 - 94.1)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	599	87.5	(82.2 - 92.7)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	180	84.9	(75.6 - 94.2)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	266	95.0	(90.5 - 99.6)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	93	90.9	(82.3 - 99.5)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	185	92.0	(84.7 - 99.2)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	276,600	82.8	(77.6 - 87.9)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	249	122,400	78.8	(70.0 - 87.5)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	405	154,200	86.2	(80.5 - 92.0)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	85	54,200	91.8	(85.4 - 98.3)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	134	64,500	93.6	(89.3 - 97.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	139	45,800	91.4	(86.5 - 96.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	235	58,700	97.4	(95.4 - 99.4)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	597	242,400	85.0	(79.8 - 90.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	179	70,000	82.3	(73.0 - 91.6)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	266	131,800	91.9	(87.1 - 96.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	93	43,700	86.4	(77.3 - 95.6)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	185	111,400	88.7	(81.2 - 96.3)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	82.6	(77.3 - 87.8)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	249	79.2	(70.4 - 87.9)	14,307	74.8	(70.7 - 79.0)
Female	405	85.5	(79.4 - 91.6)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	597	84.8	(79.5 - 90.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	179	82.2	(72.7 - 91.7)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	266	91.8	(86.8 - 96.7)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	93	86.5	(77.3 - 95.8)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	185	88.8	(81.3 - 96.3)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 44a. Cardiovascular disease among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	26,000	7.5	(5.4 - 9.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	255	14,900	9.1	(5.5 - 12.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	409	11,100	6.0	(3.8 - 8.3)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	140	5,000	10.0	(4.4 - 15.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	236	15,100	25.2	(18.8 - 31.7)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	604	22,900	7.8	(5.5 - 10.0)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	213	13,600	12.7	(7.4 - 18.0)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	179	6,600	7.6	(3.9 - 11.4)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	272	5,800	3.8	(1.8 - 5.8)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	156	9,200	14.4	(8.5 - 20.3)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	135	8,000	12.6	(4.9 - 20.2)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	96	3,400	6.5	(2.1 - 10.9)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 44b. Cardiovascular disease among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	7.0	(5.0 - 9.0)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	255	9.0	(5.4 - 12.6)	14,477	9.7	(7.8 - 11.7)
Female	409	5.2	(3.2 - 7.2)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	604	7.3	(5.1 - 9.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	213	12.2	(7.0 - 17.4)	15,486	10.5	(8.0 - 13.0)
Some College	179	7.0	(3.5 - 10.6)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	272	3.5	(1.7 - 5.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	156	13.6	(8.0 - 19.3)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	135	12.1	(4.6 - 19.6)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	96	5.8	(1.9 - 9.7)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 45a. Coronary heart disease among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	21,200	6.1	(4.2 - 8.0)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	253	12,500	7.7	(4.2 - 11.2)	14,479	598,600	8.5	(6.6 - 10.4)
Female	410	8,700	4.7	(2.8 - 6.6)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	*	*	*	*	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	236	12,700	21.2	(15.1 - 27.4)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	604	19,600	6.6	(4.5 - 8.8)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	212	10,700	10.0	(5.2 - 14.8)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	179	5,900	6.8	(3.2 - 10.5)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	272	4,500	3.0	(1.2 - 4.7)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	156	8,100	12.6	(7.2 - 18.0)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	134	6,800	10.8	(3.3 - 18.2)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 45b. Coronary heart disease among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	5.7	(3.9 - 7.5)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	253	7.6	(4.2 - 11.0)	14,479	8.8	(6.9 - 10.8)
Female	410	4.0	(2.4 - 5.7)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	604	6.2	(4.1 - 8.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	212	9.5	(4.8 - 14.2)	15,485	8.5	(6.2 - 10.7)
Some College	179	6.3	(2.9 - 9.8)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	272	2.8	(1.1 - 4.4)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	156	11.9	(6.7 - 17.1)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	134	10.4	(3.0 - 17.7)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 46a. Ever diagnosed with diabetes among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	28,200	8.1	(5.9 - 10.3)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	258	11,000	6.6	(3.9 - 9.4)	14,626	530,400	7.5	(6.2 - 8.8)
Female	413	17,200	9.4	(6.1 - 12.6)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	140	8,400	16.6	(9.3 - 23.9)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	242	11,800	19.1	(13.4 - 24.8)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	611	25,900	8.7	(6.3 - 11.1)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	215	14,400	13.4	(8.2 - 18.6)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	183	5,200	5.9	(2.8 - 9.0)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	273	8,600	5.6	(2.7 - 8.5)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	158	7,400	11.4	(6.1 - 16.7)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	139	6,600	10.1	(4.7 - 15.5)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	96	4,600	8.7	(2.4 - 14.9)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	189	8,400	6.3	(2.7 - 9.8)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 46b. Ever diagnosed with diabetes among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	7.6	(5.5 - 9.7)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	258	6.6	(3.8 - 9.3)	14,626	7.5	(6.1 - 8.9)
Female	413	8.5	(5.3 - 11.7)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	611	8.1	(5.8 - 10.4)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	215	12.8	(7.7 - 17.9)	15,709	12.6	(10.0 - 15.2)
Some College	183	5.4	(2.4 - 8.3)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	273	5.3	(2.4 - 8.2)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	158	10.7	(5.6 - 15.8)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	139	9.4	(4.3 - 14.5)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	96	8.1	(1.8 - 14.3)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	189	6.0	(2.5 - 9.4)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	64,400	18.5	(14.0 - 22.9)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	258	31,200	18.9	(11.8 - 26.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	413	33,200	18.0	(12.5 - 23.6)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	87	7,300	12.0	(4.9 - 19.1)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	136	8,800	12.6	(6.2 - 19.0)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	140	7,000	14.0	(7.6 - 20.3)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	242	9,600	15.6	(10.4 - 20.8)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	611	55,300	18.6	(13.9 - 23.2)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	24,200	22.5	(13.4 - 31.5)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	183	18,100	20.6	(11.3 - 29.9)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	273	22,100	14.4	(8.8 - 20.1)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	139	9,500	14.6	(5.8 - 23.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	189	23,400	17.6	(9.5 - 25.6)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	18.6	(14.0 - 23.2)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	258	18.9	(11.8 - 26.0)	14,601	12.6	(10.3 - 14.9)
Female	413	18.4	(12.4 - 24.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	611	18.8	(14.0 - 23.6)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	215	22.7	(13.4 - 32.0)	15,675	15.1	(12.1 - 18.0)
Some College	183	21.0	(11.4 - 30.5)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	273	14.5	(8.7 - 20.3)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	139	14.4	(5.6 - 23.2)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	189	17.7	(9.6 - 25.8)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 48a. Current asthma among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	41,000	11.8	(8.1 - 15.5)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	256	17,300	10.6	(4.9 - 16.3)	14,546	440,700	6.3	(4.8 - 7.7)
Female	408	23,600	12.9	(8.1 - 17.8)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	135	6,300	9.1	(3.4 - 14.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	138	4,800	9.6	(3.9 - 15.3)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	240	6,900	11.2	(6.6 - 15.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	604	36,100	12.2	(8.2 - 16.2)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	214	17,100	15.9	(7.8 - 24.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	180	8,300	9.5	(3.5 - 15.6)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	270	15,500	10.2	(5.2 - 15.3)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	*	*	*	*	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	137	5,100	7.8	(2.3 - 13.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	94	4,600	9.0	(2.6 - 15.3)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	188	15,600	11.7	(4.8 - 18.6)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 48b. Current asthma among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	11.8	(8.1 - 15.6)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	256	10.4	(4.8 - 16.1)	14,546	6.4	(4.9 - 7.9)
Female	408	13.1	(8.0 - 18.2)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	604	12.2	(8.2 - 16.3)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	214	16.2	(7.8 - 24.5)	15,594	10.8	(8.3 - 13.3)
Some College	180	9.6	(3.5 - 15.6)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	270	10.2	(5.0 - 15.4)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	137	7.6	(2.0 - 13.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	94	8.8	(2.5 - 15.1)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	188	11.6	(4.7 - 18.6)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 49a. Chronic joint symptoms among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	157,200	45.1	(39.9 - 50.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	258	68,300	41.4	(33.4 - 49.4)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	413	88,800	48.3	(41.8 - 54.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	136	36,200	52.1	(42.8 - 61.5)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	140	31,800	63.1	(54.1 - 72.0)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	242	36,900	59.7	(52.9 - 66.5)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	611	133,300	44.7	(39.5 - 50.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	183	44,600	50.7	(41.3 - 60.2)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	273	52,500	34.3	(27.0 - 41.6)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	189	47,000	35.2	(27.1 - 43.2)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 49b. Chronic joint symptoms among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	43.5	(38.2 - 48.7)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	258	40.3	(32.3 - 48.3)	14,595	42.6	(38.8 - 46.3)
Female	413	46.3	(39.5 - 53.1)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	611	43.1	(37.7 - 48.5)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	183	48.6	(38.8 - 58.4)	9,900	43.9	(39.0 - 48.8)
≥ College Degree	273	32.8	(25.5 - 40.2)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	189	34.0	(25.9 - 42.1)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 50a. Arthritis among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	118,300	34.0	(29.3 - 38.7)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	256	49,100	29.9	(22.8 - 37.1)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	412	69,200	37.7	(31.6 - 43.8)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	135	22,000	31.9	(23.0 - 40.9)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	140	23,800	47.3	(38.1 - 56.5)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	240	41,000	67.0	(60.5 - 73.5)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	608	100,100	33.7	(29.0 - 38.5)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	214	50,400	46.9	(36.9 - 56.8)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	182	27,900	31.9	(24.0 - 39.7)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	272	40,000	26.2	(19.5 - 32.9)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	138	20,200	31.2	(22.0 - 40.4)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	96	11,600	22.2	(13.1 - 31.3)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	188	30,300	22.8	(16.2 - 29.3)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 50b. Arthritis among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	32.8	(28.1 - 37.6)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	256	30.2	(23.0 - 37.5)	14,555	23.5	(20.9 - 26.1)
Female	412	35.2	(28.9 - 41.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	608	32.6	(27.8 - 37.4)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	*	*	*	15,652	30.4	(26.9 - 33.8)
Some College	182	30.3	(22.3 - 38.3)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	272	25.2	(18.5 - 32.0)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	138	29.7	(20.4 - 38.9)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	96	21.2	(11.9 - 30.5)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	188	22.6	(15.9 - 29.3)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	75,500	21.7	(17.7 - 25.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	258	30,100	18.3	(13.1 - 23.4)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	410	45,400	24.7	(19.0 - 30.5)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	66	15,600	14.8	(5.6 - 23.9)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	87	9,300	15.2	(6.6 - 23.8)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	136	13,400	19.2	(12.5 - 26.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	140	16,000	31.8	(23.2 - 40.3)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	239	21,200	34.6	(27.7 - 41.4)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	608	63,500	21.3	(17.4 - 25.2)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	212	29,900	27.9	(19.1 - 36.6)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	183	19,500	22.2	(15.5 - 29.0)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	273	26,000	17.0	(11.9 - 22.1)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	139	15,200	23.3	(14.8 - 31.9)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	96	10,500	19.9	(11.2 - 28.7)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	189	19,000	14.3	(8.7 - 19.9)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	21.2	(17.1 - 25.3)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	258	18.3	(13.0 - 23.7)	14,566	18.6	(15.8 - 21.4)
Female	410	23.8	(17.8 - 29.7)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	608	20.6	(16.6 - 24.6)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	212	28.2	(19.0 - 37.4)	15,626	23.8	(20.1 - 27.4)
Some College	183	21.1	(14.3 - 27.9)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	273	16.5	(11.3 - 21.7)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	139	23.3	(14.3 - 32.3)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	96	18.5	(9.8 - 27.2)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	189	14.2	(8.4 - 20.0)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	669	19,000	5.5	(3.9 - 7.1)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	258	8,500	5.2	(2.7 - 7.7)	14,617	460,700	6.5	(5.3 - 7.7)
Female	411	10,500	5.7	(3.7 - 7.8)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	139	4,100	8.1	(3.6 - 12.7)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	241	10,000	16.1	(11.3 - 21.0)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	609	16,400	5.5	(3.8 - 7.2)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	213	9,500	8.9	(4.7 - 13.0)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	183	2,300	2.6	(0.8 - 4.3)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	273	7,300	4.8	(2.7 - 6.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	158	9,500	14.7	(8.0 - 21.5)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	139	3,800	5.9	(2.4 - 9.3)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	669	5.2	(3.6 - 6.7)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	258	5.2	(2.7 - 7.6)	14,617	6.8	(5.5 - 8.0)
Female	411	5.1	(3.2 - 7.1)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	609	5.2	(3.5 - 6.8)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	213	8.4	(4.4 - 12.5)	15,711	10.3	(8.3 - 12.3)
Some College	183	2.4	(0.7 - 4.1)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	273	4.5	(2.5 - 6.4)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	158	14.2	(7.6 - 20.9)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	139	5.6	(2.3 - 9.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 53a. Disability among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	80,800	23.2	(19.2 - 27.3)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	258	33,100	20.1	(14.7 - 25.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	409	47,700	26.0	(20.3 - 31.8)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	66	16,900	16.0	(6.6 - 25.4)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	87	9,300	15.2	(6.6 - 23.8)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	136	13,800	19.9	(13.0 - 26.7)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	139	16,200	32.3	(23.7 - 40.9)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	239	24,600	40.1	(33.1 - 47.0)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	607	67,900	22.8	(18.8 - 26.9)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	211	33,000	30.8	(21.8 - 39.8)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	183	20,000	22.8	(16.0 - 29.6)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	273	27,800	18.2	(12.9 - 23.4)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	139	16,000	24.6	(16.0 - 33.3)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	96	10,500	19.9	(11.2 - 28.7)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	189	20,200	15.1	(9.4 - 20.8)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 53b. Disability among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	22.7	(18.5 - 26.8)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	258	20.2	(14.6 - 25.8)	14,568	20.9	(18.0 - 23.8)
Female	409	24.9	(18.9 - 30.8)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	607	22.1	(18.0 - 26.2)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	211	31.0	(21.6 - 40.4)	15,638	26.8	(23.0 - 30.6)
Some College	183	21.6	(14.7 - 28.4)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	273	17.7	(12.4 - 23.0)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	139	24.7	(15.6 - 33.7)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	96	18.5	(9.8 - 27.2)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	189	15.1	(9.2 - 20.9)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 54a. Current smoking among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	70,100	20.1	(15.3 - 24.9)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	257	32,000	19.5	(11.7 - 27.3)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	413	38,000	20.7	(14.7 - 26.6)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	87	7,700	12.6	(4.7 - 20.5)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	136	14,500	20.9	(13.3 - 28.4)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	139	7,000	14.0	(8.2 - 19.8)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	242	6,500	10.4	(5.8 - 15.1)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	610	55,300	18.6	(13.9 - 23.3)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	32,400	30.0	(20.5 - 39.6)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	182	16,700	19.1	(11.4 - 26.9)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	273	20,900	13.7	(6.2 - 21.2)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	139	15,900	24.5	(15.3 - 33.7)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	189	20,000	15.0	(6.7 - 23.2)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 54b. Current smoking among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	20.0	(15.1 - 24.9)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	257	18.9	(11.2 - 26.7)	14,559	19.2	(16.3 - 22.1)
Female	413	21.0	(14.7 - 27.2)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	610	18.5	(13.7 - 23.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	215	30.2	(20.2 - 40.1)	15,654	22.8	(19.5 - 26.0)
Some College	182	19.5	(11.4 - 27.7)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	273	13.3	(6.0 - 20.7)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	139	24.1	(14.6 - 33.6)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	189	15.1	(6.9 - 23.4)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 55a. Everyday smoking among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	54,200	15.6	(10.9 - 20.2)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	257	23,100	14.1	(6.5 - 21.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	413	31,100	16.9	(11.1 - 22.6)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	136	10,500	15.1	(8.3 - 21.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	139	4,600	9.2	(4.4 - 13.9)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	242	3,500	5.7	(2.7 - 8.7)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	610	40,600	13.6	(9.2 - 18.1)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	215	24,700	22.9	(13.7 - 32.2)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	182	13,700	15.6	(8.1 - 23.2)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	273	15,800	10.3	(3.1 - 17.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	139	10,400	16.0	(8.4 - 23.6)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	189	15,800	11.8	(3.8 - 19.8)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 55b. Everyday smoking among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	15.5	(10.7 - 20.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	257	13.5	(6.1 - 20.9)	14,559	12.1	(10.1 - 14.1)
Female	413	17.3	(11.2 - 23.3)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	610	13.7	(9.1 - 18.2)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	215	23.1	(13.5 - 32.6)	15,654	16.4	(13.8 - 19.0)
Some College	182	16.0	(8.0 - 23.9)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	273	10.0	(2.9 - 17.1)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	139	15.3	(7.6 - 22.9)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	189	12.0	(4.0 - 19.9)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	670	271,000	77.7	(72.9 - 82.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	258	126,400	76.7	(68.4 - 84.9)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	412	144,600	78.7	(73.4 - 83.9)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	87	56,000	91.5	(85.0 - 98.1)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	136	55,200	79.4	(72.0 - 86.8)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	140	36,500	72.5	(64.4 - 80.5)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	241	46,300	75.0	(69.2 - 80.8)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	610	234,100	78.6	(73.8 - 83.5)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	72,900	67.7	(57.7 - 77.6)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	183	66,000	75.1	(67.0 - 83.2)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	273	132,100	86.3	(79.4 - 93.2)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	139	51,600	79.5	(72.1 - 86.8)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	96	44,700	85.1	(77.4 - 92.8)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	189	122,000	91.4	(85.3 - 97.4)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	670	78.6	(73.8 - 83.5)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	258	77.5	(69.3 - 85.7)	14,577	79.4	(76.7 - 82.2)
Female	412	79.6	(74.2 - 85.0)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	610	79.5	(74.6 - 84.4)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,647	76.9	(73.8 - 80.0)
Some College	183	75.5	(67.1 - 83.9)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	273	87.3	(80.7 - 93.9)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	139	81.0	(74.0 - 88.0)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	96	86.2	(78.7 - 93.7)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	189	91.9	(86.0 - 97.9)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 57a. Binge drinking within the past month among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	63,600	18.6	(13.8 - 23.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	249	41,400	25.6	(17.4 - 33.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	407	22,200	12.2	(7.5 - 17.0)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	87	12,400	20.3	(11.0 - 29.6)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	132	10,800	15.9	(9.3 - 22.5)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	139	7,500	14.9	(8.1 - 21.7)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	234	2,500	4.1	(1.3 - 6.8)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	598	46,600	15.9	(11.4 - 20.5)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	205	12,600	12.1	(5.2 - 18.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	182	13,900	16.1	(8.4 - 23.8)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	269	37,000	24.5	(16.3 - 32.6)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	137	10,700	16.8	(7.1 - 26.5)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	186	32,600	24.8	(16.1 - 33.4)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 57b. Binge drinking within the past month among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	18.7	(13.9 - 23.5)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	249	25.1	(16.9 - 33.3)	14,420	24.5	(21.0 - 27.9)
Female	407	13.1	(8.0 - 18.2)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	598	16.0	(11.4 - 20.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	205	12.5	(5.3 - 19.7)	15,491	17.5	(13.5 - 21.5)
Some College	182	15.4	(7.6 - 23.1)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	269	24.9	(16.7 - 33.1)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	137	16.6	(6.9 - 26.3)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	186	25.2	(16.4 - 34.0)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 58a. Heavy drinking within the past month among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	25,400	7.5	(3.9 - 11.1)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	248	15,900	10.1	(3.3 - 16.8)	14,330	333,300	4.8	(3.9 - 5.7)
Female	406	9,500	5.2	(2.1 - 8.3)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	597	16,900	5.8	(2.8 - 8.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	203	4,400	4.3	(1.0 - 7.7)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	270	17,500	11.5	(4.2 - 18.9)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	188	13,400	10.2	(3.3 - 17.1)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 58b. Heavy drinking within the past month among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	7.5	(3.9 - 11.1)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	248	9.9	(3.3 - 16.6)	14,330	4.9	(3.9 - 5.9)
Female	406	5.4	(2.1 - 8.7)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	597	5.8	(2.8 - 8.9)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	203	4.2	(0.9 - 7.5)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	270	11.7	(4.4 - 18.9)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	188	10.4	(3.4 - 17.3)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	201,400	62.8	(57.3 - 68.3)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	234	106,700	71.3	(62.8 - 79.8)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	377	94,700	55.4	(48.5 - 62.3)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	124	43,500	67.2	(58.1 - 76.2)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	126	33,900	74.5	(66.4 - 82.6)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	220	43,500	76.6	(70.5 - 82.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	556	183,400	66.9	(61.5 - 72.3)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	256	89,300	62.1	(53.8 - 70.3)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	178	86,000	67.9	(59.1 - 76.7)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	62.1	(56.5 - 67.8)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	234	71.6	(63.1 - 80.1)	13,299	67.9	(64.0 - 71.9)
Female	377	53.8	(46.6 - 61.0)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	556	65.9	(60.3 - 71.5)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	256	61.6	(53.2 - 70.0)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	178	67.1	(58.0 - 76.1)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	396	156,100	67.9	(61.2 - 74.7)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	246	79,100	63.7	(55.0 - 72.4)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	87	26,500	82.6	(74.4 - 90.8)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	107	26,800	94.7	(89.7 - 99.6)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	357	137,000	70.3	(63.6 - 77.0)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	186	75,000	65.9	(56.1 - 75.6)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	396	67.3	(60.5 - 74.2)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	246	62.2	(53.2 - 71.2)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	357	69.4	(62.5 - 76.3)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	186	65.2	(55.4 - 75.1)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	308,200	91.6	(88.6 - 94.7)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	241	142,300	90.5	(84.6 - 96.4)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	391	165,900	92.6	(90.3 - 94.9)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	64	97,600	94.4	(86.0 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	87	59,200	96.9	(93.3 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	129	64,000	96.1	(92.9 - 99.3)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	137	46,400	94.0	(89.8 - 98.1)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	215	41,000	73.3	(66.8 - 79.8)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	575	260,900	90.8	(87.3 - 94.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	192	84,400	83.2	(74.5 - 91.9)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	173	78,200	93.0	(89.3 - 96.7)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	267	145,600	96.6	(94.6 - 98.5)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	134	57,200	91.6	(87.3 - 95.9)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	91	48,900	95.9	(92.2 - 99.6)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	186	128,100	97.7	(95.8 - 99.6)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	92.0	(89.0 - 95.0)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	241	90.2	(84.2 - 96.2)	13,893	89.1	(86.9 - 91.3)
Female	391	93.6	(91.5 - 95.7)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	575	91.2	(87.7 - 94.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	192	83.5	(74.7 - 92.3)	14,507	84.6	(81.8 - 87.4)
Some College	173	93.3	(89.4 - 97.1)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	267	96.9	(95.1 - 98.7)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	134	91.9	(87.7 - 96.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	91	95.9	(92.1 - 99.7)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	186	98.0	(96.3 - 99.6)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 62a. Overweight among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	116,400	34.3	(29.6 - 39.1)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	256	67,800	41.3	(33.4 - 49.2)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	390	48,700	27.8	(22.2 - 33.5)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	65	19,600	18.9	(9.0 - 28.7)	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	131	24,300	36.1	(26.9 - 45.2)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	130	19,100	40.2	(30.8 - 49.6)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	237	26,200	43.1	(36.1 - 50.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	586	104,600	36.3	(31.2 - 41.4)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	208	34,200	32.4	(23.8 - 40.9)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	176	34,200	40.7	(31.4 - 49.9)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	262	48,100	32.2	(24.9 - 39.5)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	154	15,900	25.0	(15.2 - 34.8)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	185	45,800	34.8	(26.8 - 42.8)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 62b. Overweight among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	34.4	(29.4 - 39.4)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	256	41.7	(33.6 - 49.8)	14,502	43.9	(40.1 - 47.6)
Female	390	27.6	(21.6 - 33.6)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	586	36.3	(31.0 - 41.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	208	32.5	(23.6 - 41.5)	15,079	35.2	(31.1 - 39.4)
Some College	176	40.3	(30.7 - 49.9)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	262	32.4	(24.9 - 39.9)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	185	35.0	(26.7 - 43.3)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 63a. Obesity among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	75,300	22.2	(18.2 - 26.2)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	256	43,900	26.8	(20.0 - 33.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	390	31,300	17.9	(13.5 - 22.3)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	83	9,400	15.7	(6.7 - 24.8)	4,785	662,200	23.6	(19.4 - 27.9)
45-54	131	22,900	33.9	(24.7 - 43.1)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	130	16,800	35.4	(26.1 - 44.6)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	237	15,300	25.1	(18.8 - 31.3)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	586	61,200	21.2	(17.3 - 25.2)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	208	34,800	32.9	(23.8 - 42.0)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	176	18,300	21.7	(14.6 - 28.8)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	262	22,200	14.9	(10.3 - 19.5)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	94	12,300	24.5	(14.9 - 34.1)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	185	18,900	14.4	(8.9 - 19.8)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 63b. Obesity among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	21.1	(17.2 - 25.1)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	256	26.2	(19.4 - 33.0)	14,502	21.5	(19.0 - 24.0)
Female	390	16.4	(12.1 - 20.6)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	586	20.3	(16.3 - 24.2)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	208	31.9	(22.8 - 41.1)	15,079	29.4	(25.4 - 33.3)
Some College	176	20.7	(13.4 - 28.0)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	262	14.0	(9.5 - 18.5)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	94	22.3	(12.9 - 31.7)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	185	13.4	(8.1 - 18.6)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 64a. Overweight or obesity among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	191,700	56.6	(51.0 - 62.1)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	256	111,700	68.1	(58.9 - 77.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	390	80,000	45.7	(39.2 - 52.3)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	131	47,200	70.0	(61.4 - 78.5)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	130	35,800	75.6	(67.6 - 83.6)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	237	41,500	68.2	(61.8 - 74.6)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	586	165,800	57.5	(51.8 - 63.2)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	176	52,400	62.4	(52.7 - 72.1)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	262	70,300	47.1	(39.1 - 55.1)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	185	64,700	49.1	(40.1 - 58.2)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 64b. Overweight or obesity among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	55.5	(49.9 - 61.2)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	256	67.9	(58.8 - 77.0)	14,502	65.4	(61.3 - 69.4)
Female	390	43.9	(37.2 - 50.7)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	586	56.5	(50.7 - 62.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	262	46.4	(38.3 - 54.6)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	185	48.4	(39.2 - 57.5)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 65a. Received advice about weight by a health professional among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	66,200	19.6	(15.4 - 23.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	255	34,800	21.3	(14.2 - 28.4)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	391	31,400	17.9	(13.5 - 22.4)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	131	17,100	25.3	(17.2 - 33.4)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	129	10,800	23.0	(15.0 - 31.1)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	238	11,800	19.4	(13.9 - 24.8)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	586	55,400	19.3	(14.9 - 23.6)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	209	26,300	24.8	(15.5 - 34.1)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	175	12,700	15.2	(9.3 - 21.2)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	262	27,200	18.2	(12.7 - 23.8)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	136	9,200	14.3	(7.8 - 20.9)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	185	22,100	16.8	(11.0 - 22.5)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 65b. Received advice about weight by a health professional among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	19.3	(15.1 - 23.6)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	255	21.6	(14.4 - 28.8)	14,499	23.4	(20.5 - 26.3)
Female	391	17.2	(12.8 - 21.7)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	586	19.0	(14.5 - 23.4)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	209	25.0	(15.4 - 34.5)	15,116	27.3	(23.4 - 31.2)
Some College	175	14.9	(8.8 - 21.1)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	262	18.0	(12.3 - 23.7)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	136	14.8	(7.7 - 21.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	185	16.3	(10.5 - 22.0)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	84	27,700	88.3	(80.5 - 96.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	84	88.3	(80.0 - 96.6)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 67a. No leisure-time physical activity among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	72,400	20.8	(16.5 - 25.1)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	255	41,200	25.0	(17.5 - 32.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	413	31,300	17.0	(12.6 - 21.4)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	87	9,900	16.2	(6.5 - 26.0)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	136	11,400	16.4	(9.1 - 23.7)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	140	11,800	23.4	(15.9 - 30.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	239	21,900	35.7	(28.9 - 42.5)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	608	57,000	19.2	(15.0 - 23.3)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	35,400	32.8	(24.3 - 41.4)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	182	14,500	16.5	(10.3 - 22.6)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	272	22,600	14.8	(7.5 - 22.1)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	95	8,300	15.8	(5.9 - 25.7)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	189	15,400	11.5	(4.7 - 18.3)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 67b. No leisure-time physical activity among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	20.3	(15.9 - 24.7)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	255	25.9	(18.1 - 33.7)	14,602	20.9	(17.8 - 23.9)
Female	413	15.3	(11.1 - 19.6)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	608	18.6	(14.4 - 22.8)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	31.9	(23.1 - 40.6)	15,683	32.3	(28.3 - 36.4)
Some College	182	16.0	(9.6 - 22.4)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	272	14.9	(7.6 - 22.2)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	189	11.1	(4.4 - 17.8)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	671	116,100	33.3	(28.2 - 38.4)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	258	39,400	23.9	(16.3 - 31.5)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	413	76,700	41.7	(35.2 - 48.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	136	24,900	35.8	(26.9 - 44.8)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	140	10,900	21.6	(14.0 - 29.1)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	242	19,200	31.0	(24.6 - 37.4)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	611	93,900	31.5	(26.4 - 36.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	215	26,700	24.8	(15.2 - 34.3)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	183	26,900	30.6	(21.1 - 40.0)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	273	62,500	40.8	(33.0 - 48.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	139	18,100	27.9	(18.5 - 37.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	189	51,500	38.6	(29.8 - 47.4)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	671	33.7	(28.5 - 39.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	258	24.1	(16.4 - 31.8)	14,634	22.7	(19.6 - 25.9)
Female	413	42.3	(35.4 - 49.2)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	611	31.9	(26.6 - 37.3)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	215	25.1	(15.2 - 35.0)	15,726	23.3	(19.3 - 27.3)
Some College	183	31.6	(21.8 - 41.5)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	273	40.8	(32.8 - 48.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	139	29.0	(19.1 - 38.9)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	189	38.7	(29.7 - 47.7)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 69a. Had a fall within the past 3 months among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	508	23,800	13.3	(10.2 - 16.4)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	198	8,900	10.8	(6.6 - 15.1)	10,966	489,400	14.4	(11.9 - 16.8)
Female	310	14,900	15.5	(11.1 - 19.9)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	135	6,000	8.7	(3.5 - 14.0)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	133	6,300	13.2	(7.5 - 18.9)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	240	11,500	18.6	(13.5 - 23.7)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	475	21,600	13.0	(9.9 - 16.2)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	178	9,900	16.5	(10.4 - 22.6)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	136	5,900	13.4	(7.8 - 19.1)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	194	8,000	10.7	(6.2 - 15.2)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	136	9,300	25.2	(16.6 - 33.7)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	110	4,700	13.1	(6.8 - 19.5)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	121	3,700	6.3	(1.8 - 10.9)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 69b. Had a fall within the past 3 months among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	508	13.4	(10.3 - 16.6)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	198	11.3	(6.9 - 15.7)	10,966	15.0	(12.1 - 17.8)
Female	310	15.3	(10.8 - 19.8)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	475	13.1	(9.9 - 16.4)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	178	16.5	(10.4 - 22.7)	12,417	17.4	(13.0 - 21.7)
Some College	136	13.3	(7.7 - 19.0)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	194	10.9	(6.3 - 15.6)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	136	25.4	(16.8 - 34.1)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	110	13.1	(6.7 - 19.5)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	121	6.6	(1.9 - 11.4)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Onondaga County and New York State

	Onondaga County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	507	9,400	5.3	(3.2 - 7.3)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	198	3,300	4.0	(1.3 - 6.7)	10,957	120,000	3.5	(2.5 - 4.6)
Female	309	6,100	6.3	(3.3 - 9.4)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	133	3,000	6.4	(2.4 - 10.4)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	239	2,900	4.7	(2.2 - 7.2)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	474	8,000	4.8	(2.8 - 6.8)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	177	3,900	6.6	(2.1 - 11.2)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	136	2,600	6.0	(2.5 - 9.5)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	194	2,800	3.7	(1.1 - 6.4)	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	136	5,000	13.6	(6.4 - 20.8)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Onondaga County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Onondaga County and New York State - Age-Adjusted²

	Onondaga County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	507	5.1	(3.0 - 7.1)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	198	3.8	(1.2 - 6.3)	10,957	3.6	(2.4 - 4.7)
Female	309	6.3	(3.1 - 9.4)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	474	4.6	(2.7 - 6.6)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	177	6.4	(1.9 - 10.9)	12,404	5.2	(3.5 - 6.8)
Some College	136	5.7	(2.3 - 9.0)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	194	3.7	(1.0 - 6.3)	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	136	13.1	(6.0 - 20.2)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)