

Early Intervention Program

List of Developmental Assessment Instruments

December 2024



Department of Health

Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Achenbach System of Empirically Based Assessment (ASEBA) <ul style="list-style-type: none"> Caregiver-Teacher Report Form (C-TRF) Child Behavior Checklist for Ages (CBCL), also includes a Language Developmental Survey (LDS) 	Assesses behavioral, emotional and social problems, and adaptive functioning.	1.5 to 5 years	Evaluation tool	Yes
Adaptive Behavior Assessment System Third Ed. (ABAS-3) (2015)	Provides a complete assessment of adaptive skills across the life span. Parent and/or teacher rating scale for ages birth-21 years.	Birth to 21 years	Evaluation tool	Yes
Ages and Stages Questionnaires, Third Ed. (ASQ-3)	Assesses five domains. Asks about specific skills, in addition to parent concerns.	1 to 60 months	Screening tool	Yes
Ages and Stages Questionnaires: Social-Emotional (ASQ:SE-2)	Assesses; personal-social areas include self-regulation, communication, autonomy, coping, and relationships. Parent completes questionnaires.	3 to 72 months	Screening tool	Yes
Alberta Infant Motor Scale (AIMS)	Assesses infant gross motor skills. Evaluates weight-bearing, posture, and antigravity movements of infants.	0 to 18 months	Evaluation tool	Yes
Arizona Articulation and Phonology Scale, Fourth Revision (Arizona-4) (2017)	Measures speech intelligibility, articulatory impairment, and phonological impairment in one quick, easy-to-use assessment.	18 months to 21 years	Evaluation tool	Yes
Assessment of Preterm Infants' Behavior (APIB)	A comprehensive, systematic assessment of the preterm and full-term infant, and provides a valuable resource in support of developmental care.	Preterm to 1 month after expected due date	Other	No information available
Assessment, Evaluation, and Programming System for Infants and Children (AEPS-3)	Assesses children's development in these domains: fine, gross motor, cognitive, adaptive, social-emotional and social communication.	Birth to 6 years	Evaluation tool	Yes
Autism Detection in Early Childhood (ADEC), 2nd Edition	Assesses, identifies, and details behaviors that can indicate autism spectrum disorder (ASD) and autistic tendencies in children.	12 to 36 months	Screening tool	Yes
Autism Diagnostic Interview – Revised (ADI-R)	Assesses autism, provides results for three domains: language/communication, reciprocal social interactions, and repetitive behaviors/interests.	2 years and up	Other	Yes
Autism Diagnostic Observation Schedule – Generic (ADOS-2)	Assesses social, imagination, and communication skills of individuals who may have autism spectrum disorders (ASD). It focuses on social and communication deficits since those are the most notable indicators of ASD.	12 months and up	Evaluation tool	Yes

Early Intervention Program

List of Developmental Assessment Instruments

December 2024



Department of Health

Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Achenbach System of Empirically Based Assessment (ASEBA) <ul style="list-style-type: none"> Caregiver-Teacher Report Form (C-TRF) Child Behavior Checklist for Ages (CBCL), also includes a Language Developmental Survey (LDS) 	Assesses behavioral, emotional and social problems, and adaptive functioning.	1.5 to 5 years	Evaluation tool	Yes
Adaptive Behavior Assessment System Third Ed. (ABAS-3) (2015)	Provides a complete assessment of adaptive skills across the life span. Parent and/or teacher rating scale for ages birth-21 years.	Birth to 21 years	Evaluation tool	Yes
Ages and Stages Questionnaires, Third Ed. (ASQ-3)	Assesses five domains. Asks about specific skills, in addition to parent concerns.	1 to 60 months	Screening tool	Yes
Ages and Stages Questionnaires: Social-Emotional (ASQ:SE-2)	Assesses; personal-social areas include self-regulation, communication, autonomy, coping, and relationships. Parent completes questionnaires.	3 to 72 months	Screening tool	Yes
Alberta Infant Motor Scale (AIMS)	Assesses infant gross motor skills. Evaluates weight-bearing, posture, and antigravity movements of infants.	0 to 18 months	Evaluation tool	Yes
Arizona Articulation and Phonology Scale, Fourth Revision (Arizona-4) (2017)	Measures speech intelligibility, articulatory impairment, and phonological impairment in one quick, easy-to-use assessment.	18 months to 21 years	Evaluation tool	Yes
Assessment of Preterm Infants' Behavior (APIB)	A comprehensive, systematic assessment of the preterm and full-term infant, and provides a valuable resource in support of developmental care.	Preterm to 1 month after expected due date	Other	No information available
Assessment, Evaluation, and Programming System for Infants and Children (AEPS-3)	Assesses children's development in these domains: fine, gross motor, cognitive, adaptive, social-emotional and social communication.	Birth to 6 years	Evaluation tool	Yes
Autism Detection in Early Childhood (ADEC), 2nd Edition	Assesses, identifies, and details behaviors that can indicate autism spectrum disorder (ASD) and autistic tendencies in children.	12 to 36 months	Screening tool	Yes
Autism Diagnostic Interview – Revised (ADI-R)	Assesses autism, provides results for three domains: language/communication, reciprocal social interactions, and repetitive behaviors/interests.	2 years and up	Other	Yes
Autism Diagnostic Observation Schedule – Generic (ADOS-2)	Assesses social, imagination, and communication skills of individuals who may have autism spectrum disorders (ASD). It focuses on social and communication deficits since those are the most notable indicators of ASD.	12 months and up	Evaluation tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Autism Screening Instrument for Educational Planning (ASIEP-3)	An assessment and progress monitoring system to use with children with autism. Comprises five individual standardized components, e.g., Autism Behavior Checklist (ABC), Sample of Vocal Behavior, Interaction Assessment, Educational Assessment, and Prognosis of Learning Rate.	12 months to 13 years	Evaluation tool	No information available
Battelle Developmental Inventory (BDI-3)	Measures domains of adaptive, personal-social, communication, motor, and cognitive development. Provides adaptations for disabled children.	0 to 8 years	Evaluation tool, screening tool	Yes
Bayley Infant Neurodevelopmental Screener (BINS)	Identifies infants who are developmentally delayed or who have neurological impairments.	3 to 24 months	Screening tool	Yes
Bayley Scales of Infant Development (BSID-IV) • Bayley Behavior Rating Scales (BRS) Other	Measures all five developmental domains. Social-emotional and adaptive domains are assessed through parent report.	1 month to 3.6 years	Evaluation tool	Yes
Behavior Assessment System for Children, (BASC-3) (2015)	Measures behavior and emotions functioning, assessment, and intervention planning, comprises two rating scales and forms: Teacher Rating Scales (TRS) and the Parent Rating Scales (PRS).	2.0 to 21.11 years	Other	Yes
Brigance Inventory of Early Development – III (IEDIII)	Assesses fine and gross motor skills, pre-speech, speech and language, adaptive and social/emotional development.	Birth to 7.11 years	Evaluation tool	No
Carey Temperament Scales (CTS) • Early Infancy Temperament Questionnaire for early infancy ages 1-4 months • Revised Infant Temperament Questionnaire for infants 5-11 months of age • Toddler Temperament Scale for 12-35 months	The Carey Temperament Scales are 'parent report' questionnaires that determine behavioral style in each of the nine categories of temperament in infants, toddlers, and children up to 13 years of age.	1 month to 13 years	Other	Yes
Carolina Curriculum for Infants and Toddlers with Special Needs (CCITSN), Third Edition	Measures developmental domains: personal-social, cognition, communication, fine motor, and gross motor.	Birth to 5 years	Evaluation tool	Yes
Carolina Picture Vocabulary Test for Deaf and Hearing-Impaired Children, CVPT	Vocabulary test for deaf and hearing-impaired children. Intended to measure the receptive sign vocabulary in individuals where manual signing is the primary mode of communication.	2.5 to 16 years	Other	No
Childhood Autism Rating Scale (CARS and CARS-2)	Identifies children with autism and determines symptom severity through quantifiable ratings based on direct observation.	2 years and up	Evaluation tool	Yes
Clinical Linguistic and Auditory Milestone Scale (CLAMS)	Identifies language delays in children.	Birth to 3 years	Screening tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Communication and Symbolic Behavior Scales (CSBS) (Wetherby, 2003)	Uses parent interviews and direct observations of natural play to collect crucial information on communication development.	8 to 24 months	Evaluation tool	No information available
Communication and Symbolic Behavior Scales: Developmental Profile (CSBS DP) • Communication and Symbolic Behavior Scales: Developmental Profile (CSBS DP Infant-Toddler Checklist) Screening	Assesses delays in social communication, expressive speech/language, and symbolic functioning. ITC enables user to take an early look at a collection of 7 key predictors of later language delays.	6 to 24 months	Screening tool	Yes
Denver Developmental Screening Test: Denver II (DDST-II)	Screens children for possible developmental problems or suspected delays. Screens for fine motor, adaptive, gross motor, personal-social and language skills.	1 month to 6 years	Screening tool	Yes
Developmental Assessment of Young Children, 2nd Edition (DAYC-2)	Identifies possible delays in the following domains: cognitive, communication, social-emotional development, physical development, and adaptive behavior.	Birth to 5.11 years	Evaluation tool	Yes
Developmental Observation Checklist System • Developmental Observation Checklist (DOCS)	Measures the areas of language, motor, social, and cognitive development. Uses reports of parents, caregivers, or professionals to obtain measures.	Birth to 6 years	Screening tool	No information available
Developmental Profile 4 (DP-4) (2020)	Measures five domains. Uses parent/caregiver interview, checklist, teacher checklist and clinical rating.	Birth to 21 years	Evaluation tool	Yes
Devereux Early Childhood Assessment Infant/Toddler (DECA I/T)	Assesses for social and emotional risks in young children. The DECA-I/T is completed by parents and caregivers of infants and toddlers.	1 to 36 months	Evaluation tool	Yes
Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood Manual (DC:0-5) (2021)	Manual to help clinicians diagnose and treat mental health and developmental disorders in children from birth to five years old.	Birth to 5 years	Evaluation tool	Yes
Differential Ability Scale-II (DAS-II) Early Years	Assesses the cognitive abilities of children and adolescents. Measures more specific learning processes: verbal, nonverbal reasoning, and spatial abilities.	2.6 to 6 years	Evaluation tool	Yes
Early Coping Inventory (ECI)	Measures behavior in three copying clusters, sensorimotor organization, reactive behavior, and self-initiated behavior.	4 to 36 months	Other	No
Early Language Milestones Scale – 2 (ELMS-2)	Assesses three areas: auditory expressive, auditory receptive, and visual.	Birth to 36 months	Screening tool	No information available
Early Learning Accomplishment Profile (ELAP)	Assesses gross motor, fine motor, cognitive, language, self-help and social/emotional abilities of children.	Birth to 36 months	Evaluation tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Early Motor Pattern Profile (EMPP)	Measures variations in muscle tone, reflexes, and movement that have been organized into a standardized format to provide the clinician with an objective picture of neurologic status.	6 to 12 months	Screening tool	No information available
Einstein Neonatal Neurobehavioral Assessment Scale (ENNAS)	Assesses clinically observable components of neurologic and behavioral organization, including active and passive movements, muscle tone, reflexes, and orientation to visual and auditory stimuli 37-42 weeks.	Preterm to term	Evaluation tool	No information available
Expressive One-Word Picture Vocabulary Test – Revised (EOWPVT-4)	Provides a comprehensive assessment of expressive and receptive vocabulary.	2 years and up	Evaluation tool	Yes
Functional Emotional Assessment Scale	Measures social and emotional functioning as well as caregiver’s capacity to support a child’s emotional development.	7 to 48 months	Evaluation tool	No information available
Functional Independence Measure for Children (WeeFIM) (2005)	Measures 18 items within 3 domains: self-care, mobility, and cognition.	6 months to 7 years	Evaluation tool	No information available
Gesell Developmental Schedules (GDS-R)	Measures developmental status of infants and young children. Assesses gross motor, fine motor, language, personal-social, and adaptive development.	2.5 to 9 years	Evaluation tool	No information available
Goldman-Fristoe Test of Articulation (GFTA-3)	Measures speech and sound abilities around articulation in children, adolescents, and young adults.	2.0 to 21.11 years	Evaluation tool	Yes
Greenspan Social-Emotional Growth Chart	Monitors the milestones of social-emotional development in infants and young children.	0 to 42 months	Screening tool	No information available
Gross Motor Function Measure (GMFM)	Measures gross motor functions.	5 months to 16 years	Evaluation tool	Yes
Gross Motor Performance Measure, Quality of Movement (GMPM)	Measures gross motor performance.	0 to 12 years	Evaluation tool	No information available
Hawaii Early Learning Profile (HELP 0-3)	Assesses in natural settings six developmental areas: cognitive, language, gross motor, fine motor, social-emotional, and self-help.	0 to 36 months	Evaluation tool	Yes
High/Scope Child Observation Record Form for Infants and Toddlers	Measures 6 areas of development in children.	6 weeks to 3 years	Other	Yes
Humanics National Infant-Toddler Assessment	Measures aspects of a child’s development, including: motor skills, language development, mental development, social/emotional development, self-help skills, including dressing and toileting.	0 to 3 years	Evaluation tool	No information available
Infant Neurological International Battery (INFANIB)	Assesses neuromotor development in neonates and infants.	1 to 18 months	Screening tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Infant-Toddler Symptom Checklist (ITC)	Identifies children who have any type of communication delay, including Autism Spectrum Disorder (ASD).	6 to 24 months	Screening tool	Yes
Infant-Toddler Developmental Assessment (IDA-2)	Measures functioning across domains, including: fine and gross motor skills, communication, social-emotional, adaptive, and cognitive. Developmental concerns, health concerns, and family strengths and priorities are identified.	0 to 36 months	Evaluation tool	Yes
Infant-Toddler Social Emotional Assessment (ITSEA) • Brief Infant and Toddler Social and Emotional Assessment (BITSEA)	Assesses for social or emotional problems and competencies, designed to identify deficits or delays in these areas. Note: BITSEA recently added a subtest used to screen for social-emotional/ behavioral problems and delays in social-emotional competence.	1 to 3 years	Evaluation tool	Yes
Infant-Toddler: Meaningful Auditory Integration Scale (IT-MAIS)	Assesses child’s responses in three main areas: vocalization behavior, alerting to sounds and deriving meaning from sounds.	No specific limits	Evaluation tool	Yes
Kaufman Speech Praxis Test	Diagnostic test assisting in the identification and treatment of childhood apraxia of speech.	2.0 to 5.11 years	Evaluation tool	Yes
Khan-Lewis Phonological Analysis – Third Edition (K-LPA-3)	Assess Developmental Phonological Processes and yield standard scores, percentiles, test-age equivalents, and percent-of-occurrence for individual processes by age.	2.0 to 21.11 years	Screening tool	Yes
Learning Accomplishment Profile Diagnostic, 3rd (LAP-D-3) (2005)	Measures child development, fine and gross motor skills, cognitive, language and social emotional.	30 to 72 months	Screening tool	Yes
MacArthur-Bates Communicative Development Inventory (CDI)	Measures children’s developing abilities in early language, including vocabulary comprehension, production, gestures, and grammar.	8 to 30 months	Other	Yes
Milani-Comparetti Motor Development Screening Test (M-C)	Screens motor delays and abnormal movement problems, posture, and movement.	Birth to 2 years	Screening tool	No information available
Modified Checklist for Autism in Toddlers, Revised (M-CHAT-R)	Screens using parent-reporting using a series of 20 questions about a child’s behavior. It is used to assess risk for Autism Spectrum Disorder (ASD).	16 to 30 months	Screening tool	Yes
Movement Assessment of Infants (MAI)	Measures four domains: muscle tone, primitive reflex, automatic reactions, and volitional movement.	Birth to 12 months	Evaluation tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Mullen Scales of Early Learning	Assesses eight areas: cognitive, language, socialization, vision, compensatory skills, self-help, and fine and gross motor. Designed for children with visual impairments, blindness, or other multiple disabilities.	0 to 36 months	Evaluation tool	No
Neonatal Behavioral Assessment Scale, Brazelton – Fourth Edition (2011) (Known as NBAS or BNBAS)	Assesses newborn’s behavior, including an assessment of the infant’s neurological status. Covers the domains of autonomic regulation; motor organization; state organization and regulation, and attention/ social interaction.	Healthy term 0 to 2 months, healthy preterm infants	Evaluation tool	Yes
Neonatal Neurobehavioral Examination, Morgan (NNE)	Measures tone and motor patterns, primitive reflexes, and behavioral responses.	High-risk infants including preterm	Screening tool	No information available
Neonatal Neurological Examination (NEONEURO)	Assesses neonate neurological function.	Newborn	Evaluation tool	Yes
Neonatal Oral-Motor Assessment Scale (NOMAS)	Used to guide decisions about feeding advances in newborns, monitor progress in oral-motor function, oral motor dysfunction.	Birth to 8 weeks	Evaluation tool	No information available
Neurobehavioral Assessment of the Preterm Infant (NAPI)	Assesses cognitive and motor development.	Preterm infants 32 to 40 weeks	Evaluation tool	No information available
Neurological Assessment of the Preterm and Full-Term Newborn Infant, Dubowitz (NAPFI)	Assesses the differential maturity of medically stable preterm infants.	32 to 40 weeks	Evaluation tool	No information available
Neurological Evaluation of the Newborn and Infant (Amiel-Tison)	Measures the relative maturity of functioning in preterm infants.	Preterm infants aged 32 weeks conceptual age	Screening tool	No information available
Neurological Examination of the Full-Term Infant (Prechtl)	Assesses the central or peripheral nervous system of full-term newborns suspected to have a dysfunction.	Full term infants	Screening tool	No information available
Oral-Motor Feeding Rating Scale (1999)	Assesses individuals with oral motor movement and feeding dysfunctions.	1 year and up	Other	Yes
Oregon Project for the Blind and Visually Impaired, 6th Edition (2007)	Assesses cognitive, language, socialization, vision, compensatory skills, self-help, and fine and gross motor skills. Designed for children with visual impairments, blindness, or other multiple disabilities.	0 to 36 months	Evaluation tool	No information available

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Peabody Developmental Motor Scales, Second Edition (PDMS-2)	Accesses fine and gross motor skills.	Birth to 5 years	Evaluation tool	Yes
Peabody Picture Vocabulary Test, Fifth Edition (PPVT-5) (2018)	Measures receptive vocabulary acquisition and can contribute useful information when assessing receptive vocabulary.	2.6 to 90 years	Evaluation tool	Yes
Pediatric Evaluation of Disability Inventory (PEDI)	Assesses functional levels of self-care, mobility, and social functioning in children.	6 months to 7 years	Other	Yes
Pervasive Developmental Disorder Behavior Inventory (PDDBI)	Measures effectiveness of treatments of children with developmental disabilities, including ASD. Focus on behavioral challenges, key skills, and abilities.	2 to 18 years	Other	Yes
Pre-Linguistic Autism Diagnostic Observation Schedule (PL-ADOS)	Assesses children less than 6 years old, for social interaction communication in children who are suspected of having autism.	Less than 6 years of age	Other	No information available
Preschool Evaluation Scale (PES-2)	Measures developmental domains: fine and gross motor, cognitive, expressive language, social-emotional and adaptive skills.	0 to 72 months	Evaluation tool	No information available
Preschool Language Scales (PLS-5)	Assesses language with items that range from preverbal, interaction-based skills to emerging language to early literacy.	Birth to 7:11 years	Evaluation tool	Yes
Pre-Speech Assessment Scale (PSAS) • Developmental Pre-Feeding Checklist	Examines 27 pre-speech performance areas in the categories of feeding behavior: sucking, swallowing, biting, and chewing, respiration-phonation, and sound play.	Birth to 2 years	Evaluation tool	No information available
Primitive Reflex Profile (PRP)	Measures eight primitive reflexes.	0 to 12 months	Other	No information available
Receptive One-Word Picture Vocabulary Test (ROWPVT-4)	Assesses vocabulary development, makes comparisons of receptive and expressive vocabulary skills, screens for early language delay.	2.0 to 70 years	Evaluation tool	Yes
Receptive-Expressive Emergent Language Test (REEL-4)	Identifies infants and toddlers who have language impairments or who have other disabilities that affect language development.	Birth to 36 months	Evaluation tool	No information available
Rossetti Infant Toddler Language Scale	Assesses the preverbal and verbal aspects of communication and interaction in children.	Birth to 3 years	Evaluation tool	Yes
Schedule for Oral-Motor Assessment (SOMA)	Objectively rates the oral-motor skills of preverbal children, with a view to identifying areas of deficient abilities that could have clinical significance.	12 to 24 months	Other	Yes
Sensory Profile 2 • Sensory Profile (Infant/Toddler Sensory Profile) (ITSP) (2014)	Evaluates a child's sensory processing patterns. Specific to birth to 36 months.	Birth to 14.11 years	Evaluation tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
SKI*HI Language Development Scale 3rd Edition (LDS)	Assesses language development for infants, toddlers, and preschoolers.	Birth to 5 years	Evaluation tool	Yes
Social Attention and Communication Surveillance-Revised (SACS-R)	Identifies a set of behaviors that are characteristic of children on the autism spectrum.	12 to 24 months	Evaluation tool	Yes
Social-Emotional Assessment Measure (SEAM)	Assesses and monitors social-emotional and behavioral development in infants, toddlers, and preschoolers at risk for social-emotional delays or problems.	2 to 66 months	Other	Yes
Stanford-Binet Intelligence Scale (SB-5)	Measures intellectual and cognitive ability, yielding not only a full-scale IQ but also a brief IQ, verbal IQ, nonverbal IQ, as well as five factors: fluid reasoning, quantitative reasoning, visual-spatial reasoning, working memory, and knowledge.	2 to 85 years	Evaluation tool	No information available
Stuttering Severity Instrument for Children & Adults (SSI-4)	Measures stuttering severity in both children and adults in the four areas of speech behavior: frequency, duration, physical concomitants, naturalness of the individual's speech.	2 to 10 years	Evaluation tool	No information available
Temperament and Atypical Behavior Scale (TABs)	Identifies temperament and self-regulation problems that may indicate a child's risk for developmental delay.	11 to 71 months	Evaluation tool	No
Test of Infant Motor Performance (TIMP)	Measures postural and selective motor control of functional performance.	34 weeks to 4 months	Evaluation tool	Yes
Test of Sensory Function in Infants (TSFI)	Measures sensory processing and reactivity in infants.	4 to 18 months	Evaluation tool	No information available
The Nonspeech Test – Test of Early Communication and Emerging Language (TECEL)	Measures early communication and emerging language.	2 weeks to 24 months	Evaluation tool	No information available
The Ounce Scale Assessment of Infants and Toddler	Assesses the development of infants, toddlers, and preschoolers.	Birth to 42 months	Other	Yes
Toddler and Infant Motor Evaluation (T.I.M.E.)	Assesses motor abilities, in conjunction with occupational and functional performance.	4 months to 3.5 years	Evaluation tool	No information available
Transdisciplinary Play-Based Assessment, Second Edition (TPBA2)	Assesses four developmental domains – sensorimotor, social-emotional, communication, and cognitive – through observation of the child's play with family members, peers, and professionals.	Birth to 6 years	Evaluation tool	No information available
Vineland Adaptive Behavior Scales (VABS) (Vineland III) (2016)	Measures adaptive behavior and supports the diagnosis of intellectual and developmental disabilities.	Birth to 90 years	Evaluation tool	Yes

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



Name of Instrument	Description	Age Range	Type of Instrument/ Tool	Available In Other Languages
Vineland Social-Emotional Early Childhood Scale (VINELAND-SEEC)	Measures childhood social-emotional development.	Birth to 5.11 years	Evaluation tool	Yes
Westby Play Scale (revised 2000)	Measures cognitive and language abilities through play. Different stages.	9 months to 5 years	Other	No information available
Wolanski Gross Motor Evaluation	Measures motor development in infants.	3 to 12 months	Screening tool	No information available
Woodcock-Johnson Test of Cognitive Abilities Fourth Edition (WJ-IV COG) (2014)	Measures general intellectual ability and specific cognitive abilities in persons.	2 to 90 years	Evaluation tool	No

Please note:

This list will not be updated each time an existing tool is reissued; however, it is recommended that the most recent edition of an assessment instrument should be used as soon as possible or at the recommendation of the developer. This request is made with the understanding that it is important and best practice to use the most current version of an instrument as soon as possible.

The multidisciplinary evaluation (MDE) must utilize age-appropriate procedures and instruments on the list of standardized instruments approved by the Department, unless written justification is included in the evaluation report for why such instruments are not appropriate or available for the child. Evaluation instruments must be administered following all protocols in the examiner’s manual as issued by the test developer.

If you would like to recommend that a developmental assessment instrument be considered to be approved by the Department, please send the name of the proposed tool, developer, publisher, and justification of its use to the Bureau of Early Intervention at: beipub@health.ny.gov

Resources

The Center for Individuals with Disabilities Education Act (IDEA) Early Childhood Data Systems DaSY and the Early Childhood Technical Assistance Center (ECTA)

[ECTA Center: The Individuals with Disabilities Education Act \(IDEA\)](#)

The National Early Childhood Technical Assistance Center (nectac), (2008) Developmental Screening and Assessment Instruments

<https://ectacenter.org/~pdfs/pubs/tamodel.pdf>

[Norm-Referenced Assessment Tools for Children Birth to Age Five Years with Potential for Remote Administration for Eligibility Determination \(ectacenter.org\)](#)

[Screening Tools for Children Birth to Age Five Years with Potential for Remote Administration \(ectacenter.org\)](#)

Early Childhood Developmental Screening: A Compendium of Measures for Children Ages Birth to Five

https://www.acf.hhs.gov/sites/default/files/documents/opre/compendium_2013_508_compliant_final_2_5_2014.pdf

<https://school.nelson.com/psych-ed-assessment/wjiv#:~:text=Houghton%20Mifflin%20Harcourt%20now%20provides,any%20computer%20with%20Internet%20access>

<https://aseba.org/>

[ABAS-3 Adaptive Behavior Assessment System 3rd Edition \(pearsonassessments.com\)](#)

<https://brookespublishing.com/>

[Alberta Infant Motor Scale \(AIMS\) | APTA](#)

[Arizona™-4\) Arizona Articulation Phonology Scale, Fourth Edition \(wpspublish.com\)](#)

[AEPS® – Brookes Publishing Co.](#)

Early Intervention Program
List of Developmental Assessment Instruments
December 2024



[Bayley Scales of Infant and Toddler Development 4th Ed | Product Details \(pearsonassessments.com\)](https://www.pearsonassessments.com)

[BASC-3 Behavior Assessment System for Children 3rd Ed \(pearsonassessments.com\)](https://www.pearsonassessments.com)

[BRIGANCE® Special Education – Support Exceptional Students \(curriculumassociates.com\)](https://www.curriculumassociates.com)

[CSBS™ – Brookes Publishing Co.](https://www.brookespublishing.com)

[DAYC-2 Developmental Assessment of Young Children 2 Ed \(pearsonassessments.com\)](https://www.pearsonassessments.com)

[DP™-4 Developmental Profile 4 \(wpspublish.com\)](https://www.wpspublish.com)

[Social-Emotional Resources from Devereux | Kaplan ELC \(kaplanco.com\)](https://www.kaplanco.com)

[Home | UDSMR](#)

[Official ITSEA distributed by Mapi Research Trust | ePROVIDE \(mapi-trust.org\)](https://www.mapi-trust.org)

[CDI – Brookes Publishing Co.](https://www.brookespublishing.com)

[Neonatal Behavioral Assessment Scale \(NBAS\) | SpringerLink](https://www.springerlink.com)

[Sensory Profile 2 \(pearsonassessments.com\)](https://www.pearsonassessments.com)

<https://agesandstages.com/products-pricing/seam/>

<https://www.wpspublish.com/sb-5-stanford-binet-intelligence-scales-fifth-edition>

<https://www.wpspublish.com/ssi-4-stuttering-severity-instrument-fourth-edition>

[TABS – Brookes Publishing Co.](https://www.brookespublishing.com)

<https://www.thetimp.com/about-our-tests>

[Microsoft Word – Screening and Assessment instruments_May 2008 _TO PDF_.doc \(ectacenter.org\)](https://ectacenter.org)

<https://blogs.elon.edu/ptkids/2015/03/15/35-t-i-m-e-the-toddler-and-infant-motor-evaluation/>

<https://products.brookespublishing.com/Transdisciplinary-Play-Based-Assessment-Second-Edition-TPBA2-P215.aspx>

[Vineland Adaptive Behavior Scales | Third Edition \(pearsonassessments.com\)](https://www.pearsonassessments.com)

<https://www.home-speech-home.com/speech-therapy-report-templates-westby-symbolic-play-scale.html#:~:text=The%20Westby%20Symbolic%20Play%20Scale,two%20areas%20of%20symbolic%20development.>

[Zero To Three: DC:0-5 Manual and Training. \(https://www.zerotothree.org/our-work/learn-professional-development/dc0-5-manual-and-training/\)](https://www.zerotothree.org/our-work/learn-professional-development/dc0-5-manual-and-training/)

